

# **CANIK® GLOBAL ACCESSORY PROGRAM**

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com



# **CONTENTS**

BARREL	4 - 23
MAGAZINE	26 -35
MAG-WELL	38 - 43
MAGAZINE EXTENSION	46 - 49
BACKSTRAP	52 - 59
RECOIL SPRING	
SIGHT	70 - 77
OPTIC BASE PLATE	80 - 85
FIRING PIN & MAGAZINE CATCH ————	
SFX RIVAL-S ACCESSORY	96 - 103
UPGRADE PACK	106-109
DUTY PACK & GEAR	112 - 119
HOLSTER	122 - 135
MASTER PACK	138 - 201
0EM	
MECANIK OPTICS®	204 - 217



OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

# BARREL

# COMPACT SIZE THREADED BARREL DESIGN BY SAI<sup>®</sup> (INCH)

COMPACT SIZE SAI® DESIGN THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY W® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# **COMPACT SIZE THREADED BARREL (METRIC)**

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE SAI<sup>®</sup> DESIGNED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# **COMPACT SIZE BARREL (REPLACEMENT)**

COMPACT SIZE SAI<sup>®</sup> DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK<sup>®</sup> FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

**FEATURES** 

CHAMBERED IN 9X19 MM

HIGH-OUALITY CNC TECH

4.07" / 103,5 MM BARREL LENGTH

6 GROOVES W/RH TWIST

9.85 INCH / 250 MM HELIX LENGTH

INNER & OUTER TENIFER FINISH

POLISHED FEED RAMP

MATCH GRADE BARREL

UP TO 50,000 ROUNDS BARREL LIFE

TP9 SF METE - TP9 SF METE -S

MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

**MMAC-179** 

FITS

CNC TECH

# BARREL

# FULL SIZE METAL FRAME BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 5.19" / 132 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHANGREED IN 9709M, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +\*\* AMMUNITION. ALWAYS BE SUBLE THAT THE BARREL IS CLEAR OF ANY OBSTINUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFY TH CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVIL ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QULIFIED GUNSMITH

# MMAC-105 FITS TP9 SFx - TP9 SFx MOD 2 - TP9 SFL

FEATURES CHAMBERED IN 9X19 MM M13,5X1 LH HIGH-QUALITY CNC TECH 5.74" / 146 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP

MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALFABLE CONDITION THIS BARREL SCHAMBREDD IN 9X19MM, ONLY USE THIS CAUBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +FA AMMUNITOR ALWAYS BE SUBLE THAT THE BARREL SCLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY CAUBER OF THE BARREL OR BROUVES AND LANDS THEREIN, BEFORE REPLACING YOUR BARREL, PLASE READ YOUR MISTIC'S OWNEYS MANUAL CAREFULYUL ALL PARTS AND ANCESSORIES STANDUL BE INSTALLED BY A QUALIFIED BOUNSMITH



# FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 5.74" / 146 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION ANDE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. LIWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR ROROVES AND LIANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLYI ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-107	
FITS	
	TP9 SFx METE - METE SFx - METE SFx PRO

# BARREL

# **COMPACT SIZE BARREL (REPLACEMENT)**

COMPACT SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# **COMPACT SIZE BARREL (REPLACEMENT)**

COMPACT SIZE SAI<sup>®</sup> DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK<sup>®</sup> FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 4.07" / 103,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARRELS CHAMBREED IN 9719MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +\*\* AMMUNITION. ALWAYS BE SUBLE THAT THE BARRELS CLEAR OF ANY OBSTINUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED VA QUIAR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED VA QUIAR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S



# BARREL

# FULL SIZE METAL FRAME BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# COMPACT SIZE THREADED BARREL (METRIC)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE SAI<sup>®</sup> DESIGNED BARREL

COMPACT SIZE SAI® DESIGNED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



### **FEATURES**

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 4,19" / 106,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE



WARNING: BARRELS MAY ONLY DE RETURNO IF THEY ARE UNUSED AND IN RESALEARLE COMDITION. THIS BARREL IS CHARGEN IN 900MM, ONLY USE THIS CALLER OF AFCORTOR WITHIN THATE ON HOUSER'S STAINABORS AS MARKED ON YOUR BARREL. DO NOT 94 - AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALLER OF THE BAARREL DR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEARS READ YOUR PISTOL'S OWNERS MANUAL CAREFULVI ALL PARTS AND ACCESSORIES BOULD BE WISTALLED VA QUALIFIE BOUNSMITH

# MMAC-111 Fits

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO



CHAMBERED IN 9X19 MM M13,5X1LH HIGH-QUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE RETURNED IF THEY ARE UNIVED AND IN RESALEABLE COMDITION. THIS BARRELS IS CHANGED AN 9379MM, ONLY USE THIS CALIBER OF AFCORY AMMINITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P AMMUNITION. ALWAYS BE SURE THAT THE BARRELS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL DO RODVESS AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

### **MMAC-109**

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE -METE SF - METE SF PRO



**FEATURES** 

CHAMBERED IN 9X19 MM

1/2"-28RH

HIGH-OUALITY CNC TECH

4.72" / 120 MM BARREL LENGTH

6 GROOVES W/RH TWIST

9.85 INCH / 250 MM HELIX LENGTH

**INNER & OUTER TENIFER FINISH** 

POLISHED FEED RAMP

MATCH GRADE BARREL

UP TO 50,000 ROUNDS BARREL LIFE

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE -METE SF - METE SF PRO

FITS

# BARREL

# COMPACT SIZE SAI<sup>®</sup> DESIGNED BARREL (PVD)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE SAI<sup>®</sup> DESIGNED PVD COATED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS

# FEATURES

CHAMBERED IN 9X19 MM M13,5X1 LH HIGH-QUALITY CNC TECH 4,72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE RETURNED IF THEY ARE UNISED AND IN RESALEARLE CONDITION. THIS BARRELS CHAMBREED IN 9709MM, ONLY USE THIS CALIBER OF RECTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. AUWAYS BE SURE THAT THE BARRELS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS NAN DOCESSORIES SHOULD BE INSTALLED VA QUIAR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS NAN DOCESSORIES SHOULD BE INSTALLED VA QUIAR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

### MMAC-113

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

# BARREL

# COMPACT SIZE PVD COATED THREADED BARREL DESIGNED BY SAI<sup>®</sup> (IMPERIAL)

COMPACT SIZE SAI® DESIGNED PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANİK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING: BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE COMOTION. THIS BARREL IS CHANGEDE IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION ALWAYS BE SUBLE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. ON OT ATEER OR MODIFY CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARREPUTIVAL IL ARRISTAND ACCESSORIES BAUOUDUL BE WISTALLED BY A QUALIFIE BOINSMITH

### FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

**MMAC-114** 

### FEATURES CHAMBERED IN 9X19 MM

HIGH-QUALITY CNC TECH 4,19" / 106,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE REFURNED IF THEY ARE UNISED AND IN RESALEASIE CONDITION. THIS BARREL IS CHAMBER OF SYMMY, ONLY USE THIS CAUBER OF AFCOTORY AMMUNTION NADE TO MODISTRY STANDARDS, SARAKEG ON YOUR BARREL DO NOT USE +P- AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING DO NOT ALTER OR MODIFY THE CAUBER OF THE BARREL OR GROUVES AND LANDS THREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOLS OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES STRUDULD BE INSTALLED BY A QUALIFIE OURSMITH



FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

# BARREL

# SUB COMPACT (SC) SIZE BARREL (REPLACEMENT)

SC SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# SUB COMPACT (SC) THREADED BARREL (METRIC)

SC THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# SUB COMPACT (SC) SIZE THREADED BARREL (IMPERIAL)

SC SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING: BARRELS MAY ONLY BE REFURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9XY9MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. LIWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR RODOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFED GUNSMITH

# MMAC-117

FITS

### TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

FEATURES CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 3,60" / 91,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE REFURNED IF THEY ARE UNISED AND IN RESALEABLE CONDITION. THIS BARRELS CHAMBREED IN 970FMM, ONLY USE THIS CALIBER OF REFORTS A MUNIMITION MADE TO INDUSTRY STANDARDS SA MARKED ON YOUR BARREL DO NOT USE + AMMUNITION. ALWAYS BE SURE THAT THE BARRELS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR BROUVES AND LANDS THERIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI, ALL PARTS NAN DOCESSORIES SHOULD BE INSTALLED VA QUALIFIED GUNSMITH

# MMAC-115 FITS TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

FEATURES CHAMBERED IN 9X19 MM

M13,5X1LH HIGH-QUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE REFURNED IF THEY ARE UNISSED AND IN RESALEABLE CONDITION THIS BARRELS SCHAMBRED IN SYNMM, ONLY USE THIC SCHABE OF ACTORY AMMUNITION MADE TO MODISTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARRELIS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR BROUVES AND LANDS THERIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULYU. ALL PARTS AND ALOCESSORIES STRUDUDE BE INSTALLED BY A QUALIFEB OUNSMITH

### MMAC-116

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

# BARREL

# SUB COMPACT (SC) size PVD COATED BARREL (REPLACEMENT)

SC SIZE PVD COATED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK®ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS

# FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 3,60" / 91,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE REFURNED IF THEY ARE UNISED AND IN RESALEASIE CONDITION. THIS BARREL IS CHAMBER OF SYMMY, ONLY USE THIS CAUBER OF AFCOTORY AMMUNTION NADE TO MODISTRY STANDARDS, SARAKEG ON YOUR BARREL DO NOT USE +P- AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING DO NOT ALTER OR MODIFY THE CAUBER OF THE BARREL OR GROUVES AND LANDS THREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOLS OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES STRUDULD BE INSTALLED BY A QUALIFIE OURSMITH

# MMAC-126



# BARREL

# SUB COMPACT (SC) SIZE PVD COATED THREADED BARREL (METRIC)

SC PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# FEATURES

CHAMBERED IN 9X19 MM M13,5X1 LH HIGH-QUALITY CNC TECH 4,13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP T0 50,000 ROUNDS BARREL LIFE



WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNISED AND IN RESALEABLE CONDITION. THIS BARRELS CHAMBREED IN 9719MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +\*\* AMMUNITION. ALWAYS BE SUME THAT THE BARRELS CLEAR OF ANY OBSTINUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED VA QULIFIED GURSMITH

### MMAC-127

FITS

TP9 ELITE SC - TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

# BARREL

# SUB COMPACT (SC) SIZE PVD COATED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



CHAMBERED IN 9X19 MM 1/2" – 28RH HIGH-QUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING: BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE COMOTION. THIS BARREL IS CHANGEDE IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION ALWAYS BE SUBLE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. ON OT ATEER OR MODIFY CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARREPUTIVAL IL ARRISTAND ACCESSORIES BAUOUDUL BE WISTALLED BY A QUALIFIE BOINSMITH

# MMAC-128

FITS

TP9 ELITE SC - TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

# BARREL

# FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS ARE SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE CANIK<sup>®</sup> PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH QUALITY, BARREL GRADE STEEL. PRECISION CNC MACHINING PROVIDES MATCH GRADE ACCURACY AND EXCEPTION-AL DURABILITY. UNDER NORMAL USE CONDITIONS, THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THE TP9 FULL-SIZE BARRELS REDEFINE QUALITY AND ROBUSTNESS AMONG HANDGUN BARRELS.

# BARREL

# FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

### **FEATURES FEATURES FEATURES** CHAMBERED IN 9X19 MM CHAMBERED IN 9X19 MM CHAMBERED IN 9X19 MM 1/2 - 28 RH THREAD PITCH **HIGH-QUALITY CNC TECH** M13,5X1 LH 4.46" / 113,5 MM BARREL LENGTH HIGH-QUALITY CNC TECH HIGH-QUALITY CNC TECH 6 GROOVES W/RH TWIST 5,00" / 127 MM BARREL LENGTH 5.00" / 127 MM BARREL LENGTH 9.85 INCH / 250 MM HELIX LENGTH 9.85 INCH / 250 MM HELIX LENGTH 6 GROOVES W/RH TWIST **INNER & OUTER TENIFER FINISH INNER & OUTER TENIFER FINISH** 9.85 INCH / 250 MM HELIX LENGTH POLISHED FEED RAMP POLISHED FEED RAMP **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE UP TO 50,000 ROUNDS BARREL LIFE MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED II 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION AUWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THI CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN, BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN, BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMIT MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUNSMITH MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH **MMAC-175 MMAC-173 MMAC-174**

FITS TP9 SF - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

TP9 SF - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

FITS

# OFFICIAL ACCESSORY PROGRAM

FITS

# BARREL

# FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS

**FEATURES** CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 5.00"/ 127 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITI

# **MMAC-416** FITS SFx RIVAL

# SUB COMPACT (SC) SIZE FLUTED BARREL

BARREL

SC SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

**FEATURES** 

CHAMBERED IN 9X19 MM

UNIQUE FLUTED DESIGN

HIGH-QUALITY CNC TECH

3.60" / 91,5 MM BARREL LENGTH

**6 GROOVES W/RH TWIST** 

9.85 INCH / 250 MM HELIX LENGTH

INNER & OUTER TENIFER FINISH

POLISHED FEED RAMP

MATCH GRADE BARREL

UP TO 50.000 ROUNDS BARREL LIFE

MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUNSMITI

**MMAC-417** 

FITS

CNC TECH

# BARREL

# **COMPACT SIZE FLUTED BARREL**

COMPACT SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



# OFFICIAL ACCESSORY PROGRAM

METE SC - METE SC PRO

# BARREL

# **FULL SIZE FLUTED BARREL**

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# SUB COMPACT (SC) SIZE FLUTED THREADED BARREL (IMPERIAL)

SC SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# SUB COMPACT (SC) SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2" – 28 RH HIGH-QUALITY CNC TECH 4.13"/105MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARRELS CHAMBREED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +++ AMMUNITAL AURYS DE SUBE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFY CALIBER OF THE BARREL OR BROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLASE READ YOUR PISTOL'S OWNER'S MANULL CAREFULVYI, ALL PARTS AND ACCESSORIES SHOULD BE INTISALLED BY A QULIFIED GUNSMITH

### MMAC-439

FITS TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE - TP9 SUB ELITE - TP9 SUB ELITE CAS METE SC - METE SC PR0

# FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2" - 28 RH HIGH-QUALITY CNC TECH 4.72"/120MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARRELS CHAMBREED IN 9709MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STAINADRAS & MARKED ON YOUR BARREL DO NOT USE ++ AMMUNITION. ALWAYS BE SUBLE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED VA QUALIFBE OURSMITH

### MMAC-441

FITS

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF METE - TP9 SF ELITE-S - METE SF - METE SF PRO





VAANIMMS! BARBELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE COMOTION. THIS BARBEL SCHAMBREED IN 9XYRMM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE ++> AMMUNITION ALWAYS BE SUBE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFY CALIBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULTY ALL PARTS AND ACCESSORIES BOULD BE INSTALLED BY A QUALIFIE BOUNSMITH

### MMAC-442

### FITS

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE - METE SF - METE SF PRO

# BARREL

# FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE FLUTED THREADED BARREL

# (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

### **FEATURES FEATURES** CHAMBERED IN 9X19 MM CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN UNIQUE FLUTED DESIGN 1/2 - 28 RH THREAD PITCH 1/2"-28 RH HIGH-OUALITY CNC TECH HIGH-QUALITY CNC TECH 5.00"/127MM BARREL LENGTH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** INNER & OUTER TENIFER FINISH POLISHED FEED RAMP POLISHED FEED RAMP MATCH GRADE BARREL MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE **UP TO 50,000 ROUNDS BARREL LIFE** TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH IGH DIM ITY HEH DUALITY CNC TECH CNC TECH WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH **MMAC-445 MMAC-447** FITS FITS TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO TP9 SFx METE - METE SFx - METE SFx PRO

### FEATURES CHAMBERED IN 9X19 MM

UNIQUE FLUTED DESIGN 1/2 - 28 RH THREAD PITCH HIGH-QUALITY CNC TECH 5.00"/127MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE

FINISH PORCTECH COMBAT

WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9XI9MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL ON ONT USE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOTING. OD NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROUPS AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

### MMAC-444

### FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

# BARREL

# FULL SIZE PVD COATED FLUTED THREADED **BARREL (IMPERIAL)**

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

FITS

# BARREL

# FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS

# BARREL

# FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS, EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

### **FEATURES** FFATURFS CHAMBERED IN 9X19 MM CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH **HIGH-QUALITY CNC TECH** 5.19" BARREL LENGTH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** 9.85 INCH / 250 MM HELIX LENGTH POLISHED FEED RAMP POLISHED FEED RAMP MATCH GRADE BARREL MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE UP TO 50,000 ROUNDS BARREL LIFE TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH CNC TECH CNC TECH NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION THIS BARREL IS CHAMBERED IN WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH **MMAC-448 MMAC-449** MMAC-450 FITS FITS TP9 SFx METE - METE SFx - METE SFx PRO TP9 SFx - TP9 SFL

**FEATURES** CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1⁄2″-28 RH HIGH-QUALITY CNC TECH 5.74" BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL **UP TO 50,000 ROUNDS BARREL LIFE** ICH DIM ITY CNC TECH WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH TP9 SFx - TP9 SFL

# BARREL

# FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

18

# BARREL

# FULL SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE THREADED BARREL (INCH)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH



# SUB COMPACT SIZE FLUTED THREADED BARREL (METRIC)

BARREL

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# **COMPACT SIZE FLUTED THREADED BARREL** (METRIC)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



# OFFICIAL ACCESSORY PROGRAM

**MMAC-437** 

FITS

# BARREL

# FULL SIZE PVD FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS

# FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 5.53"/140.5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE RETURNED IF THEY ARE UNIVED AND IN RESALEABLE COMDITION. THIS BARRELS IS CHANGED AN 9379MM, ONLY USE THIS CALIBER OF AFCORY AMMINITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P AMMUNITION. ALWAYS BE SURE THAT THE BARRELS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL DO RODVESS AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVYI. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

# MMAC-436 FITS SFX RIVAL

FEATURES CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN M13,5X1 LH HIGH-QUALITY CNC TECH 5.00"/127MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE REFURNED IF THEY ARE UNUSED AND IN RESALEARLE CONDITION THIS BARREL SCHAMBREDE IN 9X19MM, ONLY USE THIS CAUBER OF ACTORY AMMUNITION MADE TO MONISTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +> AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFYT CAUBER OF THE BARREL OR GROOVES AND LANDS THREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULYUL ALL PARTS AND ACCESSORIES SHOULD BE INTSALLED BY A QUALIFEB OUNSMITH

### **MMAC-443**

FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN M13,5X1 LH HIGH-QUALITY CNC TECH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 6 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9XI9M, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR ROROVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLYI ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFED GUNSMITH

MMAC-446	
FITS	
	TP9 SFx METE - METE SFx - METE SFx PRO

# BARREL

# FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# **FEATURES** CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 5.19" / 132 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL POLISHED FEED RAMP MATCH GRADE BARREL **UP TO 50,000 ROUNDS BARREL LIFE** CNC TECH WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE \*P\* AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S NUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

# MMAC-539 FITS TP9 SFX - METE SFX - METE SFX PRO

# FULL SIZE THREADED BARREL (INCH)

BARREL

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 1/2"- 28 RH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE EFFURNED IF THEY ARE UNISED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALBER OF RECTORY AMMUNITION MADE TO INDUSTRY STANDAROS A MARKED ON YOUR BARREL DO NOT USE PF- AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALEER OR MODIFY THE CALBER OF THE BARREL OR GROUVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULVIL ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

### MMAC-461

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFL

# BARREL

# FULL SIZE FLUTED THREADED BARREL (INCH)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

# FULL SIZE PVD FLUTED THREADED BARREL

# (IMPERIAL)

FULL SIZE PVD FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.




FEATURES


CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2" – 28 RH HIGH-QUALITY CNC TECH 5.53"/140.5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BAARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE REFURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION THIS BARREL SCHAMBERED IN 9Y19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P- AMMUNITION. ALWAYS BE SUME THAT THE BARREL IS CLEAR OF ANY OBSTINUCTIONS BEFORE SHOTING. DO NOT ALTER OR MODIFYTH CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLABE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULYUL ALL PARTS NAN DECESSORIES SHOULD BE INSTALLED BY A QUALIFEB OUNSMITH

# MMAC-451 FITS TP9 SFX - TP9 SFL







# MAGAZINE

# COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



# FEATURES

18 (15+3) ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible instol models.

# MMAC-015 FITS TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFLIETE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

# MAGAZINE

# **COMPACT SIZE 15 ROUND MAGAZINE**

THE COMPACT SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pristol models.

### MMAC-028

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

# MAGAZINE

# COMPACT SIZE 15 ROUND MAGAZINE WITH +3

# **ALUMINIUM EXTENSION**

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSIONS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEG-CAR, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD.THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GARS'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, ENCREASING FREEDING RELIABILITY AND EASE WHEN LOADING, THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAS SHOT.



**FEATURES** 

18 (15+3) ROUND 9X19MM CAPACITY +3 ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC GAR INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, NO ISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Bottom of the Magazine Toward Your Face or Another Person when removing the Base Plate. Only use with comparible instol Models.

### MMAC-029

### FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES 18 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSENDLY, DISASSEMBLY, AND MAINTENANCE UNSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pointol models.

### **MMAC-030**

### FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFx MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFx METE - TP9 SFT METE - METE SFT - METE SFT PR0 METE SFx - METE SFx PR0 - SFx RIVAL

# MAGAZINE

# SUB COMPACT SIZE 12 ROUND MAGAZINE

THE SUB COMPACT SIZE 12 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

**FEATURES** 

12 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Bothom of the Magazine Toward your face or another Person when removing the Base Plate Only use with compatible protoin Models.

### MMAC-059

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO

OFFICIAL ACCESSORY PROGRAM

# MAGAZINE

# SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



# **FEATURES**

12 ROUND 9X19MM CAPACITY EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE DOUBLE-STACK DESIGN STANDARD BLACK POLYMER BASE PLATE INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE VIEWING WINDOWS FOR VISUAL CONFIRMATION HIGH QUALITY ANTI-FRICTION COATING CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR®



COMBAT

PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do not point the bottom of the Magzine toward your face or another person when removing the base plate. Only use with compatible proton Models.

### MMAC-060

### FITS TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC -METE SC PRO

# MAGAZINE

# SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# **FEATURES**

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

🚏 HIGH QUALITY 🙊 HIGH QUALITY 💇 DURABLE 🛠 COMBAT PROLYMER 💇 DURABLE

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible protol Models.

# MMAC-061 FITS TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC - METE SC PRO

# MAGAZINE

# SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

17 (15+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR<sup>®</sup> INTERCHANGEABLE COMPONENT STRUCTURE



WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pristol models.

### MMAC-062

### FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC - METE SC PRO

# MAGAZINE

# 17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



**FEATURES** 

17 ROUND 9X19MM CAPACITY POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Bottom of the Magazine Toward Your Face or Another Person when removing the Base Plate. Only use with comparible ipstol models.

# MMAC-124 FITS P120 - SFC 100 - PIRANHA - PIRANHA F - STRINGRAY - STANDART - LIGHT - S120 - SHARK SHARK FC

# MAGAZINE

# 15 ROUNDS STANDARD MAGAZINE (COMPACT SIZE METAL FRAMED PISTOLS)

THE 15 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



15 ROUND 9X19MM CAPACITY POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, JOISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pistol models.

### MMAC-125



COMPACT - C100 - PIRANHA-C - PIRANHA CF - P100 - SHARK C - STRINGRAY C

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

FEATURES

20(18+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate only use with compatible position Models.

### MMAC-148

### FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFX MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFX METE - TP9 SFT METE - METE SFT - METE SFT PR0 METE SFx - METE SFX PR0 - SFX RIVAL

# MAGAZINE

# **FULL SIZE 10 ROUND MAGAZINE**

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



**FEATURES** 

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Bottom of the Maszline Toward your face or another Person when removing the Base Plate. Only use with compartible Iprotion Models.

### **MMAC-203**

### FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFL - TP9 SFT - METE SFT METE SFT PR0 - METE SFx - METE SFx PR0 - SFx RIVAL

# MAGAZINE

# COMPACT SIZE 10 ROUND MAGAZINE WITH +3 **EXTENSION**

THE COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# **FEATURES**

**10 ROUND 9X19MM CAPACITY** DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE HIGH QUALITY HIGH OUALITY

COMBAT Proven ×. POLYMER FINIS CNC TECH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

# **MMAC-195** FITS TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE -S - TP9 ELITE COMBAT **TP9 ELITE-S COMBAT - METE SF - METE SF PRO**

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# MAGAZINE

# SUB COMPACT SIZE 10 ROUND MAGAZINE

THE SUB COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



20(18+2) ROUND 9X19MM CAPACITY FDE +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

# MMAC-424

FITS

TP9 SFx - TP9 SFL - METE SFx - METE SFx PRO - TP9 V2 - TP DA - TP9 SF - TP9 SA TP9 SA MOD 2



**FEATURES** 

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN STANDARD BLACK POLYMER BASE PLATE VIEWING WINDOWS FOR VISUAL CONFIRMATION HIGH QUALITY ANTI-FRICTION COATING CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE HIGH QUALITY Poi y MFR FINISH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

# **MMAC-145**

CNC TECH

### FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO

# MAGAZINE

# SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



18 (15+3) ROUND 9X19MM CAPACITY +3 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE



WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE UNSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pistol models.

# MMAC-460 FITS TP9 ELITE SC - METE SC - METE SC PRO

# MAGAZINE

# **COMPACT SIZE 10 ROUND MAGAZINE**

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



**FEATURES** 

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate only use with compatible instol models.

# MMAC-198

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PR0

# MAGAZINE

# SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



**FEATURES** 

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pistol models.

# MMAC-146

# FITS

TP9 SUB ELITE - TP9 SUB METE - METE SC - METE SC PRO

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



METE SFX PRO

# MAGAZINE

# 19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# MAGAZINE

# **FULL SIZE 10 ROUND MAGAZINE**

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



**FEATURES** 

19 (17+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE UNSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pistol models.

### MMAC-274

FITS

STANDART - LIGHT - S120 - L120 - SHARK - SHARK FC - P120 - SFC100 - PIRANHA Piranha F - Stringray



**FEATURES** 

10 ROUND 9X19MM CAPACITY TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, JOISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Bottom of the Magazine Toward Your Face or Another Person when removing the Base Plate. Only use with edupatible pristol Models.

### MMAC-489

### FITS

TP9 SFT - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - TP9 V2 - TP9 DA TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFX - TP9 SFL

# MAGAZINE

# MAGAZINE

# MAGAZINE

# **FULL SIZE 15 ROUND MAGAZINE**

THE FULL SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

15 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 15 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSENDLY, DISASSEMBLY, AND MAINTENANCE UNSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pointol models.

### MMAC-457

FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFx - TP9 SFL - TP9 SFT METE SFT - METE SFT PR0 - METE SFx - METE SFx PR0

# COMPACT SIZE 10 ROUND MAGAZINE

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# **FULL SIZE 18 ROUND MAGAZINE**

THE FULL SIZE 18 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

10 ROUND 9X19MM CAPACITY TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate only use with compatible position Models.

### MMAC-490

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO



# FEATURES

18 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MANTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do NOT Point the Bottow of the Madazine Toward your face or another Person when removing the Base Plate. Only use with comparibile pristol Models.

### **MMAC-588**

### FITS TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFL - METE SFT - METE SFx - METE SFx PRO - SFx RIVAL

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION

THE FULL SIZE 18 ROUND MAGAZIN WITH +2 EXTENSION WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE ALL THE FEATURES ONE WOULD DEMAND IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION. WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.

# MAGAZINE

# **FULL SIZE 18 ROUND MAGAZINE** (FDE BASE PLATE)

THE FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-OUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.

# MAGAZINE

# FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION. WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.

METE SFx PRO

COMBAT Proven



METE SFx PRO

# OFFICIAL ACCESSORY PROGRAM

METE SFx PRO

# MAGAZINE

# MAGAZINE

# SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 GRIP EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION BASE PLATE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE ALL THE FEATURES ONE WOULD DEMAND IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



18(15+3) ROUND 9X19MM CAPACITY +3 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE

**FEATURES** 



WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible pistol models.

# MMAC-592 FITS TP9 ELITE SC - METE SC - METE SC PRO

# **COMPACT SIZE 10 ROUND MAGAZINE**

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES


10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE


	POLYMER	<b>V DURABLE</b> <b>FINISH</b>	
--	---------	-----------------------------------	--

WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine roward your face or another person when removing the base plate. Only use with comparible points models.

# MMAC-194

TP9 SF ELITE - TP9 ELITE COMBAT - METE SF - METE SF PRO





OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com

#### **MAG-WELL**

#### CANIK<sup>®</sup> COMPETITION FULL-SIZE LARGE MAG-WELL

THE CANIK<sup>®</sup> COMPETITION FULL SIZE LARGE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### **MAG-WELL**

#### CANIK<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL

THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### **MAG-WELL**

#### CANIK<sup>®</sup> STANDARD COMPACT SIZE FDE MAG-WELL

THE CANIK<sup>®</sup> STANDARD COMPACT SIZE fde MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.





**FEATURES** 

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN

CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING

CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM

**BLACK FINISH** 

**INCLUDES ALLEN KEY & SCREWS** 

uter (ERAKOTE" 🛣



#### **FEATURES**

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM FDE FINISH INCLUDES ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE. Pacno500 (MMAC - 024) CANIK STANDARD COMPACT SIZE BACKSTRAP.

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user manual only install on compatible models. Select mag-well fit model based on the fit chart. This magwell is only compatible with 's' suce backstrap.



#### **FEATURES**

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE. ALLEN KEY & SCREWS



WARNING CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on refer to installation instructions provided, and pistol user manual only install do compatibile models. Select max-well fit model based on the fit chart.

#### **MMAC-133**

TP9 SFx METE - TP9 SFT METE - TP9 SFx MOD 2 - TP9 SF MOD 2

FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECFIC PRODUCT CODE. Pacno500 (MMAC - 024) Canik standart compact size backstrap

HIGH QUALITY CNC TECH

WARNING: CANIC® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED BUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only install on compatible models.

#### **MMAC-027**

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PR0

#### **MAG-WELL**

#### CANIK<sup>®</sup> COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL

THE CANIK<sup>®</sup> COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES Quick Assembly with USER-FRIENDLY DESIGN Made by Brass CNC - Machined High-Quality, Aircraft grade Aluminum Special Design Base Plate Includes Base Plate, Allen Key & Screws



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE. MMAC - 024 CANIK® STANDARD COMPACT SIZE BACKSTRAP. - MMAC - 343 CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL). MMAC - 341 CANIK® COMPACT SIZE ALUMUNIUM BACKSTRAP (SMALL). - MMAC - 342 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL).

MMAC - 344 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM).

MMAC - 346 CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH 'S' SIZE BACKSTRAP.

#### MMAC-381 TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 SF ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S\*SEEBACK

# **MAG-WELL**

#### CANIK<sup>®</sup> STANDARD FULL SIZE FDE MAG-WELL

THE CANIK® STANDARD FULL SIZE FDE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### **MAG-WELL**

#### CANIK<sup>®</sup> STANDARD FULL SIZE MAG-WELL

THE CANIK® STANDARD FULL-SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



#### **FEATURES**

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM FDE FINISH INCLUDES ALLEN KEY & SCREWS

TINISH 👘 CINC TECH 📲 🦛 CERAKOTE" 🛠 COMBAT

#### FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM BLACK FINISH INCLUDES ALLEN KEY & SCREWS

#### DURABLE INSH INCH CONBAT

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on refer to installation instructions provided, and pistol user Manual Only installe in compatible models. Select Marwell itt model based on the fit chart.



WARNING! CANİK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUN	NSMITH WITH AN UNDERSTANDING OF THE FIREAR!
PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTR	UCTIONS PROVIDED, AND PISTOL USER MANUAL.
ONLY INSTALL ON COMPATIBLE MODELS.	

# MMAC-026 TP9 SFT METE - TP9 SFX METE - TP9 SFX MOD 2

#### **MAG-WELL**

#### CANIK<sup>®</sup> COMPETITION FULL-SIZE SMALL MAG-WELL

THE CANIK<sup>®</sup> COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### CANIK<sup>®</sup> COMPETITION FULL SIZE SMALL BRASS MAG-WELL

**MAG-WELL** 

THE CANIK<sup>®</sup> COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### **MAG-WELL**

#### TCS<sup>®</sup> STANDARD FULL SIZE MAG-WELL

THE TCS<sup>®</sup> STANDARD FULL SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.







#### **FEATURES**

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM BLACK FINISH INCLUDES ALLEN KEY & SCREWS



WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual only install on compatible models. Select mag-well fit model based on the fit chart. This Magnella DNI compatible with "S'sze takostrap."

# MMAC-161

**FEATURES** 

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART.THIS MAGWELL IS ONLY COMPATIBLE WITT "S'S IZE BACKSTAP.

#### **MMAC-135**

TP9 SFx METE - TP9 SFT METE - TP9 SFx MOD 2 - TP9 SF MOD 2

FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN MADE BY BRASS CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE. MMAC - 024 CANIK® STANDARD COMPACT SIZE BACKSTRAP.-MMAC - 343 CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL). MMAC - 341 CANIK® COMPACT SIZE ALUMUNIUM BACKSTRAP (SMALL). - MMAC - 342 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL).

(JOPALL). MMAC - 344 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (NEDIUM).

#### MMAC - 346 CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual only install on compatible models. Select mag-well fit model based on the fit chart. This magnetil is only compatible with "5" size decistrar.

#### MMAC-380

TP9 SF METE - TP9 METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S\*SEEBACK

#### **MAG-WELL**

#### **MAG-WELL**

#### **MAG-WELL**

#### TCS® STANDARD COMPACT SIZE MAG-WELL

THE TCS<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### CANIK<sup>®</sup> COMPETITION FULL SIZE SMALL MAG-WELL

THE CANIK® COMPETITION FULL SIZE SMALL MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### CANIK<sup>®</sup> COMPETITION FULL SIZE LARGE MAG-WELL

THE CANIK<sup>®</sup> COMPETITION FULL SIZE LARGE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.





#### FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS

CNC TECH ⊢€ CERAKOTE

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

**TP9 ELITE - TP9 ELITE COMBAT** 

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL.

ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART

THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

**MMAC-199** 



#### FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS

ULRABLE FINISH 🚏 CNC TECH 🛒 CERAKOTE"

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on, refer to installation instructions provided, and pistol user Manual only install on compatible models. Select Mag-Well HT Model based on the Fit Chart. This Magnells in Only compatible with "5" size backstrap.

**TP9 ELITE - TP9 ELITE COMBAT** 

	THIS MAGWELL IS ONLY COMPATIBLE WI	
	MMAC-200	

#### FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM BLACK FINISH INCLUDES ALLEN KEY & SCREWS



WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on refer to installation instructions provided, and pistol user Manual Only Install on compatible models. Select Mag-Well Fit Model based on the Fit Chart. This Magwells Donly compatible with "5" size backstrap.

MMAC-160	
TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SF METE-S - TP9 SF ELIT	E
TP9 SF ELITE-S - METE SF - METE SF PRO	

#### OFFICIAL ACCESSORY PROGRAM

**MAG-WELL** 

#### **MAG-WELL**


#### **CANIK®COMPACT SIZE MAG-WELL**

STANDARD COMPACT SIZE MAG-WELLENLARGES THE THE TCS® MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

TP9 ELITE COMBAT - TP9 SF ELITE - METE SF - METE SF PRO

#### TCS<sup>®</sup> FULL SIZE MAG-WELL


THE TCS<sup>®</sup> FULL SIZE MAG-WELLENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S **GRIP AND CONTROL OF THE FIREARM.** 



PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

TP9 V2 - TP9 DA - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 SFx

# **STORE**



# **MAGAZINE EXTENSION**

OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com

#### MAGAZINE EXTENSION

#### TCS<sup>®</sup> ALUMINUM +3 RED MAGAZINE **EXTENSION**

THE TCS® ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHAILENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### MAGAZINE EXTENSION

#### **TCS® ALUMINUM +4 RED MAGAZINE EXTENSION**

THE TCS<sup>®</sup> ALUMINUM +4 RED COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS<sup>®</sup> MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHAILENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### MAGAZINE EXTENSION

#### CANIK<sup>®</sup> STANDARD BRASS +0 MAGAZINE

#### **BASE PLATE**

THE CANIK® BRASS+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK® MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION





TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SF MOD 2\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2\*SEE BACK TP9 DA\*SEE BACK

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT\*SEE BACK - TP9 SFX\*SEE BACK

METE SFX\*SEE BACK - METE SFX PRO\*SEE BACK - METE SFT\*SEE BACK - METE SFT PRO\*SEE BACK - METE SF - METE SF PRO

OFFICIAL ACCESSORY PROGRAM

I FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE WEAR EVE PROTECTION INSTALL IN ACCOR

#### (MMAC-262)

FITS



DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE BELOW COMPATIBILITY INFORMATION) EASY TO INSTALL NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING RED COLOR FINISH





FEATURES MADE OF BRASS EASY TO INSTALL



CNC TECH

PROVEN

NO TOOLS ARE REQUIRED FOR INSTALLATION







FINISH

**MMAC-382** 

FITS

IG! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE

PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS

PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE WEAR FYL

ALL TP9 & METE SERIES MAGAZINES

46

FITS

(MMAC-262)

TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SF MOD 2\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2\*SEE BACK TP9 DA\*SEE BACK TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT\*SEE BACK - TP9 SFX\*SEE BACK METE SFX\*SEE BACK - METE SFX PRO\*SEE BACK - METE SFT\*SEE BACK - METE SFT PRO\*SEE BACK - METE SF - METE SF PRO

#### **MMAC-072**

61 FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE WEAR EVE CTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS

NOTICE REGARDING COMPATIBILITY THIS MAGAZINE EXTENSION REQUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING

**FEATURES** 

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE

**BELOW COMPATIBILITY INFORMATION)** 

EASY TO INSTALL

NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING

RED FINISH

FINISH

**HIGH QUALITY** 

CNC TECH

#### **MAGAZINE EXTENSION**

#### **CANIK® STANDARD ALUMINUM +0 MAGAZINE BASE PLATE**

THE CANIK® ALUMINUM +0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK® MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE. HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

# MAGAZINE EXTENSION

#### **CANIK® STANDARD POLYMER +2 MAGAZINE EXTENSION**

THE CANIK® STANDARD POLYMER +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANİK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

## MAGAZINE EXTENSION

#### CANIK<sup>®</sup> STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.





MADE OF ALUMINUM EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING BLACK FINISH





VARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

**FEATURES** 

ADDS +2 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING

(PLEASE CHECK COMPATIBLE MODELS SHOWN)

EASY TO INSTALL

HIGH QUALITY FIBER GLASS REINFORCED POLYMER

NO TOOLS ARE REQUIRED FOR INSTALLATION

SERRATED DESIGN

EASY MAINTENANCE

HIGH OUALITY

POLÝMER

COMBAT

PROVEN





#### FEATURES

ADDS +2 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL HIGH QUALITY FIBER GLASS REINFORCED POLYMER NO TOOLS ARE REQUIRED FOR INSTALLATION SERRATED DESIGN EASY MAINTENANCE TUNGSTEN FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-455	
FITS	
TP9 SF ELITE - TP9 SF ELITE-S	- TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE
TP9 S	F METE-S - METE SF - METE SF PRO

#### **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK<sup>®</sup> STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK<sup>®</sup> MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING TUNGSTEN FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE 'INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT POINT THE Magazine Spring Towards your face or and ther person while removing the base plate. Wear eve protection. Install in accordance with the installation instructions, only "matal un ocdampatible models."

#### MMAC-453

#### FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

#### **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION

THE CANIK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



#### **FEATURES**

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING RED FINISH



WARNINGFOR ASSEMBLY, DISASSEMBLY, AND MAINTENNICE INSTRUCTIONS, SEE OR CODE LINK ABOVEPLEASE OD NOT POINT THE Magazine Spring Towards your face or another person while removing the base plate. Wear yee rotection. Install in accordance with the installation instructions, only install on compatible models.

#### MMAC-454

FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

#### **MAGAZINE EXTENSION**

#### CANIK® STANDARD ALUMINUM +3 MAGAZINE

#### **EXTENSION**

THE CANIK<sup>®</sup> STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



#### FEATURES

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE<sup>III</sup> OVER TYPE III ALUMINUM HARD ANODIZED COATING




WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Please do not point the magazine spring towards your face or another person while removing the base plate. Wear eve Protectioninistical in accordance with the installation instructions. Only installon compatible models.

**TP9 SFx - SFx RIVAL** 

MMAC-013
FITS
TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PR0 - TP9 V2 - TP9 0A - TP9 SF - TP9 SA - TP9 SA MOD 2 TP9 SF M0D 2 - TP9 SF METE - TP9 SF METE - METE SFT - METE SFT PR0 - METE SFX - METE SFX PR0





# BACKSTRAP

OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com

#### BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE BACKSTRAP (2 SIZES)

THE CANIK® STANDARD COMPACT SIZE BACKSTRAP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR CANIK FIREARM. THE TWO INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PERFERRED GRIP. THIS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

BACKSTRAP

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

#### BACKSTRAP

#### **CANIK® FULL SIZE ALUMINIUM BACKSTRAP**

#### (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



**FEATURES** 

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR



ING! CANIK®PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-328	
FITS	
TP9 SFx - TP9 V2 - TP9 DA	- TP9 SA - TP9 SF - TP9 SA MOD 2





#### **FEATURES**

**DESIGNED BY CANİK®** COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS 2 DIFFERENT SIZES



ATTENTION COMPACT SIZE BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

6! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS





**FEATURES** 

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUGSTEN COLOR



NING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

#### **MMAC-329** FITS TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

#### BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.



#### FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR



WARNING: CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only install on compatible models.



## BACKSTRAP

#### CANIK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

**FEATURES** 

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



WARNING: CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on refer to installation instructions provided, and pistol user Manual Only installe in compatible models.



## BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR MAXIMUM ERGONOMY



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Installa comparibile models.

MMAC-335	
FITS	
TP9 SFx - 1	IP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

#### BACKSTRAP

#### **CANIK® FULL SIZE ALUMINIUM BACKSTRAP** (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

#### BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

#### BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP

#### (SMALL)

THE CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.





**FEATURES** 

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR



ATTENTION FULL SIZE ALLIMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135

niirari i

FINISH

ING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

**FEATURES** 

ORIGINAL DESIGN

MADE BY ALUMINIUM

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIAL DESIGN FOR MAXIMUM ERGONOMY

SPECIAL TEXTURE FOR EXTRA CONTROL

TUNGSTEN COLOR

HIGH QUALITY

CNC TECH

#### **MMAC-337** FITS TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - METE SFx - METE SFT - METE SFx PRO METE SFT PRO

VARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-336	
FITS	
TP9 SFx MOD 2 - TP9 SF MOD 2 -	TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFx PR0



#### **FEATURES**

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN **EFFECTIVE AND COMFORTABLE SHOOTING** SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR



NG! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

# **MMAC-334** TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

BACKSTRAP

(MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE

SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE

ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-

WELL WITH ITS USER-FRIENDLY DESIGN.

#### BACKSTRAP

#### **CANIK® FULL SIZE ALUMINIUM BACKSTRAP** (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



**FEATURES** 

MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR





NARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFx PRO

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL

ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

ONLY INSTALL ON COMPATIBLE MODELS.

**MMAC-339** 

FITS



ORIGINAL DESIGN





**FEATURES** 

ORIGINAL DESIGN

MADE BY ALUMINIUM

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIAL DESIGN FOR MAXIMUM ERGONOMY

SPECIAL TEXTURE FOR EXTRA CONTROL

ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134 WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-338	
FITS	
TP9 SFx MOD 2 - TP9 SF MOD	) 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFT
Ν	METE SFX PRO - METE SFT PRO

## BACKSTRAP **CANIK® FULL SIZE ALUMINIUM BACKSTRAP**

#### **CANIK® FULL SIZE BRASS BACKSTRAP** (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS **USER-FRIENDLY DESIGN.** 





**FEATURES** 

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-341

FITS TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFX - METE SFT METE SFx PRO - METE SFT PRO

#### BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



#### FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the Parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Install do compatible inducts.

#### MMAC-340 Fits

TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFT METE SFx PR0 - METE SFT PR0

#### BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP (SMALL)

THE CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



#### FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR



ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING: CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only install on compatible models.

#### MMAC-343

#### FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PR0

#### BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM

#### **BACKSTRAP (SMALL)**

THE CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.





FEATURES ORIGINAL DESIGN

MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR



ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Installa compartible impoles.

# MMAC-345

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PR0

#### BACKSTRAP

#### **CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM)**

THE CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

**FEATURES** 

ORIGINAL DESIGN MADE BY ALUMINIUM COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR CNC TECH

ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

#### MMAC-344 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

#### **CANIK® FULL SIZE BRASS BACKSTRAP** (SMALL)

BACKSTRAP

THE CANIK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS **USER-FRIENDLY DESIGN** 





**FEATURES** 

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN **EFFECTIVE AND COMFORTABLE SHOOTING** SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135 WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS



#### BACKSTRAP

#### CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.





**FEATURES** 

**ORIGINAL DESIGN** MADE BY BRASS COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

MMAC-346

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

ONLY INSTALL ON COMPATIBLE MODELS

FITS TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFT METE SFX PRO - METE SFT PRO

#### BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

CANIK<sup>®</sup> COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

#### BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM BACK-STRAP (SMALL)

THE CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOWS THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



# STORE STORE

# **RECOIL SPRING**

OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGH STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH HIGH ENERGY 9X19MM AMMUNITION.

### **RECOIL SPRING**

#### CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANİK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOW STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH LOWER ENERGY 9X19MM AMMUNITION.

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> FULL SIZE RECOIL HIGH

#### FORCE SPRING ASSEMBLY

THE CANİK<sup>®</sup> FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



#### **RECOIL SPRING**

#### CANIK<sup>®</sup> FULL SIZE RECOIL LOW FORCE SPRING ASSEMBLY

THE CANİK<sup>®</sup> FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

FEATURES

BLUE COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL, ONLY INSTALL ON COMPATIBLE MODELS

#### MMAC-053 FITS TP9 SA - TP9 SAT - TP9 SF - TP9 SFL - TP9 SFL - SFX RIVAL - TP9 SA MOD 2 TP9 SFT METE - TP9 SFX METE - METE SFT - METE SFT PR0 - METE SFT PR0

## **RECOIL SPRING**

#### CANIK<sup>®</sup> COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

FEATURES

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL For installation instructions please refer to your pistol owner's manual only install on compatible models



#### **RECOIL SPRING**

#### CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANİK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



MMAC-137 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF METE SF PRO

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> SUB COMPACT RECOIL SPRING ASSEMBLY (REPLACEMENT)


THE CANIK® SUB COMPACT RECOIL SPRING ASSEMBLY PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL WITH ITS TELESCOPIC STRUCTURE. IT SHOWS SUPERIOR PERFORMANCE EVEN UNDER EXTREMELY HIGH TENSIONS. REDUCES FRICTION THANKS TO ITS HIGH-QUALITY NICKEL-PLATED SURFACE.

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> SUB COMPACT LOW FORCE RECOIL

#### **SPRING ASSEMBLY**

THE CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH CARTRIDGES WHICH ARE LOW STRENGTH. IT ALSO PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL. THIS WILL HELP YOU MAKE FAST FOLLOW UP SHOTS. THE RECOIL SPRING, MARKED WITH BLUE PAINT IS INTENDED TO BE USED WITH LOW ENERGY 9X19MM AMMUNITION.



#### **RECOIL SPRING**

#### CANIK<sup>®</sup> FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

**FEATURES** 

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS.



# **RECOIL SPRING**

#### CANIK<sup>®</sup> SUB COMPACT HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

# SPRINCO<sup>®</sup> RECOIL SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

HIGH OUALITY

CNC TECH

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL For installation instructions plase refer to your pistol owner's manual only install on compatible models

DURABLE Finish

**FEATURES** 

RED COLOR SPRING

**REDUCES FELT RECOIL. BETTER FOLLOW UP SHOTS** 

TELESCOPIC SPRING SYSTEM

NICKEL-PLATED

FITS WITH NO MODIFICATION NEEDED

HIGH OUALITY

CNC TECH

COMBAT

PROVEN



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS OF ASSERTED TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

**FEATURES** 

**REDUCES MUZZLE FLIP** 

FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGH ACOUISITOON

**REDUCES FELT ( PERCEIVED ) RECIOL** 

PROTECTS YOUR FIREARM FROM SLIDE BATTERING

LEGAL FOR COMPETITION IN MIST IDPA\*, USPA AND CMP DIVISIONS

17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION CHROME SILICON WIRE SECONDARY SPRING NEVER HAVE TO BE REPLACED

MMAC-103		
FITS		
	ONLY FOR SFX MODELS	



#### SPRINCO<sup>®</sup> RECOIL SPRING

#### SPRINCO<sup>®</sup> RECOIL SPRING

#### MAGAZINE SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS. INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

**FEATURES FEATURES REDUCES MUZZLE FLIP** REDUCES MUZZLE FLIP FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACOUISITIOON FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACOUISITOON **REDUCES FELT (PERCEIVED) RECOIL REDUCES FELT (PERCEIVED) RECOIL** PROTECTS YOUR FIREARM FROM SLIDE BATTERING PROTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MOST IDPA\*, ISPSA, AND CMP DIVISIONS LEGAL FOR COMPETITION IN MOST IDPA\*, USPA AND DIVISIONS 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCT ON 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED HIGH OUALITY HIGH OUALITY DURABLE FINISH **CNC TECH** FINISH CNC TECH WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. NARNING! USING +P+ AMMUNITION WITH THIS RECOULS PRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS OF EASE REFER TO YOUR DISTOL OWNERS MANUAL, ONLY INSTALL ON COMPATIBLE MODELS. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL ONLY INSTALL ON COMPATIBLE MODELS FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS **MMAC-102 MMAC-104 MMAC-262** FITS FITS FITS TP9 ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 DA TP9 SF - TP9 SA - TP9 SFL - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - SFX RIVAL TP9 ELITE SC - TP9 ELITE SC CAS - METE SC - METE SC PRO

**FEATURES REDUCES MUZZLE FLIP** FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITIOON REDUCES FELT (PERVEIVED) RECOIL PROCTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MOST IDPA, USPA AND CMP DIVISIONS

DURABLE

FINISH

HIGH OUALITY

CNC TECH

66

#### **RECOIL SPRING**

#### CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY (PHILIPPINE EDITION)

THE CANI K<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



#### FEATURES

BLUE COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS.



#### **RECOIL SPRING**

#### CANIK<sup>®</sup> SUB COMPACT HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.




**FEATURES** 

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS TELESCOPIC SPRING SYSTEM NICKEL-PLATED FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL For installation instructions please refer to your pistol owner's manual only install on compatible models.





# SIGHT

OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com

#### APROVED BY CANIK

#### SIGHT

#### SIGHT SET (FIBER FRONT & BLACKED OUT REAR SIGHT)

THE WARREN® DESIGNED CANIK® SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THE FIBER OPTIC FRONT SIGHT AND BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

#### SIGHT

#### WARREN<sup>®</sup> BLACK OUT REAR SIGHT & CANIK<sup>®</sup> WHITE DOT FRONT SIGHT SET

THE WARREN® BLACKED OUT REAR SIGHT AND THE CANİK® WHITE DOT FRONT SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

#### SIGHT

#### **CANIK® 3 WHITE DOT SUPPRESSOR SIGHT SET**

THE CANIK® 3 WHITE DOT TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

TP9 V2\*SEE BACK - TP9 DA - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 SF ELITE **TP9 SF ELITE-S - TP9 SFL** 

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

#### FITS

TP9 ELITE SC - TP9 SFx MOD 2 - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 ELITE-S COMBAT TP9 SF METE - TP9 SF METE - S - TP9 SFX METE - TP9 SFT METE - TP9 SUB METE TP9 Y2\*SEE BACK TP9 SF\*SEEBACK - TP9 SA\*SEE BACK - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT

#### 70

#### OFFICIAL ACCESSORY PROGRAM



**FEATURES** WHITE DOT FRONT SIGHT

2 WHITE DOT REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA COM

#### NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIA NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SET6472-15 AT 33001 AND HIGHER

#### OFFICIAL ACCESSORY PROGRAM

# TP9 V2- TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE - TP9 SIB METE TP9 SF METE - TP9 SIB METE TP9 SIB METE SC - TP9 SFX - TP9 ELITE COMBAT - METE SF METE SC - TP9 SFX - TP9 ELITE SC MOBAT - METE SF METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SC - METE SFX PR0 - METE SFT PR0 - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SC - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - METE SFT PR0 - M

#### **MMAC-007** FITS

ONLY INSTALL ON COMPATIBLE MODELS.

NARNING! CANİK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL





**FEATURES** 

FIBER OPTIC FRONT SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

ONLY INSTALL ON COMPATIBLE MODELS

MMAC-006

FITS



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SFX METE - TP9 SFT METE - TP9 SUB METE TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF

METE SF PRO - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - METE SC - METE SC PRO


PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

**FEATURES** 

WHITE DOT FRONT SIGHT







MMAC-025

FITS

ATTENTION ATTENTION: FOR PROPER INSTALLATION, USE THE CANIK SIGHT PACN1000 (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOO

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL TP9 SET6472-15 AT 33001 AND HIGHER UCTIONS PROVIDED, AND PISTOL USER MANUAL

NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO

ONLY INSTALL ON COMPATIBLE MODEL

TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 DA - TP9 SA MOD 2 - TP9 SF MOD 2 **TP9 SF ELITE - TP9 SF ELITE-S** 

HIGH OUALIT INISH CNC TECH TMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA COM





#### WARREN<sup>®</sup> TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & WIDE BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

# SIGHT

**CANIK® WHITE DOT FRONT SIGHT** 

THE CANIK® WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER

IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE

PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS

APROVED BY CANIK

# SIGHT

#### WARREN<sup>®</sup> FIBER OPTIC FRONT SIGHT

THE WARREN® FIBER OPTIC FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS.

## SIGHT

#### APROVED BY CANIK

#### SIGHT

#### WARREN<sup>®</sup> REAR SIGHT WITH OPTIC LID

WARREN® REAR SIGHT WITH OPTIC LID ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

#### SIGHT

#### WARREN® WIDE BLACK OUT REAR SIGHT

THE WARREN® WIDE BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.

#### SIGHT

#### WARREN® NARROW BLACK OUT REAR SIGHT

THE WARREN® NARROW BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



'U' SHAPED TWO WHITE DOT REAR SIGHT PATRIOT BROWN COLOR



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

#### **MMAC-023** FITS TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT



**FEATURES** "U" SHAPED BLACKED OUT REAR SIGHT



**FEATURES "U" SHAPED BLACKED OUT REAR SIGHT** 



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS



TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S

HIGH OUALITY CNC TECH

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-087	
FITS	
TP9 SA*SEE BACK - TP9 SA M	10D 2 - TP9 SF*SEE BACK - TP9 SF ELITE - TP9 SF ELITE-S

TP9 DA - TP9 SFL - TP9 V2\*SEE BACK

#### APROVED BY CANIK

#### SIGHT

#### WARREN<sup>®</sup> FIBER OPTIC FRONT AND BLACK OUT **REAR SIGHT SET**

THE WARREN® FIBER OPTIC FRONT AND BLACK OUT REAR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.

#### SIGHT

#### CANIK<sup>®</sup> WHITE DOT FRONT SIGHT

THE CANIK® WIDE WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

#### SIGHT

#### **CANIK® WHITE DOT FRONT SIGHT&SERRATED TACTICAL REAR SIGHT**

THE CANIK® WHITE DOT FRONT SIGHT & SERRATED TACTICAL REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



#### **FEATURES** FIBER OPTIC FRONT SIGHT

"U" SHAPED BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM.

(MMAC - 035)CANIK® SIGHT ADJUSTMENT TOOL. NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL

NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT OLIALIEED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.



TP9 SA\*SEE BACK - TP9 SA MOD 2 - TP9 SF\*SEE BACK - TP9 SF ELITE - TP9 SF ELITE-S TP9 DA - TP9 SFL - TP9 V2\*SEE BACK



**FEATURES** WHITE DOT FRONT SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

#### **MMAC-089**

#### FITS

TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SUB METE - TP9 SFT METE TP9 SF METE-S - TP9 SF METE - TP9 SFx - TP9 V2\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2 TP9 SF\*SEE BACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S TP9 DA



**FEATURES** 

WHITE DOT FRONT SIGHT

ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION

'U' SHAPED SERRATED REAR SIGHT

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT OLIALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

**MMAC-158** 

#### FITS

TP9 - TP9 V2 - TP9 SF - TP9 SA - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SF METE-S - TP9 SFx METE-S - TP9 SFx METE TP9 SFT METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX MOD 2 TP9 SA MOD 2 - TP9 SF MOD 2

#### APROVED BY CANIK

#### SIGHT

#### CANIK<sup>®</sup> WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT

THE CANIK<sup>®</sup> WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

#### SIGHT

#### **CANIK® 3 WHITE DOT TACTICAL SIGHT SET**

THE CANIK<sup>®</sup> 3 WHITE DOT TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

#### SIGHT

#### CANIK<sup>®</sup> 3 DOT TRITIUM TACTICAL SIGHT SET

THE CANIK<sup>®</sup> 3 DOT TRITIUM TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES WHITE DOT FRONT SIGHT "U" SHAPED TWO WHITE DOT REAR SIGHT WITH WHITE CENTER LINE



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAG- 135) CANIK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL Numbers TP9 V2 To472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER Warning: Canik<sup>®</sup> parts should be installed by a competent, qualified gunsmith with an understanding of the FireArm Platform that the parts are being installed on refer to installation instructions provided, and pistol user Manual Only installe on compatibile models.

#### **MMAC-091**

#### FITS

TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SUB METE - TP9 SFT METE TP9 SF METE-S - TP9 SF METE - TP9 SFX METE - TP9 V2\*SEEBACK - TP9 SA MOD 2 TP9 SF\*SEEBACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S - TP9 DA





FEATURES

WHITE DOT FRONT SIGHT 2 WHITE DOT REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

NOTCE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSNITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

#### MMAC-202

#### FITS

TP9 SAT - TP9 DAT - TP9 SFT - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 SFx - TP9 SFx METE TP9 SF METE - TP9 SF METE-S - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC TP9 SFx MOD 2 - TP9 V2\*SEEMOX - TP9 SF\*SEEMOX TP9 SA\*SEEMOX TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 ELITE-S COMBAT

#### OFFICIAL ACCESSORY PROGRAM



TRITIUM FRONT SIGHT 2 DOT TRITIUM TACTICAL REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT



NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLDWING MODELS BEARING INDICATED SEAIA Numbers tp9 v2 t6472-15 a) 04/61 and higher tp9 sa t6472-16 ap 00201 and higher tp9 sf t6472-16 at 33001 and higher Warning: Canik® parts should be installed by a competent, qualified gunsmith with an understanding of the FireArm Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only installed no compatibile models.

#### MMAC-299

#### FITS

TP9 ELITE SC - TP9 SFX MOD 2 - TP9 SFT - TP9 SA MOD 2 - TP9 SFX - METE SFX - METE SFX PR0 METE SF - METE SF PR0 - METE SFT - METE SFT PR0 - METE SC - TP9 V2\*SEEBACK - TP9 SF\*SEEBACK METE SFX - METE SFX PR0 - METE SF

#### APROVED BY CANIK

#### SIGHT

#### CANIK ADJUSTABLE REAR SIGHT(TUNGSTEN)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.

## -----

FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS MACHNIED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT TUNGSTEN COLOR



WARNING! CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Divy install do compatible models.



#### CANIK ADJUSTABLE REAR SIGHT(FDE)

SIGHT

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.

**FEATURES** 

WORKS WITH CANIK FACTORY FRONT SIGHTS MACHNIED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT FDE COLOR



WARNING: CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on refer to installation instructions provided, and pistol user Manual Only installe on compatible models.



#### SIGHT

#### WARREN® TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.



#### FEATURES

HIGH FIBER OPTIC FRONT SIGHT HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL Numbers TP9 V2 T6472-16 at 04515 and higher TP9 SA T6472-16 ap 00201 and higher TP9 SF T6472-16 at 33001 and higher Warning: Canix® parts should be installed by a competent, qualified gunsmith with an understanding of the FireArm Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only instruction compatible models.

MMAC-003

#### FITS

TP9 DAT - TP9 SAT - TP9 SFT - TP9 V2\*SEE BACK TP9DA - TP9 SF\*SEE BACK - TP9 SF MOD 2 TP9\*SEE BACK TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE - S - TP9 SFL - TP9 SFX - TP9 SFX MOD 2 TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

#### SIGHT

#### CANİK ADJUSTABLE REAR SIGHT(BLACK)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATEOF-THE-ART CNC MANUFACTURING PROCESSES




#### **FEATURES**


WORKS WITH CANIK FACTORY FRONT SIGHTS MACHNIED FROM SOLID STEEL USING STATE-OFTHE-ART CNC MILLING INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT BLACK COLOR



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the Parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Install do compatible inducts.

MMAC-361	
TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT	





## **OPTIC BASEPLATE**

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #1

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### **CANIK® OPTIC INTERFACE #2**


THE CANIK® OOPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #3

THE CANIK<sup>®</sup> OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK<sup>®</sup> TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

COMBATIBLE OPTICS: C-MORE STS



TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX - TP9 SFX MOD 2 Compatible optics: Truglo - Docter - Meopta - Insight - Vortex - Mecanik Mo2

#### OFFICIAL ACCESSORY PROGRAM

COMBATIBLE OPTICS: TRIICON

#### **OPTIC BASE PLATE**

#### **CANIK® OPTIC INTERFACE #4**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #5

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### **CANIK® OPTIC INTERFACE #R05**

THE CANIK<sup>®</sup> OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK<sup>®</sup> TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



#### **OPTIC BASE PLATE**

#### CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC **READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC BASE PLATE (B) FOR NON-**OPTIC READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE. WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC BASE PLATE (C) FOR NON-OPTIC READY PISTOLS

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANİK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION













TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

**MMAC-169** 

FITS

COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A OUALIFIED GUINSMITH



MANUFACTURED FROM HIGH QUALITY 4140 STEEL TENIFER COATING TORX KEY (T10 & T20) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGNV

FINIS

TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

**MMAC-151** 

FITS

COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA\*SEE BACK

TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT

COMPATIBLE OPTICS: SHIELD SIGHTS<sup>™</sup> SMS - MECANIK<sup>™</sup> M01

HIGH QUALITY

CNC TECH

**FEATURES** 







ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON

TP9 SF ELITE - TP9 ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA -TP9 SA\*SEE BACK

TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT

**TENIFER COATING** TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN

MANUFACTURED FROM HIGH OUALITY 4140 STEEL



MADE FROM HIGH STRENGTH ALUMINUM HIGH-OUALITY ELOXAL COATING TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN



82

#### COMPATIBLE OPTICS: TRUGLO<sup>™</sup> - VORTEX<sup>™</sup> - MECANIK<sup>™</sup> MO2 OFFICIAL ACCESSORY PROGRAM

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA\*SEE BACK - TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT **COMPATIBLE OPTICS: TRIJICON** 

HIGH QUALITY

CNC TECH

MMAC-358	
FITS	

COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON

**OPTIC BASE PLATE** 

CANIK® OPTIC BASE PLATE (D)FOR NON-

**OPTIC READY PISTOLS** 

THE CANIK® CO-WITNESS OPTIC INTERFACE #5 WITH FRONT SIGHT HAS A

PERFECT INFRASTRUCTURE FOR YOUR OPTICS WITH ITS HIGH STRENGTH

ALUMINUM FRAME. THE SERRATIONS ON IT BLEND PERFECTLY WITH THE

SERRATIONS OF YOUR PISTOL WHICH ALSO CREATES AN EXTRA SURFACE

FOR SLIDE MANIPULATION. THANKS TO SPECIAL FRONT & COMBINED REAR

SIGHT IT HAS CO-WITNESS FEATURE.

#### **OPTIC BASE PLATE**

#### CANIK® OPTIC BASE PLATE (D)FOR NON-**OPTIC READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.



MANUFACTURED FROM HIGH QUALITY 4140 STEEL **TENIFER COATING** TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN

**FEATURES** 



ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA\*SEE BACK TP9 DA - TP9 SA\*SEE BACK - TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2\* SEE BACK - TP9 SFT

COMPATIBLE OPTICS: C-MORE STS

COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH

**MMAC-357** 

## WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON

COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

**FEATURES** 

MADE FROM HIGH STRENGTH ALUMINUM

HIGH-OUALITY ELOXAL COATING

TORX KEY (T10)

USER-FRIENDLY INSTALLATION

LOW PROFILE DESIGN

SPECIAL DESIGN FRONT SIGHT

CO-WITNESS I IRARI F

HIGH QUALITY

CNC TECH

MMAC-	190	
FITS		
TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2		
	COMPATIBLE OPTICS: AIMPOINT <sup>®</sup> ACRO-C1	

**FEATURES** MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING

TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN **RIVAL GREY COLOR** HIGH QUALITY FINISH CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A OUALIFIED GUNSMITH

MMAC-611	
FITS	
SFx RIVAL	
COMPATIBLE OPTICS: SHIELD - ROMEO ZERO - MECANIK MO1	



#### **CANIK® OPTIC INTERFACE #R04C**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANİK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #R04C

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #R06

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **OPTIC BASE PLATE**

#### CANIK<sup>®</sup> OPTIC INTERFACE #R05

THE CANIK<sup>®</sup> OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK<sup>®</sup> RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



#### **OPTIC BASE PLATE**

#### **OPTIC BASE PLATE**

#### **OPTIC BASE PLATE**

#### **CANIK® OPTIC INTERFACE #R04**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### CANIK<sup>®</sup> OPTIC INTERFACE #R02

THE CANIK<sup>®</sup> OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK<sup>®</sup> RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

#### **CANIK® OPTIC INTERFACE #R01**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (TIO) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.





FEATURES MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEV (TIO) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON Compatible Models. All parts and accessories should be installed by a qualified gunsmith.



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.

FINISH

**FEATURES** 

MADE FROM HIGH STRENGTH ALUMINUM

HIGH-QUALITY ELOXAL COATING

TORX KEY (T10)

**USER-FRIENDLY INSTALLATION** 


LOW PROFILE DESIGN

HIGH QUALITY CNC TECH



OFFICIAL ACCESSORY PROGRAM

85





#### **MAGAZINE CATCH**

#### CANIK<sup>®</sup> EXTENDED MAGAZINE CATCH ASSEMBLY

THE CANIK® DESIGNED EXTENDED MAGAZINE CATCH ASSEMBLY OFFERS INNOVATIVE STYLING AND FUNCTIONALITY IN 4 DIFFERENT SIZES. THE MAGAZINE BUTTON AND CATCH ARE MADE WITH HIGH TECH MIM (METAL INJECTION MOLDING). FOR MAXIMUM DURABILITY, ALL PARTS (EXCEPT MAGAZINE CATCH SPRING) ARE COATED WITH HIGH QUALITY TENIFER® FINISH. 4 DIFFERENT BUTTON OPTIONS ARE PROVIDED FOR OPTIMAL TACTILE RESPONSE, SPORTING USAGE, AND AESTHETICS.

#### **DRY FIRE ASSEMBLY**

#### CANIK® ASSEMBLY FOR DRY FIRE TRAINING

THE CANIK<sup>®</sup> ASSEMBLY FOR DRY FIRE TRAINING IS DESIGNED BY CANIK<sup>®</sup> RESEARCH AND DEVELOPMENT TO MEET THE TRAINING NEEDS OF ALL PROFESSIONAL SHOOTERS. IT ALLOWS YOU TO PROTECT YOUR PISTOL'S FIRING PIN WHILE DRY FIRE PRACTICING.

#### **FIRING PIN ASSEMBLY**

**CANIK® FIRING PIN ASSEMBLY** 

THE CANIK  $^{\otimes}$  FIRING PIN ASSEMBLY IS DESIGNED BY CANIK  $^{\otimes}$  Research and development for durability and high performance.



**FEATURES** 

MIM (METAL INJECTION MOLDING) COMPATIBLE WITH ALL TP SERIES PISTOLS 4 DIFFERENT SIZES; STANDARD, SMALL, MEDIUM & LARGE HIGH QUALITY TENIFER® FINISH REVERSIBLE DESIGN FOR AMBIDEXTROUS USAGE WITH FOUR DIFFERENT SIZES



VARNING! FOR ASSEMBLY / DISASSEMBLY, INSTRUCTIONS, SEE QR CODE LINK ABOVE.ONLY INSTALL ON COMPATIBLE MODELS







FEATURES

CERAKOTE™ COATED DRY FIRE PIN ASSEMBLY IS INCAPABLE OF FIRING AMMUNITION USER FRIENDLY INSTALLATION COLORED IN RED SUITABLE DESIGN FOR DRY FIRE TRAINING



WARNING: CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUIUSMITH WITH AN UNDERSTANDING of the FireArm Platform that the parts are being installed on. Refer to installation instructions provided. Only installe on compatible models.

### MMAC-080 FITS ALL TP, METE AND RIVAL SERIES PISTOLS

FEATURES TENIFER® COATED USER FRIENDLY INSTALLATION



WARNING: CANIK<sup>®</sup> PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided. Only installe comparibile models.

MMAC-052	
FITS	
TP9 SAT - TP9 DAT - TP9 ELITE COMBAT	- TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SI

TP9 SAL - TP9 DALETTE COMBALE TP9 V2 - TP9 SF - TP9 SAL - TP9 SFX MOD 2 - TP9 SFX TP9 DA - TP9 DA ELITE - SFX RIVAL - TP9 V2 - TP9 SF - TP9 SAL - TP9 SAL MOD 2 - TP9 SF ELITE TP9 SF ELITE-S - TP9 SFL - TP9 SFT

#### **FIRING PIN ASSEMBLY**

#### **CANIK® FIRING PIN ASSEMBLY**

THE CANIK<sup>®</sup> FIRING PIN ASSEMBLY IS DESIGNED BY CANIK<sup>®</sup> RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.




FEATURES TENIFER® COATED USER FRIENDLY INSTALLATION



WARNINGL CANIK® DARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUIUSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided. Only install do compatible woods.

MMAC-360

TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFx METE - TP9 ELITE SC - TP9 SUB METE METE SF - METE SF PR0 - METE SFT - METE SFT PR0 - METE SFx - METE SFx PR0





#### TRIGGER

#### CANIK<sup>®</sup> ENHANCED 90° ALUMINUM FLAT **TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

#### TRIGGER

#### **CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

#### TRIGGER

#### **CANIK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK<sup>®</sup> R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



**FEATURES** FLAT-FACE SERRATED DESIGN **CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM** PATENTED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE ENHANCED 90 DEGREE TRIGGER BREAK FLAT FACE WITH DIAMOND PATTERN DESIGN DURABLE HIGH OUALITY FINISH CNC TECH

NG! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS

#### MMAC-066

#### FITS

TP9 SF ELITE- TP9 ELITE COMBAT - TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SF METE TP9 SFT METE - TP9 SFx METE - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PR0 - METE SFT - METE SFT PRO METE SFx - METE SFx PRO - METE SC - METE SC PRO - SFx RIVAL



**FEATURES** FLAT-FACE SERRATED DESIGN **CNC – MACHINED HIGH STRENGTH ALUMINUM** DESIGNED BY CANIK® SHORT PRE-TRAVEL & RESET DISTANCE



ARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS

#### **MMAC-065** FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE - TP9 SUB LITE TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS - METE SF METE SF PR0 - METE SFT - METE SFT PR0 - METE SFX - METE SFX - METE SC - METE SC PR0 -SFX RIVAL

#### OFFICIAL ACCESSORY PROGRAM

NARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-465	
FITS	
TP9 SF ELITE - TP9 SF ELITE CON	4BAT - TP9 SFx MO
TP9 SFT METE - METE SFX METE -	<b>TP9 SUB ELITE - TI</b>

DD 2 - TP9 SF MOD 2 - TP SF METE P9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PRO - METE SFT - METE SFT PRO METE SFx - METE SFx PRO - METE SC PRO - SFx RIVAL

**FEATURES** 

FLAT-FACE SERRATED DESIGN CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM PATENTED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE ENHANCED 90 DEGREE TRIGGER BREAK FLAT FACE WITH DIAMOND PATTERN DESIGN LIGHTENED ALUMINUM TRIGGER



#### TRIGGER

#### CANIK<sup>®</sup> FULL SIZE PISTOL ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.




**FEATURES** 

FLAT-FACE Serrated Design CNC – Machined High Strength Aluminum Designed by Canik® Short Pre-travel & Reset Distance



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.





## **SFx RIVAL-S ACCESSORY**

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

#### CUSTOM COLOR PACK

#### **RIVAL-S POLYMER GRIP**

GRIP.

#### **FEATURES**

**DESIGNED BY CANiK®** FAST ASSEMBLY WITH USER-FRIENDLY DESIGN **EFFECTIVE AND COMFORTABLE SHOOTING** SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS 3 SIZES (S,M,L)

#### EXTENDED COMPETITION MAGAZINE RELEASE

EXTENDED COMPETITION MAGAZINE RELEASE OFFERS INNOVATIVE STYLED SURFACE FOR FAST MAGAZINE RELEASE.

> **FEATURES** EXTENDED SURFACE HIGH OUALITY CERAKOTE OVER TENIFER FINISH

+0 MAGAZINE BASE PLATE

ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPETY MAGAZINE DROP FREE EASIER. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### **FEATURES** MADE OF ALUMINIUM EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION

#### SLIDE STOP ASSEMBLY

**FEATURES** MODULAR AMBIDEXTROUS DESING

#### MAG-WELL

THE CANIK® POLYMER COLOR GRIP DESIGN ALLOWS THE SHOOTER TO +0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY THE CANIK® STANDART COMPACT SIZE EXTENDED MAG-WELL ALLOWS FOR COMPLETELY CUSTOMIZE THEIR SFX RIVAL-S.THE THREE INCLUDED SIZES MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PREFERRED YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASE PLATE CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### **FEATURES**

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE OVER TYPE III ALUMINIUM HARD ANODIZED COATING CNC-MACHINED HIGH-OUALITY AVIATION ALUMINIUM **INCLUDES ALLEN KEY & SCREWS** 

#### **SLIDE AND CAP**

**FEATURES** HIGH OUALITY STEEL STRUCTURE

#### FOWARD INDEX ATTACHMENT LEFT&RIGHT

**FEATURES** EXTRA SERRATED SURFACE

ING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS





WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-621		
FITS		
	SFx RIVAL-S	



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-622		
FITS	SFX RIVAL-S	

#### COMPENSATOR

#### SFX-RIVAL COMPENSATOR (RIVAL GREY)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE SFX RIVAL.ELEVATE YOUR ACCURACY WITH THIS MODIFACITON THAT IS DESIGNED TO REDUCE FIREARM RECOIL.WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

SFX RIVAL COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSY WITHOUT COMPROMISING STYLE. THE SFX RIVAL PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.

#### COMPENSATOR

#### SFX-RIVAL COMPENSATOR (BLACK)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE SFx RIVALELEVATE YOUR ACCURACY WITH THIS MODIFACITON THAT IS DESIGNED TO REDUCE FIREARM RECOIL.WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

SFX RIVAL COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSY WITHOUT COMPROMISING STYLE. THE SFX RIVAL PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.

#### COMPENSATOR **TP9 SFX COMPENSATOR**

#### (TUNGSTEN)

10INING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE TP9 SFX. ELEVATE YOUR ACCURACY WITH THIS MODIFACITON THAT IS DESIGNED TO REDUCE FIREARM RECOIL.WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

TP9 SFx COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSY WITHOUT COMPROMISING STYLE. THE TP9 SFX PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.



#### COMPENSATOR

#### **TP9 SFX COMPENSATOR** (BLACK)

10INING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE TP9 SFX. ELEVATE YOUR ACCURACY WITH THIS MODIFACITON THAT IS DESIGNED TO REDUCE FIREARM RECOIL.WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

TP9 SFx COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSY WITHOUT COMPROMISING STYLE. THE TP9 SFX PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.

#### **SCOPE MOUNT**

#### **MECANIK® ALUMINUM SCOPE MOUNT**

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

#### FEATURES

MADE OF ALUMINUM OPTIC LENS SHIELD EASY INSTALLATION COMPATIBLE WITH 1913 PICATINNY RAIL **RED COLOR** 

#### **SCOPE MOUNT**


#### **MECANIK® ALUMINUM SCOPE MOUNT**

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

#### FEATURES

MADE OF ALUMINUM OPTIC LENS SHIELD EASY INSTALLATION COMPATIBLE WITH 1913 PICATINNY RAIL **GRAY COLOR** 






WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE, ALL PARTS AND ACCESSORIES



SFx RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 ACCESSORY RAIL

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS





#### **SCOPE MOUNT**

**MECANIK® ALUMINUM SCOPE MOUNT** 

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL.THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

#### **FEATURES**

MADE OF ALUMINUM OPTIC LENS SHIELD EASY INSTALLATION COMPATIBLE WITH 1913 PICATINNY RAIL BLUE COLOR



CANiK<sup>®</sup> WOOD GRIP (ROSEWOOD)

THE CANIK<sup>®</sup> WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP.FOR A CLASSIC LOOK THAT BLENOS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

**FEATURES** 

**DESIGNED BY CANiK®** 

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

**EFFECTIVE AND COMFORTABLE SHOOTING** 

SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS

MADE OF WOOD


#### **WOOD GRIP**

CANIK<sup>®</sup> WOOD GRIP (ROOT WALNUT)

THE CANIK<sup>®</sup> WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP.FOR A CLASSIC LOOK THAT BLENOS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

#### FEATURES

DESIGNED BY CANIK® FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith only use with compatible pistol models.



#### FITS

ALL TP9 SERIES - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - SFX RIVAL -SFX RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 Accessory Rail.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.

#### MMAC-626

#### FITS

ALL TP9 SERIES - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - SFX RIVAL -SFX RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 ACCESSORY RAIL.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.

#### MMAC-627

#### FITS All TP9 SERIES - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - SFX RIVAL -SFX RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 ACCESSORY RAIL.

#### **WOOD GRIP**

#### CANiK<sup>®</sup> WOOD GRIP (WALNUT)

THE CANIK<sup>®</sup> WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP.FOR A CLASSIC LOOK THAT BLENOS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

#### **WOOD GRIP**

#### CANiK<sup>®</sup> WOOD GRIP (WALNUT WITH LOGO)

THE CANIK<sup>®</sup> WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP.FOR A CLASSIC LOOK THAT BLENOS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

**FEATURES** 

**DESIGNED BY CANiK®** 

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS

MADE OF WOOD

#### **THUMB REST**

#### **CANIK® ALUMINUM THUMB REST**

THE CANIK<sup>®</sup> ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AND INDEX POINT FOR A CONSISTENT HIGH THUMBS-FOWARD GRIP.THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### FEATURES

EASY INSTALLATION CERAKOTE OVER TYPE III ALUMIUM HARD ANODIZED COATING PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE SERRATED SURFACE BLUE COLOR

#### FEATURES DESIGNED BY CANIK®

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.

#### MMAC-628

#### FITS

ALL TP9 SERIES - METE SFx - METE SFx PRO - METE SFT - METE SFT PRO - SFx RIVAL -SFx RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 ACCESSORY RAIL.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.



ALL TP9 SERIES - METE SFX - METE SFX PRU - METE SFT - METE SFT PRU - SFX RIVAL -SFX RIVAL-S - ANY 1.22" (31MM) WIDTH AND 1.6929" (43MM) HEIGHT PISTOL WITH M1913 ACCESSORY RAIL.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.

MMAC-623		
FITS		
	SFx RIVAL-S	

#### **THUMB REST**

#### CANIK<sup>®</sup> ALUMINUM THUMB REST

THE CANIK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AND INDEX POINT FOR A CONSISTENT HIGH THUMBS-FOWARD GRIP.THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### **FEATURES**

EASY INSTALLATION CERAKOTE OVER TYPE III ALUMIUM HARD ANODIZED COATING PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE SERRATED SURFACE RED COLOR

#### **THUMB REST**

#### **CANIK® ALUMINUM THUMB REST**

THE CANIK<sup>®</sup> ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AND INDEX POINT FOR A CONSISTENT HIGH THUMBS-FOWARD GRIP.THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

#### **FEATURES**

EASY INSTALLATION CERAKOTE OVER TYPE III ALUMIUM HARD ANODIZED COATING PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE SERRATED SURFACE GRAY COLOR

#### TRIGGER

#### CANIK<sup>®</sup> ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER.CANİK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK<sup>®</sup> R&D DIVISION EXACTLY FOR THIS PURPOSE.THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

#### **FEATURES**

FLAT-FACE SERRATED DESIGN CNC-MACHINED HIGH-QUALITY AVIATION ALUMIUM PATENDED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE ENHANCED 90 DEGREE TRIGGER BREAK FLAT FACE WITH DIAMOND PATTERN DESIGN LIGHTENED ALUMIUM TRIGGER BLUE COLOR





WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.



MMAC-638 PRICE - 28\$
FITS
SEX RIVAL-S

IARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES

SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS

.

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.



#### TRIGGER

#### CANIK<sup>®</sup> ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER.CANİK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE.THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

#### **FEATURES**

FLAT-FACE SERRATED DESIGN CNC-MACHINED HIGH-QUALITY AVIATION ALUMIUM PATENDED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE ENHANCED 90 DEGREE TRIGGER BREAK FLAT FACE WITH DIAMOND PATTERN DESIGN LIGHTENED ALUMIUM TRIGGER RED COLOR

#### TRIGGER

#### CANIK<sup>®</sup> ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER.CANIK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE.THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

#### FEATURES

FLAT-FACE SERRATED DESIGN CNC-MACHINED HIGH-QUALITY AVIATION ALUMIUM PATENDED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE ENHANCED 90 DEGREE TRIGGER BREAK FLAT FACE WITH DIAMOND PATTERN DESIGN LIGHTENED ALUMIUM TRIGGER GRAY COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.







WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES Should be installed by a qualified gunsmith.only use with compatible pistol models.

MMAC-639		
FITS	SFX RIVAL-S	
	STARIAL-S	

# STORE





#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #2 - MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

CANIK® UPGRADE PACK #2 CONTAINS:1 X COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION (MA895 / MMAC-029)

1 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013) COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION 18 (15+3) ROUND 9X19MM CAPACITY

+3 ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION: ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



#### URABLE IN HIGH OUNLITY IN CINC TECH IN CONCTECH IN CONCTECH

WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE Plate to your face or another person while removing the base plate wear eve protection.Install in accordance with the Installation instructions. Only install un comparizite models.

#### MMAC-100 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #1 - MAGAZINES (WITH ALLEN KEY & SCREW)

#### CANIK<sup>®</sup> UPGRADE PACK #1 CONTAINS:

1 X COMPACT SIZE 15 ROUND MAGAZINE (MA595 / MMAC-028) 1 X CANIK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACN0500 / MMAC-024) 3 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013) 1 X CANIK® STANDARD COMPACT SIZE MAG-WELL (PACN0251 / MMAC-027)

CANIK® STANDARD COMPACT SIZE Backstrap (2 Sizes):	CANIK® STANDARD ALUMINUM +3 Magazine extension:
DESIGNED BY CANIK® COMPATIBLE WITH COMPACT SIZE MAG- WELLS	ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN	(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EFFECTIVE AND COMFORTABLE SHOOTING SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS 2 DIFFERENT SIZES	EASY TO INSTALL No tools are required for installation
	CANHUR CTANDADD COMDACT CIZE MAC

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. For Assembly. Disassembly. And maintenance instructions. See or code

LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR

EYE PROTECTION. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUALINSTALL IN ACCORDANCE WITH THE

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

**TP9 SF METE-S** 

#### COMPACT SIZE 15 ROUND MAGAZINE:

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS

**MMAC-099** 

FITS

EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CANIK® STANDARD COMPACT SIZE MAG-WELL: QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING

CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM BLACK FINISH

#### DURABLE 👺 HON CURLITY 🛒 CRAKOTE" 🕅 HON CURLITY

#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #1 - MAGAZINES (RESTRICTED) WITH ALLEN KEY & SCREW

#### CANIK® UPGRADE PACK #1 (RESTRICTED) CONTAINS:

1 X COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION (MA2083 / MMAC-195)

1 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013)

#### COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION

10 ROUND 9X19MM CAPACITY

DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING(AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR®

INTERCHANGEABLE COMPONENT STRUCTURE

#### EASY MAINTENANCE

CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



#### TINISH 🦞 HIGH QUULTY 🐺 GRAKOTE 🙊 HIGH QUULTY 🛠 COMBAT

WARMMOLF FOR ASSEMBLY, NO ISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE Plate to your face or another person while removing the base plate wear eve protection. Install in accordance with the Installation instructions. Only install on compatible models.

#### MMAC-197 Fits

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP SF METE - TP9 SF METE-S - METE SF - METE SF PRO

#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #3 - SHIELD SIGHT SMSWITH ALLEN KEY <del>8</del> SCREW

CANIK<sup>®</sup> UPGRADE PACK #3 SHIELD SIGHTSTM SMS OPTICS CONVERTS Your Non-Optic Ready Pistol into Optic Pistol.

#### CANIK<sup>®</sup> UPGRADE PACK #3 CONTAINS

1X SHIELD™ SMS MODEL MICRO RED-DOT (4 MOA) (MMAC-150) 1 X CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACN0704 / MMAC-151)

SHIELD SIGHTS™ SMS MODEL MICRO CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS RED-DOT (4 MOA) 4 M.O.A. DOT AND A LIGHT YET STURDY MANUFACTURED FROM HIGH QUALITY POLYMER BODY, THE SHIELD SMS MINI- 4140 STEEL SIGHT COMPACT IS IDEAL FOR COMPACT TENIFER COATING CARRY GUNS TORX KEY (T10 & T20) RED LIGHT EMITTING DIODE (LED) NO USER-FRIENDLY INSTALLATION LASER: COMPLETELY EYE SAFE NO LOW PROFILE DESIGN **RADIOACTIVE MATERIALS** 1X REFLEX LENS (NO MAGNIFICATION) ANTI-REFLECTION NO COLOURED COATING, MINIMISES VISIBLE SIGNATURE **3V LITHIUM BATTERY, CR2032** AUTOMATIC ADJUSTMENT



#### DURABLE 🚏 HIGH QUALITY 🛠 COMBAT FINISH

ATTENTION OMPATIBLE WITH PISTOLS PRODUCE AFTER THESE SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 TTP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AI 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.

#### MMAC-172

WEIGHT: 14 GRAMS / 0.5 OUNCES

TP9 V2\*SEEBACK - TP9 SF\*SEEBACK - TP9 SA\*SEEBACK - TP9 SA MOD 2 -TP9 SF MOD 2 - TP9 DA TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF COMPATIBLE OPTICS: SHIELD SIGHTS™ SMS - MECANIK™ MO1

#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #5 - MECANIK M01

CANIK<sup>®</sup> UPGRADE PACK #5 MECANIK MO1 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL. **CANIK<sup>®</sup> UPGRADE PACK #5 CONTAINS** 1 X MECANIK<sup>™</sup> MO1 MODEL MICRO RED-DOT (3 MOA) (MMAC-330)

1 X CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (MMAC-151)

MECANIK ™ MO1 MODEL MICRO RED- CANIK® OPTIC BASE PLATE (A) FOR DOT (3 MOA) NON-OPTIC READY PISTOLS 3 MOÀ RED DÓT SIGHT MANUFACTURED FROM HIGH QUALITY IT IS DESIGNED FOR DUTY AND CONCEALED 4140 STEEL CARRY PISTOLS AUTOMATIC BRIGHTNESS ADJUSTMENT (10 TENIFER COATING TORX KEY (T10 & T20) LEVEL) THANKS SO THE HI-TECH MOTION SENSOR, IT USER-FRIENDLY INSTALLATION TURNS OFF WHEN NOT LOW PROFILE DESIGN IN USE. IT STARTS WORKING AGAIN WHEN MOTION IS DETECTED LOW-PROFILE DESIGN THAT CAN BE USED WITH CO-WITNESS FEATURE THANKS TO ITS HIGH OUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO TOS COMPETITORS MECANIK MO1 COMES PRE-ZEROED OUT OF THE FACTORY FOR METE SERIES PISTOL. PARALLAX-FREE

#### **UPGRADE PACK**

#### CANIK® UPGRADE PACK #6 - MECANIK MO2

CANIK<sup>®</sup> UPGRADE PACK #6 MECANIK MO2 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL. **CANIK® UPGRADE PACK #6 CONTAINS** 1X MECANIK<sup>™</sup> MO2 MODEL MICRO RED-DOT (3 MOA) (MMAC-331) 1 X CANIK<sup>®</sup> OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACN0704 / MMAC-169) MECANIK™ MO2 MODEL MICRO CANIK<sup>®</sup> OPTIC BASE PLATE (B) FOR RED-DOT (3 MOA) NON-OPTIC READY PISTOLS **3 MOA RED DOT SIGHT** MANUFACTURED FROM HIGH QUALITY IT IS A VERSATILE OPTIC DESIGNED FOR 4140 STEEL HOME/SELF DEFENSE, HUNTING **TENIFER COATING** AND COMPETITION. TORX KEY (T10 & T20) MANUAL BIRGHTNESS ADJUSTMENT (2 USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN LEVEL FOR NVG+8 DAYLIGHT) THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS WIDE OPTICAL LENS PARALLAX-FREE



DURABLE FINISH FICH QUALITY COMBAT

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE Plate to your face or another person while removing the base plate. Wear eve protection.install in accordance with the

INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

#### MMAC-466

#### FITS

TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA MOD 2 - TP9 SF MOD 2 TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF COMPATIBLE OPTICS: MECANIK™ MO1 - SHIELD SIGHTS™ SMS



WARNING/FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE Plate to your race or distorter person while removing the base plate. Weare ye protection.install in accordance with the Installation instructions. Only install discompatible models.

#### MMAC-467

#### FITS

TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2 - TP9 SF MOD 2 TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE - TP9 SF COMPATIBLE OPTICS: MECANIK™ MO2 - VORTEX™ VENOM

#### **UPGRADE PACK**

#### CANIK<sup>®</sup> UPGRADE PACK #5 MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

#### CANIK® UPGRADE PACK #5 CONTAINS:

1X COMPACT SIZE 10 ROUND MAGAZINE (MA594 / MMAC-194)10 ROUND 9X19MM CAPACIT1X CANIK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACN0500 / MMAC-024)10 ROUND 9X19MM CAPACIT3 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013)POLYMER FLAT BASE PLATE1X CANIK® STANDARD COMPACT SIZE MAG-WELL (PACN0251 / MMAC-027)DUBLE-STACK DESIGNCANIK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES):WITNESS HOLES FOR VISUALDESIGNED BY CANIK®ANTI-FRICTION COATING (AFCOMPATIBLE WITH COMPACT SIZE MAG-WELLSCORROSION RESISTANTFAST ASSEMBLY WITH USER-FRIENDLY DESIGNDEVELOPED AND MANUFACTEFFECTIVE AND COMFORTABLE SHOOTINGINTERCHANGEABLE COMPOSPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICSEASY MAINTENANCE

#### 2 DIFFERENT SIZES

#### CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)

#### EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING

#### COMPACT SIZE 10 ROUND MAGAZINE:

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

#### CANIK® STANDARD COMPACT SIZE MAG-WELL:


QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM BLACK FINISH




#### TINSH 🔮 CHC TECH 🐺 CRAKOTE 🛞 HIGH QUALITY

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE Plate to your face or Another Person while Removing the base plate. Wear eve protection.install in accordance with the Installation instructions. Only install on comparison being based and a state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state o









#### **DUTY PACK**

#### CANIK® DUTY PACK #3

THE CANIK® KYDEX® LEVEL I COMPACT SIZE IWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-MINI 2 FLASHLIGHT, CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

**CANIK® DUTY PACK #3 CONTAINS** ONE CANIK<sup>®</sup> KYDEX<sup>®</sup> IWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-142) ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC- COYOTE BROWN 076)

#### OLIGHT<sup>™</sup> PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS

ADJUSTABLE RAIL

600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER SOURCE

OUICK INSTAL AND REMOVAL WITHIN ONE SECOND

ULTRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED LOW BATTERY INDICATION

IPX6 RATED

73GRAMS

#### CANIK<sup>®</sup> KYDEX<sup>®</sup> COMPACT SIZE IWB COMPATIBLE W/ FLASHLIGHT (RIGHT) **RIGHT HANDED** RETENTION LEVEL I HOLSTER VACUUM FORMED

HIGH-OUALITY CNC CUT

0.80"(2MM) KYDEX®

#### CON FORMED

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS!

HANDLING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

THIS HOLSTED MECHANISM WORKS WITH DETENTION. THIS MAY CALLSE COSMETIC DAMAGE ON YOUR DISTOL FINISH THIS HOLSTED IS DESIGNED FOR INDIVIDUALS WHO ARE DRODEDLY TRAINED AND LICENSED TO LAWFILL V CARRY & FIREARM PROPER TRAINING IN THE USE OF HOUSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO DRODEDLY LISE & HOLSTED OR HANDLE & LOADED EIDEARM CAN DESLUT IN INJUDY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON

INSERTING OR REMOVING A FIREARM FROM THE HOI STER

#### **MMAC-182**

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

#### **DUTY PACK**

#### CANIK<sup>®</sup> DUTY PACK #2

CANIK® DUTY PACK (CDP) #2 A ONE CANIK® OWB KYDEX® LEVEL1 HOLSTER COMBINATION OF CANIK® KYDEX® OWB SUB COMPACT FLASHLIGHT COMPATIBLE LEVEL ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC-I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY **KEEPING THE NEEDS OF FIELD OPERATORS** IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

#### CANIK® KYDEX® SUB COMPACT LEVEL I

DUTY HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL MINI 2 COMPATIBLE** KYDEX<sup>®</sup> MOLDED HOLSTER, SOLID AND WELL FITTING REFLEX SIGHT COMPATIBLE HIGH PRECISION CNC CUTTING SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY FIT



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFE) HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS

HANDLING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJEC IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTED MECHANISM WORKS WITH DETENTION. THIS MAY CALLSE COSMETIC DAMAGE ON YOUR DISTOLEDINGH THIS HOLSTED IS DESIGNED FOR INDIVIDUALS WHO ARE DRODEDLY TRAINED AND LICENSED TO LAWFILLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOUSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO DRODERLY USE A HOLSTED OR HANDLE A LOADED EIREARM CAN RESULT IN INITIRY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

#### MMAC-177

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO TP9 SUB FLITE CAS

#### DUTY PACK #2 CONTAINS

(MMAC-167) 076)

#### OLIGHT<sup>™</sup> PL-MINI 2

IPX6 RATED

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS ADIUSTABLE RAIL 600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER SOURCE OUICK INSTAL AND REMOVAL WITHIN ONE SECOND UI TRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED LOW BATTERY INDICATION 73GRAMS

# **DUTY PACK**

#### CANIK<sup>®</sup> DUTY PACK #5

COMBINATION OF CANIK® KYDEX® OWB FULL SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY KEEPING THE NEEDS OF FIELD OPERATORS IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

#### CANIK® KYDEX® LEVEL I FULL SIZE DUTY

HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL-2 COMPATIBLE** 

#### KYDEX MOLDED HOLSTER. SOLID AND WELL FITTING **REFLEX SIGHT COMPATIBLE**

HIGH PRECISION CNC CUTTING SPARE BUTTERFLY CLIP SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY FIT

#### **CANIK® DUTY PACK #5 CONTAINS**

THE CANIK® DUTY PACK (CDP) #5 A ONE CANIK® KYDEX® FULL SIZE LEVEL I DUTY HOLSTER (MMAC-180) ONE OLIGHT<sup>™</sup> PL-2 FLASHLIGHT (MMAC-074)

#### OLIGHT<sup>™</sup> PL-2

1200 LUMENS OUTPUT WITH UP TO 257 YARDS BEAM THROW CUSTOM BATTERY COMPARTMENT LOCK DESIGN TO PREVENT ACCIDENTAL OPENING SINGLE HANDED MANUAL QUICK ATTACH AND RELEASE MOUNTING SYSTEM CREE XHP35 HI LED 2 X CR123A BATTERY (INCLUDED) **UP TO 70 MIN OPERATING TIME IPX6 RATED** 80GRAMS



#### 

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFEL HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS

HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTED MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON VOLID DISTOL FINISH. THIS HOLSTED IS DESIGNED FOR INDIVIDUALS WHO ARE DRODED V TRAINED AND LICENSED TO LAWFILL V CARRY A FIREARM PROPER TRAINING IN THE USE OF HOUSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT. FAILURE TO DRODERLY USE A HOLSTER OR HANDLE A LOADED EIREARM CAN RESULT IN INITIAL OR DEATHI MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A EIREARM FROM THE HOLSTER

#### **MMAC-184**

#### FITS

TP9 SFX - METE SFX - METE SFX PRO - TP9 SFL

#### OFFICIAL ACCESSORY PROGRAM

NG! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OLIALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. ALWAYS REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND/OR PISTOL USER

MANUAL IMPROPER LISE OF THIS TOOL MAY RESULT IN DAMAGE TO YOUR SIGHTS AND/OR FIREARM, ONLY TO BE LISED BY A QUALIFIED

ALL TP SERIES PISTOLS

GUNSMITH

FITS

MMAC-035

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

#### **MMAC-183**

INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

PROPER TRAINING IN THE USE OF HOI STERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO DRODERLY USE A HOLSTER OR HANDLE A LOADED EIREARM CAN RESULT IN INJURY OR DEATHL MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON

IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTED MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON VOLID DISTOL FINISHI THIS HOLSTED IS DESIGNED FOR INDIVIDUALS WHO ARE DRODEDLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREADM

HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS HANDLING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT

NARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY





TECHNOLOGY SAFELY IN ANY ENVIRONMENT. CANIK<sup>®</sup> KYDEX<sup>®</sup> LEVEL I COMPACT SIZE OWB HOLSTER COMPATIBLE W/ OLIGHT PL-2 FLASHLIGHT COYOTE BROWN **RIGHT HANDED RETENTION LEVEL I HOLSTER** VACUUM FORMED HIGH-QUALITY CNC CUT 0.80"(2MM) KYDEX

**CANIK® DUTY PACK #4** 

THE CANIK® KYDEX® LEVEL I COMPACT

SIZE OWB HOLSTER IS COMPATIBLE W/

OLIGHT PL-2 FLASHLIGHT. IT IS DESIGNED

ACCORDING TO THE NEEDS OF TACTICAL

SITUATIONS AND / OR DAILY CARRY

CONSIDERATION. CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® AND RELEASE MOUNTING SYSTEM CREE XHP35 HI LED 2 X CR123A BATTERY (INCLUDED)

IPX6 RATED

80GRAMS

**DUTY PACK** 

#### **CANIK® DUTY PACK #4 CONTAINS** ONE CANIK® KYDEX® COMPACT SIZE OWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-143)

ONE OLIGHT™ PL-2 FLASHLIGHT (MMAC-

074)) OLIGHT™ PL-2 1200 LUMENS OUTPUT WITH UP TO 257 YARDS BEAM THROW CUSTOM BATTERY COMPARTMENT LOCK

# DESIGN TO PREVENT ACCIDENTAL OPENING

SINGLE HANDED MANUAL QUICK ATTACH

UP TO 70 MIN OPERATING TIME

# FOR USE WITH ALL TP AND METE SERIES PISTOLS

SIGHT ADJUSTMENT TOOL


MANUFACTURED BY CANIK

**PISTOL STOCK** 

#### CANIK<sup>®</sup> ARMBRACE-1 PISTOL STOCK (FDE)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.





NING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.PLEASE DO NOT DIRECT THE BASE



INCREASES YOUR ACCURACY RATE EASY TO DISASSEMBLE AND INSTALL HIGH QUALITY FIBER GLASS POLYMER MIL-STD 1913 PICATINNY RAIL WEIGHS ONLY 230GR



**FEATURES** 



# **PISTOL STOCK**

#### CANIK<sup>®</sup> ARMBRACE-1 PISTOL STOCK (BLACK)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.

# **PISTOL STOCK**

#### CANIK<sup>®</sup> ARMBRACE-2 PISTOL STOCK (FDE)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.

# **PISTOL STOCK**

#### CANIK<sup>®</sup> ARMBRACE-2 PISTOL STOCK (BLACK)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



**FEATURES** 

INCREASES YOUR COMBAT STANCE

**INCREASES YOUR ACCURACY RATE** 

EASY TO DISASSEMBLE AND INSTALL

HIGH OUALITY FIBER GLASS POLYMER

ACTIVE DEFENSE AGAINST COLD WEAPONS

MIL-STD 1913 PICATINNY RAIL

HIGH QUALITY POLYMER

RENING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON



**FEATURES** 

INCREASES YOUR COMBAT STANCE INCREASES YOUR ACCURACY RATE EASY TO DISASSEMBLE AND INSTALL HIGH QUALITY FIBER GLASS POLYMER ACTIVE DEFENSE AGAINST COLD WEAPONS MIL-STD 1913 PICATINNY RAIL

Real High quality **Polymer** 

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.

MMAC-545	
FITS	
	ALL TP, METE AND RIVAL SERIES PIRSTOLS

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.



**FEATURES** 

INCREASES YOUR COMBAT STANCE

**INCREASES YOUR ACCURACY RATE** 

EASY TO DISASSEMBLE AND INSTALL

HIGH OUALITY FIBER GLASS POLYMER

ACTIVE DEFENSE AGAINST COLD WEAPONS

MIL-STD 1913 PICATINNY RAIL

WEIGHS ONLY 230GR

HIGH QUALITY POLYMER



COMPATIBLE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (TP9 SUB ELITE)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (TP9 SFX METE)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES

# **CLEANING PAD**

CANIK<sup>®</sup> CLEANING MAT (TP9 ELITE-S COMBAT)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



#### **FEATURES**

3 MM NEOPRENE TP9 ELITE-S COMBAT PART LIST DIMENSION 27X43CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY

**MMAC-186** 

FEATURES

3 MM NEOPRENE TP9 SFX METE PART LIST DIMENSION 27X43CM

#### **FEATURES**

3 MM NEOPRENE TP9 SUB ELITE PART LIST DIMENSION 27X43CM

TY 30°/ WARNING! PL

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY

**MMAC-162** 

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

MMAC-163

# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (TP9 ELITE COMBAT)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (METE SFT)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (METE SFX)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



# **CLEANING PAD**

#### CANIK<sup>®</sup> CLEANING MAT (SFX RIVAL)

THE CANIK<sup>®</sup> GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

# **COVER**

#### CANIK<sup>®</sup> NEOPRENE PISTOL COVER

CANIK<sup>®</sup> NEOPRENE PISTOL COVER IS MADE BY HIGH QUALITY NEOPRENE FABRIC, HELPING PROTECT YOUR PISTOL SLIDE.

# GRIP

#### CANIK<sup>®</sup> TACTICAL VERTICAL FOREGRIP (BLACK)

CANIK<sup>®</sup> TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP Option on your pistol or any picatinny railed firearms. It has Enhancing tactical versatility and performance.







FEAIURES INCREASES YOUR COMBAT STANCE INCREASES YOUR ACCURACY RATE EASY AND FAST ADAPT/REMOVAL MECHANISM HIGH QUALITY FIBER GLASS POLYMER COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL



WARNING! CANIK® TACTICAL VERTICAL FOREGRIP SHOULD NEVER BE USED ON A LOADED GUN.

#### MMAC-140

FITS
ALL PISTOLS EQUIPPED WITH PICATINNY RAIL

3 MM NEOPRENE TP9 SUB ELITE PART LIST DIMENSION 27X43CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY



**FEATURES** 

2 MM NEOPRENE

MMAC-501

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

#### GRIP

#### CANIK® TACTICAL VERTICAL FOREGRIP (FDE)

CANIK<sup>®</sup> TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP Option on your pistol or any picatinny railed firearms. It has enhancing tactical versatility and performance.



#### CANIK<sup>®</sup> LANYARD (WITHOUT STEEL CORD)

THE CANIK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.

FEATURES SPIRAL CORD ADJUSTABLE VELCRO BELT ADAPTOR USER FRIENDLY DESIGN



#### LANYARD

#### CANIK<sup>®</sup> LANYARD (WITH STEEL CORD)

THE CANIK<sup>®</sup> PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.



FEATURES SPIRAL CORD ADJUSTABLE VELCRO BELT ADAPTOR USER FRIENDLY DESIGN



VARNING! CANIK® TACTICAL VERTICAL FOREGRIP SHOULD NEVER BE USED ON A LOADED GUN.



**FEATURES** 

INCREASES YOUR COMBAT STANCE

INCREASES YOUR ACCURACY RATE

EASY AND FAST ADAPT/REMOVAL MECHANISM HIGH QUALITY FIBER GLASS POLYMER

COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL

HIGH QUALITY **Polymer** 

ATTENTION REQUIRES #MMAC-352 CANIK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

ATTENTION REQUIRES #MMAC-352 CANIK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

#### MMAC-275



# LOCK

#### CANIK<sup>®</sup> PISTOL CABLE LOCK (UNIVERSAL)

THE CANIK® PISTOL CABLE LOCK BLOCKS THE CHAMBER TO PREVENT A CARTRIDGE FROM BEING FIRED. THE LONG-BRAIDED STEEL CABLE IS INSERTED DOWN THE EJECTION PORT AND DOWN THE MAGAZINE WELL OF THE GUN. THE END OF THE CORD FITS INTO THE LARGE PADLOCK WITH A KEY USED TO SECURE THE DEVICE.

# LOCK

#### **CANIK® TRIGGER LOCK**

CANIK<sup>®</sup> TRIGGER LOCK HAS A STEEL AND ZINC BODY FOR MAXIMUM DURABILITY. THE PROTECTIVE RUBBER PADS PROTECT PISTOL FINISH FROM MARRING OR SCRATCHING.





WARNING! CANIK® PISTOL CABLE LOCK SHOULD NEVER BE USED ON A LOADED GUN.






**FEATURES** 


UNIVERSAL TRIGGER LOCK SAFETY COMPLIANT EASY TO INSTALL KEYED TRIGGER LOCK




WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON Compatible Models. All parts and accessories should be installed by a qualified gunsmith.











WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTORES TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTEKS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN an UNICADED CONDITION FOR PROPERT IT IT IS THE CUSTORES RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECTI DI BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISKARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH ITHIS HOLSTER IS DESINDED FOR NOUTOLAUS WHO ARE PROPERLY TRANLOD AND LICENSES TO LAWFLULY CARRY A FIREARM PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! ALLUBE TO PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! ALLUBE TO PROPERT VISUE A HOLSTER IS LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SUBE THAT NO OBJECTS ON YOUR PERSON, BELL, CUTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIBUERD ON INSTRIB OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT METE SF - METE SF PR0 - TP9 SFT METE - METE SFT - METE SFT PR0 WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTORED TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT IT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING DR OTHER OBJECTI SELOCUNG THE PATH TO THE HOLSTER THAT COULD GLUSE A VEGULGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR NOTIVOLAUS WHO ARE PROPERLY TRANCED AND LICENSE TO LAWFLUX CARAFY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PISSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVITION IS THE REGE ON INSERTING OR REMOVING A REFAMM FROM THE HOLSTER! IS CAPABLE OF ACTIVITION IS THE REGE ON INSERTING OR REMOVING A REFAMM ROM THE HOLSTER!

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT METE SF - METE SF PR0 - TP9 SFT METE - METE SFT - METE SFT PR0 WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTORVET O SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION OR PROPERT IT IT IS THE CUSTORVER SEPSONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGULENT DISCHABOET THIS INDISTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISHI THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERIT VANIED AND LICKNED TO LAWFULLY CARPY A FIREARM PROPER TRAINING IN THE US OF HOLSTERS AND FIREAMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREAM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TINGER ON INSERTING OR REMOVING A RIERARM FORM THE HOLSTER

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT METE SF - METE SF PR0 - TP9 SFT METE - METE SFT - METE SFT

# SAFARILAND<sup>™</sup> HOLSTER SERIES

## **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**



MMAC-041



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT METE SF - METE SF PRO - TP9 SFT METE - METE SFT - METE SFT



**MMAC-141** 

- RIGHT HAND



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE

FORMED

METE SC



**COMPATIBLE WITH OLIGHT PL MINI 2** 

**MMAC-321** 



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS

**MMAC-267** 

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

# **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**



COMPATIBLE WITH OLIGHT PL MINI 2





WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WILLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT FIT IT IS THE CUSTORERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETEINTON, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER S OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FALURE TO PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FALURE TO PROPERT VISE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAI NO DBJECTS ON YOUR PRESON, BELT, LOTTING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE THEORE ON INSERVIS ON FRANK ON YOUR PRESON, BELT, CUTTING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRANKING OR REMOVING A FRAEARM FPONT HE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRAMING OR A FRAEARM FOR THE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRAMING OR A FRAEARM FROM THE HOLSTER I CONTRACTIVATION THE TRIBUGE ON INSERVIS OR REMOVING A FRAEARM FROM THE HOLSTER I CATED OF THE FRAME CAUSE ON INSERVIS OR REMOVING A REMOVING A FRAEARM FROM THE HOLSTER I CATED OF ACTIVATION THE TRIBUGE ON INSERVING OR REMOVING A REMAIN FROM THE HOLSTER I CATED OF THE ADJECT ON STATUS OR REMOVING A REMOVING A REMOVING A HOLSTER I CATED OF THE HOLSTER I SCAPABLE AT HOLSTER I CONTRACTIVATION THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVE OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVE OF THE HOLSTER I CATED

#### FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS TP9 SUB METE - METE SC



MMAC-144



VACUUM FORMED 🐕 HIGH QUALITY CONST CUT

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS'I NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FRATSTENSING IN AN UNICADED CONTION FOR PROPERT IT IT IS THE LOSTENERS RESPONSIBILITY OP MACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEBLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISM THIS HOLSTER IS DESIGNED FOR INNOVIDALS WHO ARE PROPERLY TRANED AND LICENSET D LAWFULLY CARRY A FIREARM PROPER TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NUIVY OR BEATH MAKE SURE THAT NO DRIECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OR ACTIVATIONS THE TRANED OR DICHMEND READING THE HOLSTER IS IS CAPABLE OR ACTIVATIONS THE TRANED OR DICHMEND AND REFERSION ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OR ACTIVATIONS THE TRANED OR DICHMEND OR REMOVING A REARM FROM THE HOLSTER! IS CAPABLE OR ACTIVATIONS THE TRANED OR DICHMEND AND REFERSION ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OR ACTIVATIONS THE TRANED OR DICHMEND OR REMOVING A REARM FROM THE HOLSTER!

FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



**MMAC-257** 

**MMAC-318** 





WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEARMS. WINLE USING THEIR HOLSTER'SI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION FOR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE CUM HANDLUGA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IN DISCHARGE AND ARE PROPERIT RISMED AND LORSDO TO LAWFULLY CARRY A FREARM PROPER TAINING IN THE USE OF HOLSTERS AND RIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPER TAINING IN THE USE OF HOLSTERS AND RIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPER TAINING IN THE USE OF HOLSTERS CAUR RESULT IN INJURY OR BEATH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HOLSTER IN A REMARK ON A REPREAVER AND REARMS MORE ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HOLSTER IN A REMARK ON A REPREAVER THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HOLE OR DRIVENTING OR REMAYING A RIREARM FROM THE HOLSTER IN THE HOLSTER IS CAPABLE OF ACTIVATION.

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

# **KYDEX HOLSTER SERIES KYDEX HOLSTER SERIES KYDEX HOLSTER SERIES COMPATIBLE WITH** OLIGHT PL MINI 2 MMAC-309 MMAC-306 **MMAC-312**

**MMAC-142** 



**OLIGHT PL MINI 2** 

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS

**MMAC-181** 

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



**KYDE** 

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARNS WHILE USING THEIR NOLSTERN INVERY PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNICADED CONTION FOR PROPERTITI ITS INTE LOSTOMERS RESPONSIBILITY O PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAVAGE ON YOUR PISTUE FINISH THIS INSLIFSE N DESIGNED FOR INDIVIDUALS WHO ARE PROPERTIT KITS THENDE AND LICENSED TO LAWFULLY CARRY A FREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USIG THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN NIJWY OR DEATH MAKE SUBE THAT NO DBJECTS ON YOUR PERSON, BLT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAGER ON INSERVICE OR RECANDA OR REARM PROFILED BEFORE USIGER TO IN YOUR PERSON, BLT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAGER ON INSERVICE OR REMOVING A RIFERAM PROFILED BEFORE USING THE INFORMATION ON THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAGER ON INSERVICE OR REMOVING A RIFERAM PROFILED BETORING ON THE HOLSTER

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION TOR PROPER FIT ITS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE HATN OPIECED CUTINING OR THEOREFIT THE HIGHISTER THATA TO HENDISTER THAT SO PRECED CUTINING, AND HANDLING AND TO ENSURE THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMI PROPER TRAINING THE USE IN ENGINEET OF INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMI PROPER TRAINING THE USE IN ENGINEET OF INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMI PROPER TRAINING TO HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOLTED OF HANDLE A HOL

THE DISINCE OF INDIVIDUALS WHO ARE PROPERLY TRANED AND LICENSED TO LIMPULY CARLS OF AREAMY PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE LIMING THIS PRODUCT FALLURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CARABLE OF ACTIVATING THE TRIGER ON INSERTING OR REMOVING A RIFEARM FROM THE HOLSTER!

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY

#### FITS

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT

#### **KYDEX HOLSTER SERIES**



COMPATIBLE WITH OLIGHT PL MINI 2





WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEAMS. WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIKET SENTING IN A UNLOADED CONDITION FOR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE CUM HANDLIGA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS INOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSHEIT C DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS THAN DRAFE ROPERITY RIMINED AND LICROSTO TO LAWFULLY CARRY A REALMP PROPER TAINING IN THE USC OF HOLSTERS AND FIREAMS MUST BE COMPLETED BEEDRE USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREAMS MUST BE COMPLETED BEEDRE USING THES PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREAMS CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THEORE ON INSERTING OR REMOVING A FIREARM FORM THE HOLSTER!

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

#### **KYDEX HOLSTER SERIES**

#### **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WINLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION OR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE CUN HANDLIGN AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IS DINDIDULAS. WING A BE ROPERIT IT RUBLED AND LACES TO LAMPLILY CARAFY A FIREARM PROPER TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMMETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY. USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLITHING OR IN THE HOLSTER IS CLAPABLE OF ACTIVATIONE THE INGERGE ON INSERTING OR REMOVING A REREAM FROM THE HOLSTER.

FITS TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL



MMAC-514



FORMED IN HIGH QUALITY CNC CUT

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREAMS. WINLE USING THEIR HOLSTER'S NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION OR PROPERT ITTII IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUM HANDLUBA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGET HINS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIDENDED FOR INDIVIDUALS WING ABE PROPERTY TRAINED AND LOCROSE TO LAWFULLY CARRY A FIREARM PROPERT SAINING IN THE USE OF HOLSTERS AND RERAMS MUST BE COMMULETED BEFORE USING THIS PRODUCT FAILUBE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MARKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FIREARM PORT FOR TAINING IN THE USE OF HOLSTERS CATUATIONE THE TRIGGER ON INSERTING OR REMOVING A FIREARM HOM THE HOLSTER I'S CAPABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FIREARM HOM THE HOLSTER I'S CAPABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FIREARM HOM THE HOLSTER I'S CAPABLE OF ACTIVATION.

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE - TP9 SF METE-S - TP9 DA - METE SF





FORMED 🗳 HIGH QUALITY

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEAMES. WHILE USING THEIR HOLSTERS IN EVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIKET ESTING IN A UNLOADED CONTOMING FOR PROPER TITI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUI HANDLIE AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS INFOSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSNETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WOR ADE ROPORELIT FUNDED AND LANGE CONVERTY A REBLAME MPORE TAINING IN THE USC OF HOLSTENS AND FIREAMES MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERT YUSE A HOLSTER OR HANDLE A LOADED FIREAME CAN RESULT IN INJURY OR DEATHI MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION ET HE MIGGER ON INSERVICE A RIERAME MOM THE MOLSTER OR HANDLE A LOADED FIREAME CAN RESULT IN INJURY OR DEATHI MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION ET HE MIGGER ON INSERVICE A RIERAME MANT HE MOLSTER IS CAPABLE OF ACTIVATION OF THE MORE OR DEATH IN ARKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION OF THE MORE OR DEATH IN A RIERAME RAMM THE MOLSTER IS DESIGNED FOR

#### FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

# **KYDEX HOLSTER SERIES**

#### **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**







WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WILLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT FIT IT IS THE CUSTORERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETEINTON, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER S OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FALURE TO PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FALURE TO PROPERT VISE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAI NO DBJECTS ON YOUR PRESON, BELT, LOTTING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE THEORE ON INSERVIS ON FRANK ON YOUR PRESON, BELT, CUTTING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRANKING OR REMOVING A FRAEARM FPONT HE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRAMING OR A FRAEARM FOR THE HOLSTER I SCAPABLE OF ACTIVATION THE TRIBUGE ON INSERVIS OR FRAMING OR A FRAEARM FROM THE HOLSTER I CONTRACTIVATION THE TRIBUGE ON INSERVIS OR REMOVING A FRAEARM FROM THE HOLSTER I CATED OF THE FRAME CAUSE ON INSERVIS OR REMOVING A REMOVING A FRAEARM FROM THE HOLSTER I CATED OF ACTIVATION THE TRIBUGE ON INSERVING OR REMOVING A REMAIN FROM THE HOLSTER I CATED OF THE ADJECT ON STATUS OR REMOVING A REMOVING A REMOVING A HOLSTER I CATED OF THE HOLSTER I SCAPABLE AT HOLSTER I CONTRACTIVATION THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVATION OF THE RED OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVE OF THE HOLSTER I CATED OF THE HOLSTER I CONTRACTIVE OF THE HOLSTER I CATED

#### FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



MMAC-520



VACUUM FORMED PRIME CNC CUT COS COS

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARNS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FAST TESTING IN AN UNICADED CONTION FOR PROPERT IT IT IS THE LUSTOMERS RESPONSIBILITY OP WARTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISM I'NT HOLSTER IS DESIGNED FOR NONVOLAUS. WHO ARE PROPERLY TRANED AND LICENSED TO LWIPULY CARRY A FIREARM PROPER TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NURY OR GEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRANEGER ON INSERTING OR REMAIND A REARMA FROM THE HOLSTER! IS CAPABLE OF ACTIVATION THE TRANEGER ON INSERTING OR REMAIND A REARMAR MONT HE HOLSTER!

FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



COMPATIBLE WITH OLIGHT PL2&PL PRO

MMAC-527







WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEARMS. WINLE USING THEIR HOLSTER'S NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION FOR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE CUM HANDLUGA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IN DIVIDUIDALS WING ADROPARENT KAINED AND LICRESTO TO LAWFILLY CARRY A FREARM PROPER TAINING IN THE USE OF HOLSTERS AND RIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY LIVE A HOLSTER IN HEAUSE OF HOLSTERS AND RIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FREARM CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO OBJECTS IN YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HORE OR IN CHRANG AND REARMS AND REARMS MORE THE HOLSTER IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HORE OR IN CHRANG AND REARMS AND READY OF RESON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION.

#### FITS TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT

# **KYDEX HOLSTER SERIES**

#### **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-521





WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WINLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION OR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE CUN HANDLIGN AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IS DINDIDULAS. WING A BE ROPERIT IT RUBLED AND LACES TO LAMPLILY CARAFY A FIREARM PROPER TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMMETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY. USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLITHING OR IN THE HOLSTER IS CLAPABLE OF ACTIVATIONE THE INGERGE ON INSERTING OR REMOVING A REREAM FROM THE HOLSTER.

```
FITS
```

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT



MMAC-523



FORMED FORMED LOB"

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WINLE USING THEIR HOLSTER'S NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESHING IN A UNLOADED CONDITION OR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUN HANDLIGN AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS INGUSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSHEITC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WORKS WITH RETENTION, THIS MAY CAUSE COSHEITC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WORKS WITH RETENTION, THIS MAY CAUSE COSHEIT COMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WORKS WITH BETENTION, THIS MAY CAUSE COSHEIT COMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WORKS WITH BETENTION THE USE OF DIALING AND THE AND THE USE OF HOLSTERS AND RERAMS MUST BE COMPLETED BETER USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THEIGERGEN IN INSERTING OR REMOVING A FIREARM FOR THE HOLSTER IS CAPABLE OF ACTIVATION.

#### FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL



COMPATIBLE WITH OLIGHT PL2&PL PRO



Formed Price CNC CUT CON CONSTR

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN A UNLOADED CONDITION FOR PROPER TITI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUN HANDLIGN AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINISH THIS HOLSTER IS DISCHARGEN MUST BE COMMETED BEFORE USING THIS PRODUCT FAILURE TO PROPER TAINING IN THE USS OF HOLSTERS AND FIREARMS MUST BE COMMETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER I HOLSTER IS COMMETED AND CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATIONE THE INGEDER ON INSERTING OR REMOVING A HERARM FORM THE HOLSTER I'S CAPABLE OF ACTAVIANTO BETORE AND IS RETING OR REMOVING A HERARM FORM THE HOLSTER I'S CAPABLE OF ACTIVATION THE THEORE ON INSERTING OR REMOVING A HERARM FORM THE HOLSTER I'S CAPABLE OF ACTIVATION THE THEORE ON INSERTING OR REMOVING A HERARM FORM THE HOLSTER I'S CAPABLE OF ACTIVATION THE THEORE ON INSERTING OR REMOVING A HERARM FORM THE HOLSTER I'S CAPABLE OF ACTIVATION.

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL

# **POLYMER HOLSTER SERIES**

# **POLYMER HOLSTER SERIES**

# **POLYMER HOLSTER SERIES**







- RIGHT HAND

**MMAC-081** 

FITS



- LEFT HAND

- LEFT HAND



FITS			
	ALL TP&METE MO	DDELS	

#### OFFICIAL ACCESSORY PROGRAM



MMAC-241

FITS



WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRSTERING IN AN UNCADED CONDITION FOR PROPERT IT II IS THE CUSTORESR RESPONSIBILITY TO PRACTICE SAFE GUN HANDING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER S DESIGNED FOR INDIVIDALS: WHI ARE REPORELY TRAINED AND LICENSED TO LUMULUL CARARY A RIERAMP PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NIJURY OR DEATH MAKE SUKE THAT NO DEJECTS ON YOUR PRESON, BELT, LOTTING OR IN THE HOLSTER I SCAPAGLE OF ACTIVATION THE TRAGERED IN ISTEMICE OR REMOVING A FIREARM PRODUCTI FAILURE TO DROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NIJURY OR DEATH MAKE SUKE THAT NO DEJECTS ON YOUR PRESON, BELT, LOTTING OR IN THE HOLSTER I SCAPAGLE OF ACTIVATION THE TRIGGERE ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER INCOMENT.

ALL TP&METE MODELS





WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE HEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION FOR PROPERT IT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING OR OTHER OBJECTIS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSNETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDUDIALS WHO ARE PROPERLY TRANCID AND LICENSED TO LAWFLILY CARA'S A REFAMINIONAL SING THE ROMENTE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY TUSE A HOLSTER ON HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO DEJECTS ON YOUR PRESON, BELT, CLITHING OR IN THE HOLSTER I CARABLE OF ACTIVATION THE THREED REND INSTANCE ON REMOVING A RERAMING PROPERLY TUSE A HOLSTER OR IN THE HOLSTER I CARABLE OF ACTIVATION THE TRAGEN ON INSTANCE ON REMOVING A PREAMM FROM THE HOLSTER I COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NUMY OR DEATH MAKE SURE THAT NO DEJECTS ON YOUR PRESON, BELT, CLITHING OR IN THE HOLSTER I CARABLE OF ACTIVATION THE THREGRE ON INSTANCE ON REMOVING A FREAMM FROM THE HOLSTER!



# **POLYMER HOLSTER SERIES**

#### **POYLMER HOLSTER SERIES**

# CANIK<sup>®</sup> COMPETITION HOLSTER SERIES

**MMAC-129** 





WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEAMS. WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TERMING IN A UNLOADED COMDITION FOR PROPERT ITTI IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAE GUN HANDLONE AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH HETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS MEDITAL ON DE PROPERTI FRANCE AND LOSSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ANTIVATIONET HE FINGER ON INSERTIOR OR REMYING A RIFERARM FOR HEARMING ON THE HOLSTER IS CAPABLE OF ANTIVATIONE.

FITS ALL TP&METE MODELS



MMAC-502

- RIGHT HAND



 VACUUM
 Processor

 FORMED
 Processor

 CCC CUT
 CCC CUT

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIREARMS. WINLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN A UNLOADED CONDITION FOR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUN HANDLIGN AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINISH THIS HOLSTER IS OF HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINISH THIS HOLSTER IS OF HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINISH THIS HOLSTER IS OF HOLSTER AND RIERARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED PREAMM CAN RESULT IN INJURY OR BEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FIRERARY FOR THE HOLSTER.





ALL TP, METE AND RIVAL SERIES PISTOLS

FITS

# **CANIK® COMPETITION HOLSTER SERIES**

# COMPETITION MAGAZINE POUCH

THE VERSA-POUCH BY CR SPEED IS DESIGNED FOR THE NEW AND EXPERIENCED COMPETITOR ALIKE. THIS COMPETITION MAGAZINE

POUCH HAS THE ABILITY TO FIT A WIDE VARIETY OF POPULAR PISTOL

MAGAZINES. THE POUCH'S LARGE RETENTION ADJUSTER KNOB ALLOWS YOU TO CUSTOMIZE THE RETENTION TO YOUR LIKING, AND IS FULLY

# **KYDEX MAGAZINE POUCH SERIES**

THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADing. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



- LEFT HAND





**MMAC-286** 



#### **FEATURES**

FITS ALL TP9 SERIES PISTOLS **INCLUDES THE C-BAX VERSA-HANGER** 



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERTY TRAINED AND LICENSED TO LAWEULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTEF

#### FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

# **FEATURES**

ONE POUCH FOR A MULITITUDE OF MAGAZINES AMBIDEXTEROUS DESIGN.

**MMAC-191** 

FITS



FORMED

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

#### ALL CANIK DOUBLE STACK 9MM 40 CAL. MAGAZINES

ALL TP9 SERIES MAGAZINES

#### OFFICIAL ACCESSORY PROGRAM

FITS

# APROVED BY CANIK **POLYMER MAGAZINE POUCH KYDEX MAGAZINE POUCH SERIES DUTY HOLSTER SERIES** - RIGHT HAND MMAC-086 **MMAC-192 MMAC-540** - RIGHT HAND MMAC-351 MMAC-248 **MMAC-567**



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREAMS. WINLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN A UNLOADED CONDITION FOR PROPER TITI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUM HANDLUBA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IN BOLSTER IS AND RIEARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERT SAINING IN THE USC OF HOLSTERS AND RIEARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NURY OR BCHITH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATIONE THE INGEORE ON ISSERTION OR REMOVING A RIERARM FOR THE HOLSTER.

FITS
ALL TP9 SERIES MAGAZINES

FORMED FORMED IN CONC CUT

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIEGARMS. WHILE USING THEIR HOLSTER'SI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TISTING IN A UNLOADED CONDITION FOR POPER'TI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLURA NOT DE NUSURE THAT NO PLEED F CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER IT HAT COULD CAUSE A NEDIGENT DISCHARGET THIS INDUSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMITL CAMAGE ON YOUR PSTOL FINISH THIS HOLSTER I MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMITC DAMAGE ON YOUR PSTOL FINISH THIS HOLSTER I MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMITL CAMAGE ON YOUR PSTOL FINISH THIS HOLSTER I SAFE REFERENCES OF A DEPORTERT I TRAINED AND LOCEDED TO LAWFULLY CARRY A FIREARM PORPER TAINING IN THE USE OF HOLSTERS AND RIFEARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTIVUSE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER I SAFABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FIREARM FOM YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION.



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WINLE USING THEIR HOLSTER'SI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUM HANDLUBA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IS DIDIVIDUALS WING A BE ROPERTIF TAINED AND LORSDO TO LAWFILLY CARAFY A FIREARM PROPER TAINING IN THE USC OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY LIVE A HOLSTER OR HANDLE A LOADED PREARM CAN RESULT IN NUIVE OR BEALTH MAKE SURE THAT NO DBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATIONE THE TRIGGER ON INSERTING OR REMOVING A HERRARM FOR THE HOLSTER.

ALL TP9, METE SERIES MAGAZINES

FITS

#### **LEATHER HOLSTER**





LEATHER HOLSTER

MMAC-632

MMAC-641



**LEATHER HOLSTER** 

MMAC-642



MMAC-643



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WINLE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNICADED CONDITION FOR PROPERT FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUI HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMEDIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDALS WIND ARE PROPERLY TRAINED AND LICENSED TO LAWFLUL CARAFT A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NIQURY OR DEATH HAAKE SUKE THAT NO DEJECTS ON YOUR PERSON, BELT, CUTINING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE TRAGER ON INSERTING OR REMOVING A HERRAM PRODUCT! FAILURE HOLSTER!



#### S VACUUM FORMED S HIGH QUALIT

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARNS WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNCLADEE CONDITION FOR PROPERT IT IT IS THE USITOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGEHT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMENC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULL CARAFT A RIFEARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY YUSE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NJURY OR DEATH MAKE SUKE THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER I CARABLE OF ACTIVATION THE THEORE ON INSTIMUTE OR REMOVING A FIREARM PRODUCTI FAILURE TO DROPERLY USE A HOLSTER OR IN THE HOLSTER IS CARABLE OF ACTIVATION THE THORERO ON INSTIMUTE OR REMOVING A FIREARM FROM THE HOLSTER IN CLARING TO RUBATION OR IN THE HOLSTER I CARABLE OF ACTIVATION THE TRADEGO ON INSTIMUTE OR REMOVING A FIREARM FROM THE HOLSTER IN CLARING TO RUBATING A THE HOLSTER IN CLARING FOR MINE AND ILERS IN CLARING FOR MINE AND INTE USED IN THE HOLSTER INCOMENTION THE USED IN CLARING FOR MINE AND INTER OR REMOVING A FIREARM FROM THE HOLSTER INCOMENTION THE HOLSTER INCOMENTION OF IN THE HOLSTER INCOMENTION OF INTER FOR HANDLE A LOADED INFORMANCE AND REMOVING A FIREARM FROM THE HOLSTER INCOMENTION THE HOLSTER INCOMENTION THE HOLSTER INCOMENTION FIRE FOR HANDLE AND FIREARM FROM THE HOLSTER INCOMENTION FILL FOR THE FORMER INCOMENTION.

#### FITS SFX RIVAL-S

Formed Formed

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS'I NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FREIT TESTING IN AN UNICADED CONTION FOR PROPERT ITI IS IS HEL CUSTOMERS RESPONSIBILITY O PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMEILC DAMAGE ON YOUR PISTOL FINISH ITHIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERTY TRAINED AND LICENSET TO LAWFULLY CARRY A FIREARM PROPER TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY ANNING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY ANNING IN THE USE LOADED FIREARM CAN RESULT IN NUIVY OR BEATH MAKE SURE THAT NO DBJECTO BY YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAIGER ON INSERIM OR REMOVING A RIREARM FROM THE HOLSTER IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAIGGE ON INSERVICE OR PROFIL FAILING OR REMOVING A RIREARM FROM THE HOLSTER IN THE HOLSTER IN CAPABLE OF ACTIVATION THE TRAIGGER ON INSERVICE OR REMOVING A RIREARM FROM THE HOLSTER IN FLORE TO RIFT.

# FITS SFX RIVAL-S

# **KYDEX HOLSTER SERIES KYDEX HOLSTER SERIES CANİK HOLSTER SERIES MMAC-593** MMAC-656 MMAC-658 MMAC-657 **MMAC-659**



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPRET IT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUI HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMEDIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER S DESIGNED FOR NOTVOLDALS WHO ARE PROPERLY TRANLED AND LICENSED TO LAWFLULY CARAFT A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH HANGE SURE THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER I SCAPABLE OF ACTIVATION THE THERER ON INSERTION OR REMOVING A FIREARM PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH HANGE SURE THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THERER ON INSERTION OR REMOVING A FIREARM FROM THE HOLSTER!

FITS TP9 SFx - TP9 SFx MOD. 2 - TP9 SFx METE - SFx RIVAL - SFx RIVAL-S




WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THER FIREARMS WHILE USING THEIR HOLSTER'SI NECHE PLACE A LOADED HANDOLN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION FOR PROPERT IT IT IS THE CUSTORERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSUME THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH REENTION, THIS MAY CAUSE COSMEDIC DAVAGE ON YOUR PISTOL FINISH THIS HOLSTER S DESIGNED FOR INDUDIALS WHO ARE PROPERLY TRANLE DAU DI CLEVES TO LAWAGE ON YOUR PISTOL FINISH THIS HOLSTER IS OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT TAULURE TO PROPERLY USE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH HAKE SURE THAT NO DEJECTS ON YOUR PERSON, BELT, CLITHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THERE ON INSERTION OR REMOVING A THERAMF ROMOVENT FILLOSTER


FITS TP9 SFx - TP9 SFx MOD. 2 - TP9 SFx METE - SFx RIVAL - SFx RIVAL-S WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THER FIREARMS. WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER TIT IT IS THE CUSTOMERS RESPONSIBILITY OR PACTICES ACE UNI HANDUEN AND TE SINGLET HAT PLECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMICT DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IN DIVIDUOLAS WAR OR PROPERTY TANIED AND LOCROF TO LAWPILLY CARRY A FIREARMP ROPERT TAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR BEATH MAKE SUBE THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THEORET ON THACE SUBGET HAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF CATURATION THE FIGGER ON INSTRUCT OR REMOVING A RERARM FOR HE HE HOLSTER.

ALL TP9, METE SERIES MAGAZINES


FITS

STORE









OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

#### COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# MAGAZINE

#### SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

#### MAGAZINE

#### **FULL SIZE 15 ROUND MAGAZINE**

THE FULL SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



#### FEATURES

18 (15+3) ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible instol models.

#### MMAC-015 FITS TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFLIETE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO



18 (15+3) ROUND 9X19MM CAPACITY +3 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with comparible i provide models.

# MMAC-460 FITS TP9 ELITE SC - METE SC - METE SC PRO



15 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 15 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANT-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, NO ISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with comparible instrum Models.

#### MMAC-457 FITS TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFx - TP9 SFL - TP9 SFT METE SFT - METE SFT PR0 - METE SFx - METE SFx PR0

# MAGAZINE

#### MAGAZINE

#### COMPACT SIZE 10 ROUND MAGAZINE WITH +3 **EXTENSION**

THE COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# (20 PCS) **FEATURES**

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

#### **MMAC-195**

FITS TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE -S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

#### **FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE**

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION. FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST. DOWN TO THE LAST SHOT.

#### FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



TP9 SFx - TP9 SFL - METE SFx - METE SFx PRO - TP9 V2 - TP DA - TP9 SF - TP9 SA TP9 SA MOD 2

#### OFFICIAL ACCESSORY PROGRAM

(20 PCS)

DURABLE

~

**FEATURES** 

18 ROUND 9X19MM CAPACITY

FDE POLYMER BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING (AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR®

INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE

TP9 V2 - TP9 DA - TP SF - TP SA - TP9 SA MOD 2 - TP9 SFX - TP9 SFL - METE SFX

METE SFx PRO

POLYMER

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.

HIGH QUALITY

CNC TECH

ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-423

FITS

139

COMBAT Proven

#### FULL SIZE 18 ROUND MAGAZINE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>. THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION. WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST. DOWN TO THE LAST SHOT.

# MAGAZINE

#### MAGAZINE

#### FULL SIZE 10 ROUND MAGAZINE

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION. WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

#### FULL SIZE 18 ROUND MAGAZINE WITH +2 **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

(20 PCS)

DURABLE FINISH

PROVEN

9



#### **MMAC-148**

#### FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFx MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFx METE - TP9 SFT METE - METE SFT - METE SFT PRO METE SFx - METE SFx PRO - SFx RIVAL

#### OFFICIAL ACCESSORY PROGRAM

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFL - TP9 SFT - METE SFT

METE SFT PRO - METE SFx - METE SFx PRO - SFx RIVAL

**MMAC-203** 

FITS



#### **FEATURES**

**18 ROUND 9X19MM CAPACITY** POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

IGH OUALITY ~ FINISH POLYMER CNC TECH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE ONLY USE WITH COMPATIBLE PISTOL MODELS.

#### MMAC-030

#### FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFx MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFx METE - TP9 SFT METE - METE SFT - METE SFT PRO METE SFx - METE SFx PRO - SFx RIVAL

#### **COMPACT SIZE 15 ROUND MAGAZINE**

THE COMPACT SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



#### MMAC-028

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

# MAGAZINE

#### COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSIONS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEG-CAR, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD.THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GARS'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, ENCREASING FREEDING RELIABILITY AND EASE WHEN LOADING, THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAS SHOT.

(20 PCS)

**FEATURES** 

18 (15+3) ROUND 9X19MM CAPACITY

+3 ALUMINIUM EXTENDED BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING (AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC GAR

INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT

TP9 ELITE-S COMBAT - METE SF - METE SF PRO

POLYMER

DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.

HIGH QUALITY

CNC TECH

ONLY LISE WITH COMPATIBLE PISTOL MODELS.

**MMAC-029** 

FITS

# MAGAZINE

#### SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



#### OFFICIAL ACCESSORY PROGRAM

FINISH

COMBAT

PROVEN

#### SUB COMPACT SIZE 10 ROUND MAGAZINE

THE SUB COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

# MAGAZINE

# MAGAZINE

#### SUB COMPACT SIZE 12 ROUND MAGAZINE

THE SUB COMPACT SIZE 12 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

#### SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.





INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

🚏 HEH QUALITY 🙊 HEH QUALITY V DURABLE COMBAT

WARNINGF FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the magazine toward your face or another person when removing the base plate. Only use with compatible instol models.

#### MMAC-145 FITS TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO



12 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING: FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Do not point the bottom of the madrizme toward your face or another person when removing the base plate. Only use with comparible instrum Models.

#### MMAC-059

#### FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO



**FEATURES** 

12 ROUND 9X19MM CAPACITY EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE DOUBLE-STACK DESIGN STANDARD BLACK POLYMER BASE PLATE INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE VIEWING WINDOWS FOR VISUAL CONFIRMATION HIGH QUALITY ANTI-FRICTION COATING CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR®



WARMMOLF FOR ASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE Do Not Point the Botton of the Magazine toward your face or another person when removing the Base Plate. Only use with compatible pysicm Models.

# MMAC-060 FITS TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC -METE SC PR0

# MAGAZINE

#### BARREL

#### SUB COMPACT SIZE 15 ROUND MAGAZINE WITH **FINGER REST**

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



#### **FEATURES**

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

#### **MMAC-061**

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC - METE SC PRO

#### SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR<sup>®</sup>, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

(20 PCS)

**FEATURES** 

17 (15+2) ROUND 9X19MM CAPACITY

+2 POLYMER EXTENSION

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING (AFC)

CORROSION RESISTANT

INTERCHANGEABLE COMPONENT STRUCTURE

POLYMER

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.

HIGH QUALITY

CNC TECH

ONLY USE WITH COMPATIBLE PISTOL MODELS.

**MMAC-062** 

FITS

#### FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



#### OFFICIAL ACCESSORY PROGRAM

FINISH

#### BARREL

# BARREL

#### BARREL

#### FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

#### COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

#### COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



# BARREL

#### **FULL SIZE FLUTED BARREL**

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS

#### SUB COMPACT (SC) SIZE FLUTED BARREL

SC SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION AI WAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARFFULLY ALL PARTS AND ACC



#### **FULL SIZE BARREL (REPLACEMENT)**

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# SUB COMPACT (SC) size PVD COATED **THREADED BARREL (IMPERIAL)**

SC SIZE PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### SUB COMPACT (SC) SIZE BARREL (REPLACEMENT)

SC SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



#### OFFICIAL ACCESSORY PROGRAM

**MMAC-173** 

FITS

# BARREL

# BARREL

#### SUB COMPACT (SC) SIZE THREADED BARREL (IMPERIAL)

SC SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

#### SUB COMPACT (SC) size PVD COATED BARREL (REPLACEMENT)

SC SIZE PVD COATED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK®ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRFIS

# **COMPACT SIZE FLUTED BARREL**

COMPACT SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



(20 PCS) **FEATURES** CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 4.19" / 106.5MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH



#### OFFICIAL ACCESSORY PROGRAM

SHOOTING, DO NOT AI TER OR MODIFY THE

#### **FULL SIZE FLUTED BARREL**

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK<sup>®</sup> ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### **FULL SIZE FLUTED BARREL**

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# SUB COMPACT (SC) SIZE FLUTED THREADED

#### BARREL (IMPERIAL) SC SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY

SC SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



#### COMPACT SIZE FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

#### (20 PCS) **FEATURFS**

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-OUALITY CNC TECH 4.72"/120MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50 000 ROUNDS BARRELLIEF



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

#### MMAC-441

FITS

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF METE - TP9 SF ELITE-S - METE SF - METE SF PRO

# BARREL

#### FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50.000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



#### OFFICIAL ACCESSORY PROGRAM

MMAC-444

FITS

# SUB COMPACT (SC) SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK<sup>®</sup> ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

# COMPACT SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



(20 PCS) Features

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 4.13"/105MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE



WARNINGE BARRELS MAY ONLY BE REFURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN SYMMY, DUILY USE THIS CAUBER OF AFCOTORY AMMUNITION MADE TO MODISTRY STANDARDS, SARAKEL ON YOUR BARREL DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CAUBER OF THE BARREL OR BROUVES AND LANDS THREIN, BEFORE REPLACING YOUR BARREL PLEABE READ YOUR PISTOLS OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QULIFIED BOUNSMITH

#### **MMAC-439**

FITS

TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE - TP9 SUB ELITE CAS METE SC - METE SC PRO

#### FULL SIZE PVD COATED FLUTED THREADED **BARREL (IMPERIAL)**

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

FITS

# BARREL

#### FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARREIS.

# BARREL

# FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING OUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



#### FULL SIZE PVD COATED FLUTED THREADED **BARREL (IMPERIAL)**

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# BARREL

#### FULL SIZE THREADED BARREL (INCH)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

# FULL SIZE FLUTED THREADED BARREL (METRIC)

BARREL

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS

(20 PCS)

**FEATURES** 

CHAMBERED IN 9X19 MM

M13,5X1 LH

UNIQUE FLUTED DESIGN

HIGH-QUALITY CNC TECH

5.53"/140.5 MM BARREL LENGTH

6 GROOVES W/RH TWIST

9.85 INCH / 250 MM HELIX LENGTH

**INNER & OUTER TENIFER FINISH** 

POLISHED FEED RAMP

MATCH GRADE BARREL

**UP TO 50,000 ROUNDS BARREL LIFE** 

CNC TECH





**MMAC-452** 

FITS

152

#### OFFICIAL ACCESSORY PROGRAM

MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

SF<sub>x</sub> RIVAL

# **RECOIL SPRING**

# **TRIGGER ASSEMBLY**

# **TRIGGER ASSEMBLY**







WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

# MMAC-348 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

# (200 PCS)

WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

#### MMAC-204

FITS

TP9 SF - TP9 SA - TP9 SFx - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFL

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK GLAM. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### MMAC-206

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA TP9 DA ELITE

# **SLIDE STOP ASSEMBLY**

# LOCKING BLOCK ASSEMBLY

# **RECOIL SPRING**



#### (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm platform that the part is being installed on.

# MMAC-214 FITS TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFL - TP9 SFT - TP9 SAT - TP9 DAT - TP9 SFX - TP9 DA

# (90 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### MMAC-215

FITS

TP9 SFL - TP9 SFT - TP9 SAT - TP9 DAT - TP9 DA - TP9 V2 - TP9 SF - TP9 SFx - TP9 SA - TP9 SA MOD 2

# (90 PCS)

WARNING: INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

MMAC-371		
FITS		
TP9 V2 - TP9 DA - TP9 DAT		

# **RECOIL SPRING**

# **TRIGGER BAR**

# **THREAD PROTECTOR**







# (90 PCS)

WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platrorm that the part is being installed on.

#### MMAC-370 FITS TP9 SA - TP9 SF - TP9 SFL - TP9 SFL - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFX METE METE SFL - TP9 SFX - METE SFT PR0 - METE SFX PR0 - SFX RIVAL



WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

#### MMAC-364

TP9 V2 - TP9 DA - TP9 DAT

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK D.E.M., (SPARE) PARITS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED D.

#### MMAC-297

#### FITS All M13,5x1LH METRIC THREADED BARRELS (EXCEPT TP9 ELITE COMBAT)

# **THREAD PROTECTOR**

# LOCKING BLOCK ASSEMBLY

# **LOCKING BLOCK ASSEMBLY**



ALL 1/2-28 RH THREADED BARRELS ( EXCEPT TP9 ELITE COMBAT)





WARNING: INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK G. E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

(90 PCS)

# MMAC-369 FITS TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC

# (90 PCS)

WARNING! INSTALL IN ACCORRANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INISTALLED ON.

#### MMAC-368 FITS TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SFX MOD 2

9 ELITE - TP9 ELITE-S - TP9 ELITE CUMBAT - TP9 ELITE-S CUMBAT - TP9 SF MOD 2 - TP9 SFX MOD TP9 SF METE- TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE

# **EJECTOR ASSEMBLY**

# **OPTIC BASE PLATE**

# **FIRING PIN BLOCK ASSEMBLY**







# (90 PCS)

WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platrorm that the part is being installed on.

# MMAC-205

FITS

TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE - S - TP9 SFL - TP9 SFT - TP9 SAT TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-S TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC

# (200 PCS)

WARNING! INSTALL IN ACCORRANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

#### MMAC-207

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA TP9 DA ELITE - TP9 SF METE - TP9 SF METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE TP9 SUB METE - TP9 ELITE SC

# (200 PCS)

WARNING! INSTALL IM ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-212

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-TP9 SFT METE - TP9 SFX METE - TP9 SUB ELITE - TP9 SUB ELITE - TP9 SUB METE TP9 ELITE SC

# **MAGAZINE CATCH ASSEMBLY**

# **EXTRACTOR ASSEMBLY**

# LOW PROFILE SLIDE STOP ASSEMBLY (36MM)



#### (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik Gem, (Spare) parts must be installed by a competent qualified guissifith with an understanding of the firearm Platform that the part is being installed on.

#### **MMAC-213**

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA MD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK G. EM. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### MMAC-208

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP 9 SF ELITE- ST P9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFL - TP9 DA - TP9 DA ELITE TP9 SF METE - TP9 SFM ETE - TP9 SFX METE - TP9 SFX MOT SUB ELITE - TP9 SUB METE TP9 ELITE SC - METE SF - METE SFT - METE SFX METE SF PR0 - METE SFT PR0 - METE SFX PR0 METE SC - METE SFT - METE SFX METE SFX PR0 - METE SFX PR0

#### (200 PCS)

WARNINGEN INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

# MMAC-367

#### FITS

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD - TP9 SFX MOD 2 TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE - TP9 SUB METE - TP9 SUB ELITE TP9 ELITE SC

# SLIDE STOP ASSEMBLY (37MM)

# **METAL SLIDE END CAP**

# **SLIDE END CAP**







# (90 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

#### MMAC-366

#### FITS

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SFx MOD 2 TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFx METE - TP9 SUB METE - TP9 SUB ELITE TP9 ELITE SC

# (90 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canix G.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on a

#### MMAC-365

#### FITS

TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SFX METE TP9 SFT METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC - METE SFX PR0 - METE SF METE SC PR0 - METE SC - METE SF PR0 - METE SFX - METE SFT - METE SFT

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G. M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

MMAC-211

#### EIT


TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SFX

STORE

# **SIGHT SET**

# **SIGHT SET WITH OPTIC LID**

# **TRIGGER BAR**







# MMAC-363 FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT

(90 PCS)

CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### **MMAC-210**

#### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SA TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-S TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SF METE SFT - METE SFX - METE SF PR0 - METE SFT PR0 - METE SFX PR0 - METE SC - METE SC PR0 SFx RIVAL

#### **OFFICIAL ACCESSORY PROGRAM**

PLATFORM THAT THE PART IS BEING INSTALLED ON.

# **EJECTOR ASSEMBLY**

# LOW PROFILE SLIDE STOP ASSEMBLY (36MM)

# **OPTIC SIGHT LID SCREWS (M3)**



# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G. M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

# MMAC-001 FITS

TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC METE SFX - METE SFX PR0 - METE SFT PR0 - METE SFT PR0 - METE SC METE SC PR0

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK G.E.M. (SPARE) PARTIS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### MMAC-426

#### FITS

METE SC PRO - METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO Mete SC - SFX Rival

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS. CANIK GE M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

#### MMAC-427

#### FITS

METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - METE SC Mete SC pro

# **FIRING PIN ASSEMBLY**

# LOCKING LEVER/ TAKEDOWN ASSEMBLY

# **OPTIC SIGHT LID ASSEMBLY**



WARNING! INSTALL IN ACCORRANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Putform that the parts being installed on.

#### MMAC-428 FITS Mete SF - Mete SF PRO - Mete SFT - Mete SFT PRO - Mete SFx - Mete SFx PRO - SFx RIVAL - Mete SX Mete SC PRO



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK G.E.M. (SPARE) PARTIS MUST GE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.



# (200 PCS)

WARNINGEN INSTALL IN ACCORRANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm platform that the part is being installed on.

MMAC-430	
FITS	
METE SC - METE SC PRO - METE SF - METE SF PR	RO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO

#### **OFFICIAL ACCESSORY PROGRAM**

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-431 METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - METE SF - METE SF PRO - METE SFT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

(200 PCS)

# MMAC-432 METE SC - METE SC PRO

# (200 PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-433

METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - METE SC - METE SC PRO - METE SF



**LOCKING BLOCK ASSEMBLY** 





# **LOCKING BLOCK ASSEMBLY**

# **SIGHT SET**

# **RECOIL SPRING**

# **OPTIC SCREWS (M4)**

# **EJECTOR ASSEMBLY**



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

# **MMAC-139** TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC METE SC PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-051 TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SF METE - TP9 SF METE-S TP9 SFT METE - TP9 SFx METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC - METE SF - METE SFT METE SFx - METE SF PRO - METE SFT PRO METE SFx PRO - METE SC - METE SC PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-538		
FITS		
TP9 V2 - TP9 DA - TP9 DAT		

# **MAGAZINE EXTENSION**

# CANIK® STANDARD ALUMINUM +3 MAGAZINE

#### **EXTENSION**

THE CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



# **MAGAZINE EXTENSION**

# CANIK<sup>®</sup> STANDARD POLYMER +2 MAGAZINE **EXTENSION**

THE CANIK® STANDARD POLYMER +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANİK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

# MAGAZINE EXTENSION

#### CANIK<sup>®</sup> STANDARD ALUMINUM +3 RED **MAGAZINE EXTENSION**

THE CANIK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



OFFICIAL ACCESSORY PROGRAM

(20 PCS) **FEATURES** ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING **RED FINISH** COMBAT HIGH OUAL ITY PROVEN POLYMER PROVEN

WARNING!FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS. SEE OR CODE LINK ABOVE PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS

#### MMAC-454

#### TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

165

# **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK<sup>®</sup> STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK<sup>®</sup> MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

# **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

# **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD ALUMINUM +0 MAGAZINE BASE PLATE

THE CANIK<sup>®</sup> ALUMINUM +0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK<sup>®</sup> MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.









(40 PCS) FEATURES

MADE OF ALUMINUM EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING BLACK FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. Please do not point the magazine spring towards your face or another person while removing the base plate. Wear eye Protectioninstal in accordance with the installation instructions. Only install on compatible models.

MMAC-136	
FITS	
ALL TP9 & METE SERIES MAGAZINES	

# **MAGAZINE EXTENSION**

#### CANIK<sup>®</sup> STANDARD BRASS +0 MAGAZINE

**BASE PLATE** 

THE CANIK® BRASS+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK<sup>®</sup> MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE. HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

**MMAC-382** 

FITS

# **MAG-WELL**


#### CANIK<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL

THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED. THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

# **MAG-WELL**

#### CANIK<sup>®</sup> STANDARD COMPACT SIZE FDE MAG-WELL

THE CANIK® STANDARD COMPACT SIZE FDE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



**FEATURES** OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM FDE FINISH **INCLUDES ALLEN KEY & SCREWS** 

(30 PCS)

HIGH QUALITY CNC TECH ₩+< CERAKOTE\*

FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE. PACN0500 (MMAC - 024) CANIK STANDARD COMPACT SIZE BACKSTRAP.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

**MMAC-422** 

TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 SF ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S\*SEE BACK



# **MAG-WELL**

# **MAG-WELL**

# **MAG-WELL**

#### **CANIK® COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL**

THE CANIK® COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### CANIK<sup>®</sup> COMPETITION FULL SIZE SMALL BRASS **MAG-WELL**

THE CANIK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

#### TCS<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL

THE TCS® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.







(20 PCS)

**FEATURES** OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN MADE BY BRASS CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS

(60 PCS) FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM **BLACK FINISH** INCLUDES ALLEN KEY & SCREWS



**HIGH OUALITY** 

CNC TECH





MMAC - 024 CANIK® STANDARD COMPACT SIZE BACKSTRAP.-MMAC - 343 CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL) MMAC - 341 CANIK® COMPACT SIZE ALUMUNIUM BACKSTRAP (SMALL). - MMAC - 342 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP

(SMALL)

MMAC - 344 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP

(MEDIIIM)

MMAC - 346 CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM) WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART.

TP9 SF METE - TP9 METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE

TP9 SF ELITE-S\*SEE BACK

THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

**MMAC-380** 

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE TP9 SF ELITE-S - METE SF - METE SF PRO

# **MMAC-160**

168



# **MAG-WELL**

# TCS® STANDARD FULL SIZE MAG-WELL

THE TCS® STANDARD FULL SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM BLACK FINISH INCLUDES ALLEN KEY & SCREWS



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refert of Installation instructions provided, and pistol user Manual only install on compatible models. Select mag-well fit model based on the fit chart. This Magwell is only compatible with "5" size backstrap.

MMAC-161 TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 DA - TP9 SFT - TP9 SA MOD 2 - TP9 SFX



**KYDEX HOLSTER SERIES** 

MMAC-306



 VACUUM
 Image: Second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT IN IS THE CUSTOMERS RESPONSIBILITY TO PRACTICES AND IT IS SAFE GUN PROVIDE AND TO INSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT ACOULD CAUSE A MEDULEMT DISCHARGET HIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMELIC DAMAGE ON YOUR PISTOL FINISH. THIS HOLSTER IS DESIGNED FOR MIDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARPY A FIREARMI PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER IS DESIGNED FOR CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION ET HE RIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER IS

#### FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

**KYDEX HOLSTER SERIES** 



MMAC-312

FITS



Formed Process Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Constant Consta

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR RIKEAMS. WINLE USING THEIR HOLSTER'S NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION OR PROPERT ITTI IT IS THE CUSTOMERS RESPONSIBILITY O PRACTICE SAFE CUM HANDLUGA AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER DBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IS MEDIANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTLE FINSH THIS HOLSTER IS AND RREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPER TAINING IN THE USC OF HOLSTERS AND RREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN REQUIT IN NUITY OR OR HALT MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATIONE THE THEORER ON INCERSION A REREARM FROM THE HOLSTER THE HOLSTER IS CAPABLE OF ACTIVATION THE THE HORE OR PROPERTY RIFT OR REPORT FAILURE OF ROMERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN REQUIT IN NUIVE OR DEALHI MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATIONE THE THE HORE OR REPORTING OR REPORTING A RIFT OR HANDLE A HOLSTER IS CAPABLE OF ACTIVATIONE THE THE HOLSTER IN A REPORT OR REPORT OR OR THE HOLSTER IS CAPABLE OF ACTIVATIONE THE THE ROBE OR INSTRUME OR REPORT OR THE HOLSTER IS CAPABLE OF ACTIVATION.

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



INTRUE THAN THENRIFY WHILE USING THAN THESTERS THE OVER THE OWNER A RESPONSIBILITY TO PRACTICE SAFE GUN HAUDION AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECTIS BLOCKING THE PARTH TO THE HOLSTER THAT COULD CAUSE A NEULIGENT DISANGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR NOTIVIOLALS WHO ARE PROPERLY TRANSID AND LICENSED TO LWYLLLY CARRY A FREAMIN PROPER TRAINING IN THE YE OF HOLSTERS AND FIREAMES MUST BE COMPILETED BEFORE LISING THIS PRODUCT FALLIBLE TO PROPERT VISUANDI AND LAR LOADED FIREAME CAIN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PISSON, BELL, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVITIANTIS THE TRABER ON INSERTING OR REMOVING A REFAMIN FROM THE HOLSTER IS

#### FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS TP9 SUB METE - METE SC PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKNIGS THE PARTH TO THE HOLSTER THAT COULD CAUSE A NEGULIENT DISCHARGE THAT NOT STEN MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WAR DARE PROPERTY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM' PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE THE INGGER ON INSERTION OR REMOVING A RIFERAR ME HOLSTER!

FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

# OFFICIAL ACCESSORY PROGRAM

INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS

AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM

CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL

ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!


FITS

#### 170

# **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**



AN UNLOADED CONDITION TOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING ADD TO ENSURE HATN OPIECE OF CUETINING OR THER OBJECT IS BLOCKING THE PART IN THE HOLSTER THATE OULG CAUSE A REGULERAT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS MOISTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS MACHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOTHER DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED GEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER IS LOADED ENFRAME CAN RESULT IN INJURY OR DATHI MAKE SURE THAT NO DEJECTS ON YOUR PERSON, BELT, CUTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRAGBER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTERI

FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

OFFICIAL ACCESSORY PROGRAM

INDIVIDUALS WHO ARE PROPERI

FITS

INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS

AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM

CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE

TP9 SF METE-S - TP9 DA - METE SF

ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

FRAINING IN THE USE OF HOLSTERS

AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM

CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OI

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE

METE SC

ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTE

# **KYDEX HOLSTER SERIES**

# **KYDEX HOLSTER SERIES**

# **KYDEX MAGAZINE POUCH SERIES**

ALL TP9 SERIES MAGAZINES

FITS



FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

OFFICIAL ACCESSORY PROGRAM

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE

TP9 SF METE-S - TP9 DA - METE SF

FITS

# **POLYMER HOLSTER SERIES**

# **POLYMER HOLSTER SERIES**



#### **CANIK® COMPETITION HOLSTER CANIK® COMPETITION HOLSTER POLYMER MAGAZINE POUCH SERIES** SERIES SERIES THE CANIK<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL ENLARGES THE THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADing, WHEN INSTALLED, THE MAGWELL MAGAZINE WELL FOR easier RELOADing, WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM. THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM. (10 PCS) (10 PCS) (10 PCS) - RIGHT HANI - RIGHT HAN - LEFT HA MMAC-086 **MMAC-235 MMAC-268**

FEATURES FITS ALL TP9 SERIES PISTOLS INCLUDES THE C-BAX VERSA-HANGER

# FEATURES

FITS ALL TP9 SERIES PISTOLS INCLUDES THE C-BAX VERSA-HANGER

INC TECH VUALITY

WARNING: WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMEN TO SAFELY HANDLE THEIR FREARMS WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FRST TESTING IN AN UNLOADE CONTION FOR PROPERT HIT IS THE CUSTOMERS RESPONSIBILITY OP MACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERT YR TAINING AND TO ENSURE TO IS MUTOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERTY TRAINING AND LOTS TO LWIFULV CAURY A FIREARM PROPERT RAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PRESON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OR ACTUANTION THE THEORED OR THE AND OR REMOVING A REREAM FROM THE HOLSTER! IS CAPABLE OR ACTUANTION THE TRAINGE ON IN THE HOLSTER!

FITS		
ALL TP, METE AND RIVAL SERIES PISTOLS		

(10 PCS)

HANDLE THER FIREARMS. WHILE USING THEIR HOLSTERSI IN EVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN A UNLOADED CONDITION FOR PROPER HIT ITS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PRECE OF CUSTIME OR OTHER OBJECTIS BLOCKING THE PAINT TO THE HOLSTER IN TACOUL CAUSE A REGLETION TO SCHARABET HISH HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMITE DAMAGE ON YOUR PISTOL FINISM. THIS HOLSTER IS DEGINADE THE MOUVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMI PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FALLIBLE OF PROPERLY USE A HOLSTER OF RANDLE A LOADED FIREARMI CAN RESULT IN NJURY OR DEATH! MAKE SUBE THAT NO OBJECTS ON YOUR PRODUCT VUSE A HOLSTER OF RANDLE A LOADED FIREARM CAN RESULT IN NJURY CON BEATH! MAKE SUBE THAT NO OBJECTS ON YOUR PROSON, BELT, CLITHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIGGER ON INSTRICTION OR REMOVING A RERARM FROM THE HOLSTER!

FITS

**MMAC-248** 

ALL TP9 SERIES MAGAZINES



WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERIS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST FISTIMIS IN AN UNLOADED CONDITION FOR PROPERT IT II IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSUBE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISHI THIS HOLSTER IS DESIGNED FOR NOVIDUALS WHO ARE PROPERLY TRANCE DAND LICHENSE TO LUMURUL CARARY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NIQUY OR DEATH MARE SUME THAT NO DEJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER I SCAPABLE OF ACLUATIONS THE MERGE ON INSERTING OR REMOVING A THEARM FROM THE HOLSTER!

FITS All TP, METE AND RIVAL SERIES PISTOLS

# **COMPETITION MAGAZINE POUCH**

THE VERSA-POUCH BY CR SPEED IS DESIGNED FOR THE NEW AND EXPERIENCED COMPETITOR ALIKE. THIS COMPETITION MAGAZINE POUCH HAS THE ABILITY TO FIT A WIDE VARIETY OF POPULAR PISTOL MAGAZINES. THE POUCH'S LARGE RETENTION ADJUSTER KNOB ALLOWS YOU TO CUSTOMIZE THE RETENTION TO YOUR LIKING, AND IS FULLY AMBIDEXTROUS FOR LEFT OR RIGHT-HANDED SHOOTERS.





**KYDEX HOLSTER SERIES** 

MMAC-375





MMAC-478

инас-477

 VACUUM
 Image: Second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTCHER TO SAFELY HANDLE THER FREARMS WHILE USING THER HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPERT IT IT IS THE CUSTCHERS RESPONSIBILITY TO PRACTEC SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING DO THER OBJECTI SELOCUNICI THE PATH TO THE HOLSTER THAT COULD CAUSE A WEDLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR NOVIDUALS WHO ARE PROPERLY TRANED AND LICENSED TO LWIFLUY CARRY A FREAMM PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREAMS MUST BE COMPLETED BEFORE USING THIS PRODUCTT FAILURE TO PROPERLY USE A HOLSTER O HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PISTON, BEILT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION IN THIS MORE ON INSERVICE ON REMOVING A FREAMM FROM THE HOLSTER! IS CAPABLE OF ACTIVITION IN THING WOR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PISTOR.

FITS

(10 PCS)

**COMPATIBLE WITH** 

**OLIGHT PL MINI 2** 

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT

FEATURES

ONE POUCH FOR A MULITITUDE OF MAGAZINES Ambidexterous design.

 VACUUM
 PORMED
 PORMED
 CNC CUT
 COST

 KYDEX

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THER RIREARMS WHILE USING THEIR HOLSTERSI NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT RIST TESTING IN AN UNLOADED CONDITION FOR PROPERT IT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECTI S BLOCKING THE PARTH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISARABEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISHI THIS HOLSTER IS DESIGNED FOR INDUIDALS WHO ARE PROPERLY TRANLED AND LICENSED TO LAWILLY CARRY A RIEARM PROPERT TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCTI FAILURE TO PROPERLY USE A HOLSTER OF HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MARE SURE THAN ODBJECTS.

#### FITS

**MMAC-373** 

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

FITS

ALL CANIK DOUBLE STACK 9MM 40 CAL. MAGAZINES

#### CANIK® COMPACT SIZE BACKSTRAP (2 SIZES)

THE CANIK<sup>®</sup> STANDARD COMPACT SIZE BACKSTRAP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR CANIK FIREARM. THE TWO INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PERFERRED GRIP. THIS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

METE SF

# BACKSTRAP

# CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP


#### (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

# BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.



#### CANIK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

# **FEATURES**

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL

(30 PCS)



WARNING! CANIK®P ARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS



**CANIK® FULL SIZE ALUMINIUM BACKSTRAP** (MEDIUM)


BACKSTRAP

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

# BACKSTRAP

**CANIK® FULL SIZE ALUMINIUM BACKSTRAP** (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



ATTENTION FULL SIZE ALLIMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

HIGH QUALITY

CNC TECH

(30 PCS)

TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - METE SFx - METE SFT - METE SFx PRO METE SFT PRO

#### OFFICIAL ACCESSORY PROGRAM

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

# **CANIK® FULL SIZE ALUMINIUM BACKSTRAP**

#### (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

**FEATURES** 

ORIGINAL DESIGN

MADE BY ALUMINIUM

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIAL DESIGN FOR MAXIMUM ERGONOMY

SPECIAL TEXTURE FOR EXTRA CONTROL

BLACK COLOR

HIGH QUALITY

CNC TECH

DURABLE **Finish** 

~

ONLY INSTALL ON COMPATIBLE MODELS

**MMAC-336** 

FITS

# BACKSTRAP CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP

(MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE

SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE

ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-

WELL WITH ITS USER-FRIENDLY DESIGN.

# BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



#### **MMAC-338** FITS TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFX - METE SFT TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFx PRO METE SFX PRO - METE SFT PRO

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

MMAC-339	
FITS	
TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFx - METE SFx PRO	

#### CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



#### FEATURES

(30 PCS)

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING: CANIC® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only install on compatible models.



# BACKSTRAP

#### CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

(30 PCS)

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR MAXIMUM ERGONOMY



ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual only install do compatible woods.

#### MMAC-341

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO

# BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP (SMALL)

THE CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE Shooter to dominate the gun at the highest level. The compact Size brass backstrap is mag-well compatible and allows easy installation of your mag-well with its user-friendly design.



FEATURES

ORIGINAL DESIGN MADE BY ALLIMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR EXTRA CONTROL TUNGSTEN COLOR



ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Install do compatible models.

MMAC-343

#### FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

# STORE STORE

(30 PCS

#### CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

# 

ORIGINAL DESIGN MADE BY ALUMINIUM COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR

CNC TECH

**FEATURES** 

(30 PCS)

ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only Install do comparible models.

# MMAC-344 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

# BACKSTRAP

# CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM

# BACKSTRAP (SMALL)

THE CANIK<sup>®</sup> COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

**FEATURES** 

ORIGINAL DESIGN

MADE BY ALUMINIUM

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIAL DESIGN FOR MAXIMUM ERGONOMY

SPECIAL TEXTURE FOR EXTRA CONTROL

BLACK COLOR

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OLIALIEED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

TP9 SF METE-S - METE SF - METE SF PRO

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL LISER MANUAL

FINISH

ATTENTION COMPACT SIZE ALLIMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-023

ONLY INSTALL ON COMPATIBLE MODELS.

**MMAC-345** 

FITS

HIGH QUALITY

CNC TECH

(30 PCS)

# BACKSTRAP

#### CANIK<sup>®</sup> COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



(30 PCS)

#### **FEATURES**

ORIGINAL DESIGN MADE BY BRASS COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL



ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 WARNING: CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL DIVI VINSTAIL IN COMPATIBLE THOUGHTS

MMAC-346	
FITS	
TP9 SFx MOD 2 -TP9 SF MOD 2 - TP	9 SFx METE - TP9 SFT METE - METE SFx - METE SFT
METE S	Fx PRO - METE SFT PRO

# BACKSTRAP

# CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANIK<sup>®</sup> FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



# FEATURES

(30 PCS)

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL DESIGN FOR EXTRA CONTROL



ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-035 WARNING: CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL OUXY INSTALL ON COMPATIBLE MODELS.



# BACKSTRAP

# CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK<sup>®</sup> FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.

# FEATURES

(30 PCS)

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR



WARNINGI CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user Manual Only install on compatible models.

MMAC-333	
FITS	
TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2	

# **RECOIL SPRING**

# **CANIK® FULL SIZE RECOIL HIGH**

# FORCE SPRING ASSEMBLY

THE CANİK<sup>®</sup> FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



URABLE FINISH 🛠 COMBAT

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL For installation instructions please refer to your pistol owner's manual only install on compatible models.

# MMAC-054 FITS TP9 SA - TP9 SAT - TP9 SF - TP9 SFL - TP9 SFL - SFX RIVAL - TP9 SA MOD 2 TP9 SFT METE - TP9 SFX METE - METE SFT - METE SFX - METE SFT PRO - METE SFX PRO-TP9 SFX MOD 2

# OFFICIAL ACCESSORY PROGRAM

# 181

# **RECOIL SPRING**

# CANIK<sup>®</sup> FULL SIZE RECOIL LOW FORCE SPRING ASSEMBLY

THE CANİK<sup>®</sup> FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

# **RECOIL SPRING**

# CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

# **RECOIL SPRING**

# CANIK<sup>®</sup> COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



# **RECOIL SPRING**

# CANIK<sup>®</sup> FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

# **RECOIL SPRING**

# CANIK<sup>®</sup> FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

# **RECOIL SPRING**

# CANIK<sup>®</sup> SUB COMPACT LOW FORCE RECOIL

# SPRING ASSEMBLY

THE CANIK<sup>®</sup> COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH CARTRIDGES WHICH ARE LOW STRENGTH. IT ALSO PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL. THIS WILL HELP YOU MAKE FAST FOLLOW UP SHOTS. THE RECOIL SPRING, MARKED WITH BLUE PAINT IS INTENDED TO BE USED WITH LOW ENERGY 9X19MM AMMUNITION.



# **RECOIL SPRING**

# **CANIK® SUB COMPACT HIGH FORCE RECOIL** SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION **OPERATING BELOW +P+ PRESSURE SPECIFICATION.** 

# SIGHT

# SIGHT SET (FIBER FRONT & BLACKED OUT REAR SIGHT)

THE WARREN® DESIGNED CANİK® SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THE FIBER OPTIC FRONT SIGHT AND BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN<sup>®</sup>, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

(30PCS)

**FEATURES** 

FIBER OPTIC FRONT SIGHT

'U' SHAPED, BLACKED OUT REAR SIGHT

HIGH QUALITY

CNC TECH

# SIGHT

# WARREN® BLACK OUT REAR SIGHT & CANIK® WHITE DOT FRONT SIGHT SET

THE WARREN® BLACKED OUT REAR SIGHT AND THE CANİK® WHITE DOT FRONT SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



(30PCS) FFATURFS WHITE DOT FRONT SIGHT **'U' SHAPED, BLACKED OUT REAR SIGHT** 



ATTENTION FOR PROPER INSTALLATION. USE THE CANIK SIGHT ADJUSTMENT TOOL AVAILABLE FOR SALE ON CANIKUSA.COM (MMAC - 035) CANİK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIA NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SET6472-15 AT 33001 AND HIGHER (MMAC - 035) CANİK® SIGHT ADIUSTMENT TOOL

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

# **MMAC-005** FITS TP9 V2\*SEE BACK - TP9 DA - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 SF ELITE TP9 SF ELITE-S - TP9 SFL



# OFFICIAL ACCESSORY PROGRAM

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

# SIGHT

# CANIK<sup>®</sup> 3 WHITE DOT SUPPRESSOR SIGHT SET

THE CANIK® 3 WHITE DOT TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

# SIGHT

# WARREN<sup>®</sup> TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

# SIGHT

# **CANIK® WHITE DOT FRONT SIGHT**

THE CANIK® WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS



ONLY INSTALL ON COMPATIBLE MODELS

MMAC-004

FITS

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

TP9 ELITE SC - TP9 SFx MOD 2 - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 ELITE-S COMBAT TP9 SF METE - TP9 SF METE - S - TP9 SFx METE - TP9 SFT METE - TP9 SUB METE TP9 V2\*SEE BACK

TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

FINISH

(30PCS)

FFATURFS

HIGH FIBER OPTIC FRONT SIGHT

HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODEL

HIGH QUALITY

CNC TECH

# **MMAC-003**

### FITS

TP9 DAT - TP9 SAT - TP9 SFT - TP9 V2\*SEE BACK TP9DA - TP9 SF\*SEE BACK - TP9 SF MOD 2 TP9\*SEE BACK TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE -S - TP9 SFL - TP9 SFX - TP9 SFX MOD 2 **TP9 ELITE COMBAT - TP9 ELITE-S COMBAT** 

ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM.

FINISH

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

(30PCS)

**FEATURES** 

WHITE DOT FRONT SIGHT

HIGH QUALITY

CNC TECH

PROVE

# **MMAC-006**

### FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SF METE - TP9 SFI METE - TP9 SUB METE TP9 SUB ELITE - TP9 ELITE SC - TP9 SFI = TP9 ELITE - SC OMBAT - METE SF METE SF PRO - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - METE SC - METE SC

# SIGHT

# SIGHT

# SIGHT

# WARREN® FIBER OPTIC FRONT SIGHT

THE WARREN® FIBER OPTIC FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS.

# WARREN<sup>®</sup> NARROW BLACK OUT REAR SIGHT

THE WARREN® NARROW BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.

# WARREN<sup>®</sup> WIDE BLACK OUT REAR SIGHT

THE WARREN® WIDE BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



(30PCS)**FEATURES** FIBER OPTIC FRONT SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

# **MMAC-007** FITS TP9 V2- TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SF METE - TP9 SIT METE - TP9 SUB METE TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX - TP9 ELITE COMBAT - METE SF METE SF PR0 - METE SFX - METE SFX PR0 - METE SFT - METE SFT PR0 - METE SC - METE SC

FITS





(30PCS)FEATURES **"U" SHAPED BLACKED OUT REAR SIGHT** 





ATTENTION FOR PROPER INSTALLATION. USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.





ATTENTION FOR PROPER INSTALLATION. USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-088	
FITS	
TP9 SFX - TP9 SFX MOD 2 - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S	

# OFFICIAL ACCESSORY PROGRAM

# TP9 DA - TP9 SFL - TP9 V2\*SEE BACK

TP9 SA\*SEE BACK - TP9 SA MOD 2 - TP9 SF\*SEE BACK - TP9 SF ELITE - TP9 SF ELITE-S

### **MMAC-090**

FITS

THE FRONT SIGHT.

NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

FINISH

SIGHT

WARREN<sup>®</sup> FIBER OPTIC FRONT AND BLACK OUT

**REAR SIGHT SET** 

THE WARREN® FIBER OPTIC FRONT AND BLACK OUT REAR SIGHT SET

ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT

IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS.

THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT

FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW.

THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT

CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL

(MMAC - 035)CANIK® SIGHT ADJUSTMENT TOOL.


ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

TP9 SF METE-S - TP9 SF METE - TP9 SFX METE - TP9 V2\*SEE BACK - TP9 SA\*SEE BACK TP9 SA MOD 2

TP9 SF\*SEE BACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S - TP9 DA

### ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



SIGHT

CANIK<sup>®</sup> WHITE DOT FRONT SIGHT

THE CANIK<sup>®</sup> WIDE WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER

IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE

PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



(30PCS) **FEATURES** 





NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER

ONLY INSTALL ON COMPATIBLE MODELS.

**MMAC-089** 

FITS

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SUB METE - TP9 SFT METE

TP9 SF METE-S - TP9 SF METE - TP9 SFx - TP9 V2\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2

TP9 SF\*SEE BACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S TP9 DA

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL

TP9 SF T6472-15 AT 33001 AND HIGHER

# SIGHT

CANIK<sup>®</sup> WHITE DOT FRONT SIGHT & METE

SERIES REAR SIGHT

THE CANIK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT

# SIGHT

# SIGHT

# SIGHT

# CANIK<sup>®</sup> 3 WHITE DOT TACTICAL SIGHT SET

THE CANIK<sup>®</sup> 3 WHITE DOT TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

# CANIK<sup>®</sup> 3 DOT TRITIUM TACTICAL SIGHT SET

THE CANIK<sup>®</sup> 3 DOT TRITIUM TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

# (30PCS) (30PCS) FEATURES WHITE DOT FRONT SIGHT 2 WHITE DOT FRONT SIGHT 2 WHITE DOT FRONT SIGHT 2 WHITE DOT REAR SIGHT ANGLED REAR SIGHT EDDT REAR SIGHT

URABLE 🚏 HIGH QUALITY 🛠 COMBAT

ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM. (MMAC - 135) canik® sight adjustment tool

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPARIBLE WITH THE FOLLOWING MODELS BEARING HONCARDS SERUA Numbers TP9 v2 16472-16 al datist and higher TP9 SA 16472-16 ap 00201 and higher TP9 SF 16472-16 at 33001 and higher Marning: Canity Parts Should be installed by a competent, qualified gunsphith with an understanding of the Fire Platform that The Parts Are Being Installed DN. Refer to Installation Instructions Provided, and Pistol User Manual On VINSTALI IN COMPATIBIE MODELS

### **MMAC-202**

### FITS

TP9 SAT - TP9 DAT - TP9 SFT - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 SFX - TP9 SFX METE TP9 SF METE - TP9 SF METE-S - TP9 SUB METE - TP9 SUB ELITE - TP9 SLITE SC TP9 SFX MOD 2 - TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK TP9 DA - TP9 SF ELITE TP9 SFX MOT 2 - TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SF COMBAT





TRITIUM FRONT SIGHT 2 DOT TRITIUM TACTICAL REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT



NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 16472-15 AI 04151 AND HIGHER TP9 SA 16472-16 AP 00201 AND HIGHER TP9 SF 16472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED BUNSNITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

### MMAC-299

### FITS

TP9 ELITE SC - TP9 SFX MOD 2 - TP9 SFT - TP9 SA MOD 2 - TP9 SFX - METE SFX - METE SFX PRO METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SC - TP9 V2\*SEEBACK METE SFX - METE SFX PRO - METE SF

# CANİK ADJUSTABLE REAR SIGHT(BLACK)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATEOF-THE-ART CNC MANUFACTURING PROCESSES



WORKS WITH CANIK FACTORY FRONT SIGHTS MACHNIED FROM SOLID STEEL USING STATE-OFTHE-ART CNC MILLING INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT BLACK COLOR



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user manual only install ocompatible models.

MMAC-361	
TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT	

# OFFICIAL ACCESSORY PROGRAM

FITS TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 DA - TP9 SA MOD 2 - TP9 SF MOD 2 **TP9 SF ELITE - TP9 SF ELITE-S** 

# MMAC-025

ONLY INSTALL ON COMPATIBLE MODELS

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER ING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER ONS PROVIDED, AND PISTOL USER MANUAL

ATTENTION ATTENTION: FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA COM PACN1000 (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL



(30PCS) FFATURFS HIGH FIBER OPTIC FRONT SIGHT HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT



SIGHT

WARREN<sup>®</sup> TACTICAL SUPPRESSOR SIGHT

(FIBER FRONT & WIDE BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE

SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A

SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED

OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER

OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

# SIGHT

# WARREN<sup>®</sup> REAR SIGHT WITH OPTIC LID

WARREN® REAR SIGHT WITH OPTIC LID ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

(30PCS)

FFATURFS

'U' SHAPED TWO WHITE DOT REAR SIGHT

PATRIOT BROWN COLOR

CNC TECH

ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

ONLY INSTALL ON COMPATIBLE MODELS

**MMAC-023** 

FITS

# SIGHT

# CANIK ADJUSTABLE REAR SIGHT(FDE)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE OUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF OUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

**MMAC-483** FITS TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

30PCS

WORKS WITH CANIK FACTORY FRONT SIGHTS

MACHNIED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING

INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT FDE ĆOLOR

HIGH OUALITY

CNC TECH

# SIGHT

# CANIK ADJUSTABLE REAR SIGHT(TUNGSTEN)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



# SIGHT

# CANİK ADJUSTABLE REAR SIGHT(BLACK)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATEOF-THE-ART CNC MANUFACTURING PROCESSES

# (20000)

(30PCS) FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS MACHNIED FROM SOLID STEEL USING STATE-OFTHE-ART CNC MILLING INCLUDES OPTIC LID CAP EASY ASSEMBLY CLICK ADJUSTMENT BLACK COLOR



WARNING! CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user manual only install on compatible models.



# **OPTIC BASE PLATE**

# CANIK<sup>®</sup> OPTIC INTERFACE #1

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.

M	MAC-034
FI	TS
	TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2
	IS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 OMPATIBLE OPTICS: TRUGLO - DOCTER - MEOPTA - INSIGHT - VORTEX - MECANIK MO2

# **OPTIC BASE PLATE**

# **OPTIC BASE PLATE**

# CANIK<sup>®</sup> OPTIC INTERFACE #2

THE CANIK® OOPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

FITS

# **CANIK® OPTIC INTERFACE #3**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

# **OPTIC BASE PLATE**

# CANIK<sup>®</sup> OPTIC INTERFACE #4

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION



# **OPTIC BASE PLATE**

# CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC **READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA\*SEE BACK

TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT

COMPATIBLE OPTICS: SHIELD SIGHTS<sup>™</sup> SMS - MECANIK<sup>™</sup> M01

# **OPTIC BASE PLATE**

# CANIK® OPTIC BASE PLATE (B) FOR NON-**OPTIC READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON

COMPATIBLE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

OFFICIAL ACCESSORY PROGRAM

**MMAC-169** 

FITS

# **OPTIC BASE PLATE**

# CANIK® OPTIC BASE PLATE (D)FOR NON-**OPTIC READY PISTOLS**

THE CANIK® CO-WITNESS OPTIC INTERFACE #5 WITH FRONT SIGHT HAS A PERFECT INFRASTRUCTURE FOR YOUR OPTICS WITH ITS HIGH STRENGTH ALUMINUM FRAME. THE SERRATIONS ON IT BLEND PERFECTLY WITH THE SERRATIONS OF YOUR PISTOL WHICH ALSO CREATES AN EXTRA SURFACE FOR SLIDE MANIPULATION. THANKS TO SPECIAL FRONT & COMBINED REAR SIGHT IT HAS CO-WITNESS FEATURE.



TP9 SF ELITE - TP9 ELITE-S - TP9 SF\*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA\*SEE BACK TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT COMPATIBLE OPTICS: TRUGLO™ - VORTEX™ - MECANIK™ MO2

MMAC-190	
FITS	
TP9 ELITE COMBAT - TP9 E	LITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2
COMPATIBLE	OPTICS: AIMPOINT <sup>®</sup> ACRO-C1

VARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMIT

HIGH OUALITY

CNC TECH

192

**MMAC-151** 

FITS

# OFFICIAL ACCESSORY PROGRAM

FITS SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2\*SEE BACK - TP9 SFT COMPATIBLE OPTICS: TRIJICON



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

(30PCS)

**FEATURES** 

MADE FROM HIGH STRENGTH ALUMINUM

HIGH-QUALITY ELOXAL COATING

TORX KEY (T10)

**USER-FRIENDLY INSTALLATION** 

LOW PROFILE DESIGN

FINISH

**OPTIC BASE PLATE** 

CANIK<sup>®</sup> OPTIC BASE PLATE (C)

FOR NON-OPTIC READY PISTOLS

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT

A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE

OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM.

THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE

SERRATIONS ON YOUR CANİK<sup>®</sup>, CREATING AN ADDITIONAL SURFACE FOR

SLIDE MANIPULATION



CNC TECH





ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001 WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

HIGH QUALITY CNC TECH FINISH



MANUFACTURED FROM HIGH OUALITY 4140 STEEL **TENIFER COATING** 





**OPTIC BASE PLATE** 

CANIK® OPTIC BASE PLATE (D)FOR NON-

**OPTIC READY PISTOLS** 

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES

THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK®

MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL

WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED

TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL,

PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE

OPTIC OF YOUR CHOICE.



# **OPTIC BASE PLATE CANIK® OPTIC INTERFACE #5**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT

FITS TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMPATIBLE OPTICS: SIG SAUER ROMEO 2 MA<sup>™</sup> - C-MORE RTS 2<sup>™</sup>

**MMAC-549** 

(30PCS)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

**FEATURES** 

MADE FROM HIGH STRENGTH ALUMINUM

HIGH-QUALITY ELOXAL COATING

TORX KEY (T10)

**USER-FRIENDLY INSTALLATION** 

LOW PROFILE DESIGN

FINISH

HIGH QUALITY

CNC TECH

193

# **OPTIC BASE PLATE**

# **CANIK® OPTIC INTERFACE #R05**

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

# **MAGAZINE CATCH**


# CANIK<sup>®</sup> EXTENDED MAGAZINE CATCH ASSEMBLY

THE CANIK<sup>®</sup> DESIGNED EXTENDED MAGAZINE CATCH ASSEMBLY OFFERS INNOVATIVE STYLING AND FUNCTIONALITY IN 4 DIFFERENT SIZES. THE MAGAZINE BUTTON AND CATCH ARE MADE WITH HIGH TECH MIM (METAL INJECTION MOLDING). FOR MAXIMUM DURABILITY, ALL PARTS (EXCEPT MAGAZINE CATCH SPRING) ARE COATED WITH HIGH QUALITY TENIFER<sup>®</sup> FINISH. 4 DIFFERENT BUTTON OPTIONS ARE PROVIDED FOR OPTIMAL TACTILE RESPONSE, SPORTING USAGE, AND AESTHETICS.

# **DRY FIRE ASSEMBLY**

# CANIK<sup>®</sup> ASSEMBLY FOR DRY FIRE TRAINING

THE CANIK<sup>®</sup> ASSEMBLY FOR DRY FIRE TRAINING IS DESIGNED BY CANIK<sup>®</sup> RESEARCH AND DEVELOPMENT TO MEET THE TRAINING NEEDS OF ALL PROFESSIONAL SHOOTERS. IT ALLOWS YOU TO PROTECT YOUR PISTOL'S FIRING PIN WHILE DRY FIRE PRACTICING.



# **FIRING PIN ASSEMBLY**

# **CANIK® FIRING PIN ASSEMBLY**

THE CANIK® FIRING PIN ASSEMBLY IS DESIGNED BY CANIK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.

# **FIRING PIN ASSEMBLY**

# CANIK<sup>®</sup> FIRING PIN ASSEMBLY

THE CANIK<sup>®</sup> FIRING PIN ASSEMBLY IS DESIGNED BY CANIK<sup>®</sup> RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.

# TRIGGER

# CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.





### FITS

TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SFx TP9 DA - TP9 DA ELITE - SFx RIVAL - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE TP9 SF ELITE-S - TP9 SFL - TP9 SFT

### MMAC-360

TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE - TP9 ELITE SC - TP9 SUB METE METE SF - METE SF PR0 - METE SFT - METE SFT PR0 - METE SFX - METE SFX PR0 SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH-ONLY USE WITH COMPATIBLE PISTOL MODELS. MMAC-065 FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFX MOD 2 TP9 SUB D2 - TP9 SF METE - TP9 SUB METE - TP9 ELITE SC COMBAT - TP9 SFX MOD 2 TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS - METE SF METE SF PR0 - METE SFT - METE SFT PR0 - METE SFX - METE SC - METE SC PR0 -SFX RIVAL

# TRIGGER

# CANIK<sup>®</sup> ENHANCED 90° ALUMINUM FLAT **TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

# TRIGGER

# **CANIK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK<sup>®</sup> R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

# TRIGGER

# CANIK<sup>®</sup> FULL SIZE PISTOL ALUMINUM FLAT **TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED. CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS

### MMAC-066

### FITS

TP9 SE ELITE- TP9 ELITE COMBAT - TP9 SEX MOD 2 - TP9 SE MOD 2 - TP9 SE METE TP9 SFT METE - TP9 SFx METE - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PR0 - METE SFT - METE SFT PRO METE SFx - METE SFx PRO - METE SC - METE SC PRO - SFx RIVAL





CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM





VARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES

TP9 SF ELITE - TP9 SF ELITE COMBAT - TP9 SFx MOD 2 - TP9 SF MOD 2 - TP SF METE

TP9 SFT METE - METE SFX METE - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PRO - METE SFT - METE SFT PRO

METE SFx - METE SFx PRO - METE SC PRO - SFx RIVAL











ARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS

**FEATURES** 

FLAT-FACE

SERRATED DESIGN

CNC – MACHINED HIGH STRENGTH ALUMINUM

DESIGNED BY CANİK®

SHORT PRE-TRAVEL & RESET DISTANCE



# OFFICIAL ACCESSORY PROGRAM

SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-465

FITS

# **UPGRADE PACK**

# CANIK<sup>®</sup> UPGRADE PACK #2 - MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

CANIK® UPGRADE PACK #2 CONTAINS:1 X COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION (MA895 / MMAC-029)

1X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013) COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION 18 (15+3) ROUND 9X19MM CAPACITY +3 ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC)

CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC GAR®

INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE

**CANIK® STANDARD ALUMINUM** 

+3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



-€ CERAKOTE<sup>®</sup>

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE, WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.

# **MMAC-100** FITS TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

# **UPGRADE PACK**

# **CANIK® UPGRADE PACK #1 - MAGAZINES** (WITH ALLEN KEY & SCREW)

### **CANIK® UPGRADE PACK #1 CONTAINS:**

1 X COMPACT SIZE 15 ROUND MAGAZINE (MA595 / MMAC-028) 1X CANIK<sup>®</sup> STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACN0500 / MMAC-024) 3 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013) 1X CANIK<sup>®</sup> STANDARD COMPACT SIZE MAG-WELL (PACN0251 / MMAC-027)

CANIK® STANDARD COMPACT SIZE	CANIK® STANDARD ALUMINUM +3
BACKSTRAP (2 SIZES):	MAGAZINE EXTENSION:
DESIGNED BY CANIK®	ADDS +3 ROUNDS CAPACITY
COMPATIBLE WITH COMPACT SIZE MAG-	DESIGNED TO WORK WITH YOUR ORIGINAL
WELLS	MAGAZINE SPRING
FAST ASSEMBLY WITH USER-FRIENDLY	(PLEASE CHECK COMPATIBLE MODELS
DESIGN	SHOWN)
EFFECTIVE AND COMFORTABLE SHOOTING	EASY TO INSTALL
SPECIFICALLY DESIGNED TO PROVIDE	NO TOOLS ARE REQUIRED FOR INSTALLATION
OPTIMUM ERGONOMICS	
2 DIFFERENT SIZES	
COMPACT SIZE 15 ROUND MAGAZINE:	CANIK® STANDARD COMPACT SIZE MAG-
15 ROUND 9X19MM CAPACITY	WELL:
POLYMER BASE PLATE	OUICK ASSEMBLY WITH USER-FRIENDLY

PULYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE FASY MAINTENANCE

INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS

MMAC-099

FITS

MAG-OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT **GRADE ALUMINUM BLACK FINISH** 

### HEH QUALITY

# **UPGRADE PACK**

# **CANIK® UPGRADE PACK #1 - MAGAZINES** (RESTRICTED) WITH ALLEN KEY & SCREW

### **CANIK® UPGRADE PACK #1 (RESTRICTED) CONTAINS:**

1 X COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION (MA2083 / MMAC-195)

1 X CANIK<sup>®</sup> STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013) COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION

**10 ROUND 9X19MM CAPACITY** DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE

CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION: ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) FASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



### HEH QUALITY CNC TECH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE, WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS

### **MMAC-197**

# FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP SF METE - TP9 SF METE-S - METE SF - METE SF PRO

# OFFICIAL ACCESSORY PROGRAM

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT OUTALIETED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATEORM THAT THE PARTS ARE REING INSTALLED ON FOR ASSEMBLY DISASSEMBLY AND MAINTENANCE INSTRUCTIONS SEE OR CODE

LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE WEAR

FYE PROTECTION REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND PISTOL LISER MANUAL INSTALL IN ACCORDANCE WITH THE

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

**TP9 SF METE-S** 

# **UPGRADE PACK**

# CANIK<sup>®</sup> UPGRADE PACK #3 - SHIELD SIGHT **SMSWITH ALLEN KEY & SCREW**

**CANIK® UPGRADE PACK #3 SHIELD SIGHTSTM SMS OPTICS CONVERTS** YOUR NON-OPTIC READY PISTOL INTO OPTIC PISTOL.

### CANIK<sup>®</sup> UPGRADE PACK #3 CONTAINS

1X SHIELD<sup>™</sup> SMS MODEL MICRO RED-DOT (4 MOA) (MMAC-150) 1 X CANIK<sup>®</sup> OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACN0704 / MMAC-151)

SHIELD SIGHTS™ SMS MODEL MICRO CANIK® OPTIC BASE PLATE (A) FOR RED-DOT (4 MOA) NON-OPTIC READY PISTOLS 4 M.O.A. DOT AND A LIGHT YET STURDY MANUFACTURED FROM HIGH QUALITY POLYMER BODY, THE SHIELD SMS MINI- 4140 STEEL SIGHT COMPACT IS IDEAL FOR COMPACT TENIFER COATING CARRY GUNS TORX KEY (T10 & T20) RED LIGHT EMITTING DIODE (LED) NO USER-FRIENDLY INSTALLATION LASER; COMPLETELY EYE SAFE NO LOW PROFILE DESIGN RADIOACTIVE MATERIALS 1X REFLEX LENS (NO MAGNIFICATION) ANTI-REFLECTION NO COLOURED

COATING, MINIMISES VISIBLE SIGNATURE **3V LITHIUM BATTERY, CR2032** AUTOMATIC ADJUSTMENT WEIGHT: 14 GRAMS / 0.5 OUNCES





ATTENTION OMPATIBLE WITH PISTOLS PRODUCE AFTER THESE SERIAL NUMBERS TP9 V2 T6472-15 AL04151 TTP9 SA T6472-16 AP 00201 TP9 SE T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL, ONLY INSTALL ON COMPATIBLE MODELS ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

### **MMAC-172**

TP9 V2\*SEE BACK - TP9 SF\*SEE BACK - TP9 SA\*SEE BACK - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF COMPATIBLE OPTICS: SHIELD SIGHTS<sup>™</sup> SMS - MECANIK<sup>™</sup> M01

# **DUTY PACK**

### CANIK® DUTY PACK #3

THE CANIK® KYDEX® LEVEL I COMPACT SIZE IWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-MINI 2 FLASHLIGHT. CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

CANIK<sup>®</sup> KYDEX<sup>®</sup> COMPACT SIZE IWB

VACUUM FORMED

HIGH-QUALITY CNC CUT

0.80"(2MM) KYDEX®

**CANIK® DUTY PACK #3 CONTAINS** ONE CANIK® KYDEX® IWB COMPATIBLE W/ COMPATIBLE FLASHLIGHT (RIGHT) (MMAC-142)

W/ FLASHLIGHT (RIGHT) ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC- COYOTE BROWN **RIGHT HANDED RETENTION LEVEL I HOLSTER** 

### OLIGHT<sup>™</sup> PL-MINI 2

076)

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS ADIUSTABLE RAIL 600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER SOURCE

OUICK INSTAL AND REMOVAL WITHIN ONE SECOND ULTRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED LOW BATTERY INDICATION 73GRAMS IPX6 RATED

# 

ARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFE I HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS

HANDLING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJEC IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT!

FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

### **MMAC-182**

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

# **DUTY PACK**

### **CANIK® DUTY PACK #2**

CANIK<sup>®</sup> DUTY PACK (CDP) #2 A COMBINATION OF CANIK® KYDEX® OWB SUB COMPACT FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY **KEEPING THE NEEDS OF FIELD OPERATORS** IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

### CANIK<sup>®</sup> KYDEX<sup>®</sup> SUB COMPACT LEVEL

DUTY HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL MINI 2 COMPATIBLE** KYDEX<sup>®</sup> MOLDED HOLSTER, SOLID AND WELL FITTING **REFLEX SIGHT COMPATIBLE** HIGH PRECISION CNC CUTTING SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY FIT

### **DUTY PACK #2 CONTAINS**

ONE CANIK<sup>®</sup> OWB KYDEX<sup>®</sup> LEVEL1 HOLSTER (MMAC-167) ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC-076)

### OLIGHT<sup>™</sup> PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS ADIUSTABLE RAIL 600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER SOURCE OUICK INSTAL AND REMOVAL WITHIN ONE SECOND ULTRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED LOW BATTERY INDICATION 73GRAMS IPX6 RATED



ING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFE! ANDI F THEIR FIREARMS WHILE USING THEIR HOLSTERS

HANDI ING OF A FIREARM IS INHERENTI Y DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNI DADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJEC IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

### **MMAC-177**

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO **TP9 SUB ELITE CAS** 

# **DUTY PACK**

**CANIK® DUTY PACK #5 CONTAINS** 

ONE OLIGHT<sup>™</sup> PL-2 FLASHLIGHT (MMAC-074)

1200 LUMENS OUTPUT WITH UP TO 257

CUSTOM BATTERY COMPARTMENT LOCK

DESIGN TO PREVENT ACCIDENTAL OPENING

SINGLE HANDED MANUAL QUICK ATTACH

AND RELEASE MOUNTING SYSTEM

2 X CR123A BATTERY (INCLUDED)

**UP TO 70 MIN OPERATING TIME** 

HOLSTER (MMAC-180)

OLIGHT<sup>™</sup> PL-2

YARDS BEAM THROW

**CREE XHP35 HI LED** 

**IPX6 RATED** 

80GRAMS

### CANIK<sup>®</sup> DUTY PACK #5

THE CANIK® DUTY PACK (CDP) #5 A ONE CANIK® KYDEX® FULL SIZE LEVEL I DUTY COMBINATION OF CANIK® KYDEX® OWB FULL SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY KEEPING THE NEEDS OF FIELD OPERATORS IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

CANIK<sup>®</sup> KYDEX<sup>®</sup> LEVEL I FULL SIZE DUTY

HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL-2 COMPATIBLE** KYDEX MOLDED HOLSTER, SOLID AND WELL FITTING

REFLEX SIGHT COMPATIBLE HIGH PRECISION CNC CUTTING SPARE BUTTERFLY CLIP SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY

FIT



# COMBAT COMBAT COMPACTURE FORMED FORMED CONC TECH

WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY ANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS!

ANDI ING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNI DADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

THIS HOLSTER MECHANISM WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON

INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

### **MMAC-184**

FITS

TP9 SFx - METE SFx - METE SFx PR0 - TP9 SFL

# **DUTY PACK**

### **CANIK® DUTY PACK #4**

THE CANIK<sup>®</sup> KYDEX<sup>®</sup> LEVEL I COMPACT SIZE OWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-2 FLASHLIGHT. IT IS DESIGNED ACCORDING TO THE NEEDS OF TACTICAL SITUATIONS AND / OR DAILY CARRY CONSIDERATION. CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

CANIK® KYDEX® LEVEL I COMPACT SIZE OWB HOLSTER COMPATIBLE W/ OLIGHT PL-2 FLASHLIGHT COYOTE BROWN **RIGHT HANDED RETENTION LEVEL I HOLSTER** VACUUM FORMED HIGH-QUALITY CNC CUT

0.80"(2MM) KYDEX

ONE CANIK® KYDEX® COMPACT SIZE OWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-143) ONE OLIGHT<sup>™</sup> PL-2 FLASHLIGHT (MMAC-074)) OLIGHT™ PL-2 1200 LUMENS OUTPUT WITH UP TO 257 YARDS BEAM THROW CUSTOM BATTERY COMPARTMENT LOCK DESIGN TO PREVENT ACCIDENTAL OPENING SINGLE HANDED MANUAL QUICK ATTACH AND RELEASE MOUNTING SYSTEM CREE XHP35 HI LED 2 X CR123A BATTERY (INCLUDED) UP TO 70 MIN OPERATING TIME IPX6 RATED

**CANIK® DUTY PACK #4 CONTAINS** 

80GRAMS

COMBAT COMBAT COMPACTUAL COMPACT CONTRACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMPACT COMP

WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY ANDI F THEIR FIREARMS WHILE USING THEIR HOLSTERS!

HANDI ING OF A FIRFARM IS INHERENTI Y DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJEC S BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

WORKS WITH RETENTION. THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTEE

### **MMAC-183**

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

# SIGHT ADJUSTMENT TOOL

# FOR USE WITH ALL TP AND METE SERIES PISTOLS



ING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON ALWAYS REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND/OR PISTOL USER MANUAL IMPROPER USE OF THIS TOOL MAY RESULT IN DAMAGE TO YOUR SIGHTS AND/OR FIREARM, ONLY TO BE USED BY A QUALIFIED GUNSMITH

ALL TP SERIES PISTOLS

MMAC-035

FITS

# **CLEANING PAD**

# **CANIK® CLEANING MAT (TP9 ELITE COMBAT)**

NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

CANIK<sup>®</sup> LANYARD (WITHOUT STEEL CORD)

LANYARD

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND THE CANIK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.

# LANYARD

# CANIK<sup>®</sup> LANYARD (WITH STEEL CORD)

THE CANIK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.







**FEATURES** SPIRAL CORD ADJUSTABLE VELCRO BELT ADAPTOR USER FRIENDLY DESIGN





**FEATURES** 

3 MM NEOPRENE TP9 ELITE COMBAT PART LIST **DIMENSION 27X43CM** 

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

ATTENTION REQUIRES #MMAC-352 CANIK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

OFFICIAL ACCESSORY PROGRAM

ATTENTION REQUIRES #MMAC-352 CANIK<sup>®</sup> COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

**MMAC-185** 

# **MMAC-275**

# LOCK

# LOCK

# CANIK<sup>®</sup> PISTOL CABLE LOCK (UNIVERSAL)

THE CANIK® PISTOL CABLE LOCK BLOCKS THE CHAMBER TO PREVENT A CARTRIDGE FROM BEING FIRED. THE LONG-BRAIDED STEEL CABLE IS INSERTED DOWN THE EJECTION PORT AND DOWN THE MAGAZINE WELL OF THE GUN. THE END OF THE CORD FITS INTO THE LARGE PADLOCK WITH A KEY USED TO SECURE THE DEVICE.

# **CANIK® TRIGGER LOCK**

CANIK® TRIGGER LOCK HAS A STEEL AND ZINC BODY FOR MAXIMUM DURABILITY. THE PROTECTIVE RUBBER PADS PROTECT PISTOL FINISH FROM MARRING OR SCRATCHING.



PREVENT UNAUTHORIZED USE FITS MOST PISTOLS, HANDGUNS, RIFLES, SHOTGUNS & MODERN SPORTING RIFLES PROTECTIVE COATING ON WIRE TO PREVENT SCRATCHING FIREARM SECURES PISTOL, RIFLE, SHOTGUN, REVOLVER, AND OTHER FIREARM TYPES



WARNING! CANIK® PISTOL CABLE LOCK SHOULD NEVER BE USED ON A LOADED GUN.






**FEATURES** 


UNIVERSAL TRIGGER LOCK SAFETY COMPLIANT EASY TO INSTALL KEYED TRIGGER LOCK



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON Compatible models. All parts and accessories should be installed by a qualified gunsmith.







# **OPTIC SIGHT LID SCREWS (M3)**

# **RECOIL SPRING**

**OPTIC SCREWS (M4)** 



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

# **MMAC-001** FITS TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SF METE - TP9 SF METE

TP9 SF METE-S - TP9 SFT METE - TP9 SFx METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC METE SFx - METE SFx PRO - METE SFT - METE SFT PRO - METE SF - METE SF PRO - METE SC METE SC PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-139	
FITS	
TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC Mete SC pro	

# **EJECTOR ASSEMBLY**

# **TRIGGER ASSEMBLY**

# **OPTIC BASE PLATE**





WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIL OL M. (SPARE) PARTES MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT HE PART IS BEING INSTALLED ON.

# MMAC-205

FITS

TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE - S - TP9 SFL - TP9 SFT - TP9 SAT TP9 ELITE COMBAT - TP9 ELITE - S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE -TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC WARNINGEI INSTALLI IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm platform that the part is being installed on.

MMAC-206

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA TP9 DA ELITE WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm platform that the part is being installed on.

MMAC-207

### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA TP9 DA ELITE - TP9 SF METE - TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SB TP9 DA ELITE - TP9 SF METE - TP9 SB METE - TP9 SFX METE - TP9 SFX - TP9 SB TP9 DA ELITE - TP9 SFM ST - TP9 SB METE - TP9 SFX METE - TP9 SFX - TP9 SB TP9 SB METE - TP9 SB METE - TP9 SB METE - TP9 SFX METE - TP9 SFX - TP9 SB TP9 SB METE - TP9 SB METE - TP9 SB METE - TP9 SFX METE - TP9 SFX - TP9 SB SB ELITE

# **EXTRACTOR ASSEMBLY**

# **OPTIC SIGHT LID ASSEMBLY**

# **TRIGGER BAR**



TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-210	
FITS	
	A MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT Lite-S combat - TP9 SFx Mod 2 - TP9 SF Mete - TP9 SF Mete-S
	- TP9 SFx - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SF SF PR0 - METE SFT PR0 - METE SFx PR0 - METE SC - METE SC PR0

# **SLIDE END CAP**

# **FIRING PIN BLOCK ASSEMBLY**

# **MAGAZINE CATCH ASSEMBLY**





WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.



WARNINGEI INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

### MMAC-212

### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-TP9 SFT METE - TP9 SFX METE - TP9 SFX P10 A ELITE - TP9 SFX MOD 2 - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE - TP9 SFX METE WARNING I INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G. M. (Spare) Partis Must be installed by a competent qualified guinsmith with an understanding of the firearm Platform that the part is being installed on.

### MMAC-213

### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA MOD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT

# **SLIDE STOP ASSEMBLY**

# **LOCKING BLOCK ASSEMBLY**

# **SIGHT SET**

WARNMEN INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Pattorn that the part is being installed on.

# MMAC-214 FITS TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFL - TP9 SFT - TP9 SAT - TP9 DAT - TP9 SFX - TP9 DA

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a completing qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.



WARNINGEN INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik Glem. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Platform that the part is being installed on.

MMAC-216	
FITS	
TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT	

# **THREAD PROTECTOR**

# **RECOIL SPRING**

# **SIGHT SET WITH OPTIC LID**







WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

MMAC-297		
FITS		
ALL M13,5x1LH METRIC THREADED BARRELS ( EXCEPT TP9 ELITE COMBAT)		

WARNINGEI INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

MMAC-348	
FITS	
TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT	

WARNING I INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts is being installed on.

# MMAC-363

### FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT

# **TRIGGER BAR**

# **METAL SLIDE END CAP**

# **SLIDE STOP ASSEMBLY (37MM)**

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canin O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

# MMAC-364 FITS TP9 V2 - TP9 DA - TP9 DAT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a completing qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.



WARNINGEI INSTALLI IN ACORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

### MMAC-366 FITS TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SFX MOD 2 TP9 SFM METE - TP9 SFM METE-S - TP9 SFT METE - TP9 SIX METE - TP9 SUB METE - TP9 SUB ELITE TP9 ELITE SC

# **OFFICIAL PARTS PROGRAM**

**N** 





LOCKING BLOCK ASSEMBLY

# LOCKING BLOCK ASSEMBLY

# LOW PROFILE SLIDE STOP ASSEMBLY (36MM)







WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

### MMAC-367 FITS TP9 ELITE - TP9 ELITE-S - TP9 ELITE-S COMBAT - TP9 SF MOD - TP9 SFx MOD 2 TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SUB METE - TP9 SUB ELITE TP9 ELITE SC

WARNINGEI INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

# MMAC-368

FITS

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SF MOD 2 TP9 SF METE- TP9 SF METE-S - TP9 SFT METE - TP9 SFX METE WARNING I INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts is being installed on.



# **LOW PROFILE SLIDE STOP ASSEMBLY (36MM)**

# **RECOIL SPRING**

**RECOIL SPRING** 



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

# MMAC-370 TP9 SA - TP9 SF - TP9 SFX - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFX METE METE SFT - TP9 SFX - METE SFT PR0 - METE SFX PR0 - SFX RIVAL

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-426	
FITS	
	ETE SFT - METE SFT PRO - METE SFX - METE SFX PRO SC - SFX RIVAL

# **EJECTOR ASSEMBLY**

# **FIRING PIN ASSEMBLY**

# LOCKING LEVER/ TAKEDOWN ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. CANIX OLE M. (SPARE) PARTES MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT HE PART IS BEING INSTALLED ON.



WARNINGEI INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.

**MMAC-428** METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - METE SX METE SC PRO

WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

### MMAC-429 FITS METE SF - METE SF PRO - METE SFT PRO - METE SFX PRO - METE SFX - SFX RIVAL METE SC - METE SC PRO

# **OPTIC SIGHT LID ASSEMBLY**

# LOCKING BLOCK ASSEMBLY

# LOCKING BLOCK ASSEMBLY









WARNINGEI INSTALLI IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

### MMAC-430

### FITS

METE SC - METE SC PRO - METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO

WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Platform that the part is being installed on.



WARNINGEI INSTALLI IN ACCORDANCE WITH THE INISTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Platform that the part is being installed on.

MMAC-432		
FITS		
	METE SC - METE SC PRO	

# OFFICIAL PARTS PROGRAM

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik G.E.M., (Spare) Partis Must be installed by a competent qualified gunsmith with an understanding of the FireArm Plattorm that the part is being installed on.

# MMAC-137

### FITS

TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO

WARNING: INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. CANIK G. EM. (Spare) parts Must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.

# MMAC-433

FITS METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - METE SC - METE SC PRO - METE SF WARNINGEI INSTALLI IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik de M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.



# MANUFACTURED BY CANIK

# **SIGHT SET**

# THREAD PROTECTOR

# **RECOIL SPRING**





# RECOIL SPRING & FIRING PIN SPRING

# RECOIL SPRING & FIRING PIN SPRING

# **THREAD PROTECTOR**

WARNINGEI INSTALLI IN ACCORDANCE WITH THE INISTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Platform that the part is being installed on.

# MMAC-494

FITS

TP9 SA - TP9 SF - TP9 SFL - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFX METE METE SFX - METE SFX PR0 - METE SFT - METE SFT PR0 - SFX RIVAL WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.



WARNINGEI INSTALLI IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik O.E.M. (Spare) parts must be installed by a competent qualified gunsmith with an understanding of the FireArm Platform that the part is being installed on.

MMAC-537		
FITS		
	ALL METRIC TP9 MODEL PISTOLS	



# **EJECTOR ASSEMBLY**

# **TRIGGER ASSEMBLY**

# **RECOIL SPRING**







WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik d.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the part is being installed on.



WARNINGEI INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS. Canik o.e.m. (spare) parts must be installed by a competent qualified gunsmith with an understanding of the firearm Platform that the parts being installed on.


MMAC-204		
FITS		
TP9 SF - TP9 SA - TP9 SFx - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFL		


WARNING I INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS. Canik G. M. (Spare) Partis Must be installed by a competent qualified guinsmith with an understanding of the firearm Platform that the part is being installed on.


# MMAC-493

### FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO







# M01 TACTICAL MICRO REFLEX SIGHT

MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES.

WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD.

WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M01	
OPTIC SPECS		
Operating principle:	Reflex collimator sight with LED	
Optical magnifcation	Optical magnification - 1X	
Aiming dot size:	3 MOA/Red	
Wavelength	650nm	
Paralaks Free	Yes	
Unlimited Eye Relief	Yes	
Lens	Glass	
Coloured Coating	Yes	
Anti-reflex, all surfaces and high transmission	Yes	
ELECTRONIC SPECS		
Light Source	Super LED	
Power Source	Battery	
Battery Type	CR2032	
Battery life - Day time use:	60,000 hours at the lowest setting	
Battery Position	Bottom	
Brightness Control	Automatic	
Motion Sensor	Yes	
Low Battery Warning	Yes	
Auto-turn off	Yes	
PHYSICAL DIMENSION		
Window Dimensions	0.83x0.62 inch/22x15.8 mm	
Optic Dimensions (LxWxH)	1.61x0.98x0.93 inch/40.8x25x23.5 mm	
Weight (with Battery)	20g/0.70 oz	
MECHANICAL DATA		
Frame	High Quality CNC Machine 6061 T6 Aluminum	
Surface treament	Anodized	
Adjustment	1 MOA (100 MOA Windage & Elevation)	
Optic Interface Patern	Shield RMSc	
ENVIROMENTAL FACTORS		
Storage Temp	D-40°C - 60°C	
Working Temp	-30°C -55°C	
Waterproof	IPX7 with its original interface	
48 Hours Salt Spray Test	Rustproof	

MMAC-330

FITS

TP9 SFT,TP9 SF, TP9 SF MOD. 2, TP9 SA MOD.2, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SUB ELITE, SFx RIVAL, SFx RIVAL-S, METE SFx, METE SFx PR0, METE SFT, METE SFT PR0, METE SF, TP9 SF METE-S, TP9 SUB METE, METE MC

# MO2 VERSATILE REFLEX SIGHT

### MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

### MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES. WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD.

WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M02	
OPTIC SPECS		
Operating principle:	Reflex collimator sight with LED	
Optical magnifcation	1x	
Aiming dot size:	3 MOA/Red	
Wavelength	650nm	
Paralaks Free	Yes	
Unlimited Eye Relief	Yes	
Lens	Glass	
Coloured Coating	Yes	
Anti-reflex, all surfaces and high transmission	Yes	
ELECTRONIC SPECS		
Light Source	LED	
Power Source	Battery	
Battery Type	CR2032	
Battery life - Day time use:	6.5 years (60,000h) at lowest setting, 3,000 at middle brightness	
Battery Position	Bottom	
Brightness Control	Manual 10 (2 NV+8 Daylight)	
Motion Sensor	NO	
Low Battery Warning	Yes	
Auto-turn off	Yes	
PHYSICAL DIMENSION		
Window Dimensions	1.1x0.79 inch/28x20 mm	
Optic Dimensions (LxWxH)	1.85x1.24x1.08 inch/47.31.5x27. mm	
Weight (with Battery)	31g/1.09 oz	
MECHANICAL DATA		
Frame	High Quality CNC Machine 6061 T6 Aluminum	
Surface treament	Anodized	
Adjustment	1 MOA (100 MOA Windage & Elevation)	
Optic Interface Patern	Vortex <sup>®</sup> Venom <sup>®</sup>	
ENVIROMENTAL FACTORS		
Storage Temp	-40°C - 60°C	
Working Temp	-30°C -55°C	
Waterproof	IPX7	
48 Hours Salt Spray Test	Rustproof	

MMAC-331

FITS TP9 SFT,TP9 SF, TP9 SF MOD. 2, TP9 SA MOD.2, TP9 DA, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFX, TP9 SFX MOD. 2, SFX RIVAL, SFX RIVAL-S

# **MO3 COMPETITION REFLEX SIGHT**

MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES. WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD.

WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M03	
OPTIC SPECS		
Reticle	6 MOA DOT	
Light Wavelength	650nm	
Reticle Color	Red	
Parallax Setting	25 yards	
Unlimited Eye Relief	Yes	
Magnification	1x	
Multi-Coatings	Yes	
ELECTRONIC SPECS		
Light Source	LED	
Power Source	Battery	
Battery Type	CR2032	
Battery life (Hours)	60,000 hours at the lowest setting	
Battery Position	Тор	
Brightness Setting	8 DL+2 NV	
Shake Awake	Yes	
Low battery alert	No	
Auto off	3 Minutes	
PHYSICAL DIMENSION		
Window Size	29x24 mm	
Dimensions (in)	54x34x35.9 mm	
Weight (with Battery)	1.69(48g)	
MECHANICAL DATA		
Housing Material	Aluminium 6061-T6	
Surface Finish	Black Anodizing	
Adjustment per Click	1 MOA	
W&E Travel Range	±50 MOA	
Footprint	Trijicon RMR	
ENVIRONMENT DATA		
Storage Temp	-30°C -60°C	
Working Temp	-30°C -60°C	
Submersion	IP67	
Vibration	1200G	
	·	

MMAC-634

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx, TP9 SFx MOD. 2, SFx RIVAL, SFx RIVAL-S

# **TP-1** SUPPRESSOR



MECANIK PRESENTS THE NEW PISTOL SUPPRESSOR LINE THAT FEAUTRES COMPLETELY MODULAR AND CONFIGURABLE ALUMINIUM BAFFLES THAT ALLOWS PERSONALIZATION FOR THE SHOOTER. MECANIK T-SUB1 SUPPRESSOR IS MAINLY DESIGNED FOR FLOATING-BARREL PISTOLS.THANKS TO ITS UNIQUE SUSPENSION SYSTEM, IT WORKS FLAWLESSLY WITH EVERY KIND OF 9MM FLUTTED-BARREL PISTOL.T-SUB1 HAS A LIGHT WEIGHT AND DURABLE DESIGN MADE TO GIVE THE SHOOTER EASE AND CONVENIENCE NEEDED FOR ANY OCCASION.IT IS ADAPTABLE TO USE WITH ANY KIND OF 9MM AMMUNITION.

Technical Specs for MECANIK T-SUP 1			
OVERALL PERFORMANCE	~ 22 Db (for 4 Baffles)		
SILENCER WEIGHT	4 Baffles: 207 g	6 Baffles: 248 g	
TOTAL LENGTH	4 Baffles: 155 mm	6 Baffles: 197 mm	
DIAMETER	24.4 mm		
MATERIAL	Aluminum, Stainless Steel (Piston)		
EXTERIOR FINISH	Cerakote over Black Anodized		
CALIBRES	9 x 19 mm		
THREAD OPTIONS	Option 1: 1/2"-28 UNEF	Option 2: M13,5X1 LH	

# **CANIK° GLOBAL ACCESSORY PROGRAM**

# OFFICIAL ACCESSORY PROGRAM



www.canik-store.com